

This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

#### Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.


We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + Refrain from automated querying Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + Keep it legal Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

#### **About Google Book Search**


Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at http://books.google.com/













# NINTH REPORT

TO THE

# LEGISLATURE OF VERMONT,

RELATING TO THE

# REGISTRY AND RETURNS

OF

# Births, Marriages and Deaths,

IN THIS STATE,

FOR

THE YEAR ENDING DECEMBER 31, 1865.

GEORGE NICHOLS, Secretary of State

 ${\rm MONTPELIER}$  : Printed at the freeman steam printing establishment. 1867 .

In Senate, November 12, 1866.

On motion of Mr. Porter, of Addison, ordered to lie, and the Secretary directed to procure the printing of one thousand copies for the use of the General Assembly.

HENRY CLARK, Secretary.

#### REPORT.

#### STATE OF VERMONT.

SECRETARY OF STATE'S OFFICE, & MONTPELIER, Oct. 25, 1866.

To the General Assembly of the State of Vermont:

In compliance with the requisitions of the law of this State, I have the honor of herewith transmitting to the General Assembly, the Ninth Annual Report, relating to the Registration and Returns of Births, Marriages and Deaths which have occurred in Vermont during the year, ending December 31, 1865.

The Summary of Remarks, deduced from the Tables, accompanying this Report, was very carefully and ably prepared by Oscar F. Fassett, M. D., of St. Albans, late President of the Vermont Medical Society, a gentleman who has evinced a deep interest in the system of Registration, and to whom, I take this occasion to tender my thanks for the many valuable suggestions relating to the subject.

Respectfully submitted,
GEORGE NICHOLS,

Secretary of State.

. · .

# CONTENTS.

#### TABLES.

I.	riages and Deaths, registered in each town, distinguishing the sex and parentage of Births, the nativity of Marriages, the sex, aggregate and average ages, and the	
	Recapitulation of General Abstracts	2-17 18-19
11.	BIRTES.—showing the number of each sex, in the several counties, during each month	20-21
	B. SupplementIllegitimate Births, by counties, by months and by sex	
Ш.	Marriages,-by counties and by months	24
IV.	PERSONS MARRIED, -by ages, and by conjugal conditions.	25-27
V.	DEATHS,—by counties, by months and by sex	28-20
VI.	DEATHS ACCORDING TO AGE,—showing the number of each sex at different ages, in each town and county, with the population and percentage	
VII.	Causes or Death.—Alphabetically arranged—showing the number of each sex, dying at different ages, during the several months, with the various diseases	62-72
III.	CLASSIFICATION OF THE CAUSES OF DEATH,—by counties, with the totals and percentage	73-79
IX.	Occupations,—showing the number of those pursuing different avocations, the number of deaths in each, the ratio to the living, and the aggregate and average ages	
	of those dying	80-81

VI.	NINTH	REGISTRATION	REPORT.	Γ1865.
		•		-

REMARKS.	
Accuracy of returns	83 83
Negligence of medical men in making proper returns	83 84
Delinquent towns in 1865	84
ous years	04
Population.	
Condition of the State in regard to its population  Effect of the war upon our population	85 85
Ratio of native and foreign population	85 85
·	
Births.	
Whole number for 1865	86
Table of births, aggregate for nine years, with the annual birth rate, mean birth rate, and sex	86
Increase of births in this State	86
Table showing the percentage of the decrease of births by counties for 1860, '64, '65	87
Sex; ratio of males to females	87
Preponderance of males, stillborn	87
" " males, illegitimate	88
Table showing each sex by counties, and the ratio of males to females	88
Season	88
Plurality births	88
Illegitimates	88
Stillborn	89
PARENTAGE.	
Ratio of native to foreign parentage	89
Marriages.	
Whole number in 1865	89
age for nine years  Social condition of parties marrying	90 90
DEATHS.	
Whole number in 1865	90

Table showing the whole number for the last nine years,	
with the percentages and the ratio of the living to the	
dead of 1865	91
Average number of deaths annually	91
Number of dead whose ages are given	91
Table showing the deaths for 1865, with ages, sex and rates	91
Average age of those dying	91
Ratio of males to females dying	92
Season	92
Nativity	92
Percentage of deaths in the several counties	93
Causes of Death.	
Causes of death-General Remarks	93
CRUSCS OF GENERAL REMARKS	90
Zymotics.	
	100
Whole number for 1865.	94
Diphtheria, decrease of deaths from this cause, from pre-	0.4
ceding years	94
Table showing the fatality of this disease in the several	***
counties for the last eight years	95
Scarlatina	95
Croup	95
Typhoid fever	95
Spotted fever	96
Dysentery, Diarrhoa, Measles, Whooping Cough and	(1/2 s)m
Small Pox	30-31
Constitutional Diseases.	
Whole number of deaths from this class	
	97
Fatal diseases of this class	97
Consumption, its fatality	98
Table showing the deaths from Tubercular Disease, with	
percentage of all deaths, and rate to living	98
Ratio of males to females, dying from Tubercular disease.	98
Dropey and Cancer	99
Local Diseases.	
Diseases of Respiratory Organs	50
Ratio of deaths from this class of discuses, to the whole	
number dying	
Nervous Diseases-their ratio of fatality	99
Organs of Circulation	100

VIII.	NINTH REGISTRATION REPORT.	[1865								
Developmental Disease».										
	Diseases of Children	. 100								
	Diseases of Old People	. 100								
Viol	ent Deaths.									
	Whole number for 1865, and their percentage	. 100								
	Suicide, whole number of deaths by	. 100								
APPE	ENDIX.									
	Classification of Diseases	101–103								
	Laws of this State relative to the Registry and Returns of									
	Births, Marriages and Deaths	104-107								

.

## REGISTRATION

OF

Births, Marriages and Deaths.

IN

VERMONT,

FOR

THE YEAR ENDING DECEMBER 31, 1865.

TABLE I. - BIRTHS,

### Returned to the Secretary's Office, for

! !	1860.	BIRTHS.								
Counties and Towns.	Population in 1860	Ño.		Sex.		Pai	RENTAG	iE.		
	Popula	Whole No.	м.	F.	Unk.	Am.	For.	Unk		
Addison. Bridport Bristol Cornwall. Ferrisburgh. Goshen. Granville. Hancock Leicester. Lincoln Middlebury Monkton New Haven Orwell. Panton Ripton. Salisbury Shoreham Starksboro. Vergennes Waltham	2879 1123 1419 1341 501 570 853 1382 1437 1286 263	6	4 28 7 15 9 6 8 4 18 15 2	20	1	4	2 2 11 10 5 2 1 14 15 4 15 4	1 1 2 1		
Weybridge Whiting Totals	667 542 24010	I	8		5 5 5 3	14 11 241	2			

#### MARRIAGES AND DEATHS.

#### the year ending December 31, 1865.

M	ARR	IAG	ES.		DEATHS.									
No.	NATIVITY.			No.		Sex.			ge.					
Whole No.	Am.	For.	Unk.	Whole No.	М.	F.	Unk.	Ages given.	Agg*te.	Average.	Percentage.			
6	6			9	2	7		y	320	35.55	.90			
10	4		5	21	$\frac{2}{13}$	8		20	1000	50.00	1.61			
12 10	8		3	27	9	18		26	541	20.80	1.99			
10	5	5		9	5	4		9	304	33.77	.92			
5 4 4 1 11 43 9 7	3	2		10	6	4		10-	408	40.80	.57			
4	4			8 9	6 4 3 3	4		8	140	17.50	2.03			
4	3			9	3	6		9	332	36.88	1.02			
7	5		2	9	3	6		9	324	36.00	2.00			
3			)	10	6	4		10	400	40.00	1.35			
11	10		1	17	5	32		17	260	15.29	1.58			
43	24	19		38	18	20		32 17	1126	35.18	1.31			
9	5	1	3	17	7	9	1	17	498	29,29	1.51			
7	10	2	3	16	10	6		16	797	49,81	1.12			
11	10	1		21	13	8		21	1092	52.00	1,56			
				13	6	7		13	396	30.46	2.59			
2	1		1	5	5	3	****	5	100		.87			
				6	5	1		- 6	262	43.66	.70			
4	3	1		14	59	5		14	504	36.00	1.01			
7	6	1		23	10	13		23	649	28.21	1.60			
15	4		11	1	1			1	68	68.00	.07			
				9	6	3		9	407	45.22	3.42			
4	4			8	7	1		8	230	28.75	1,19			
7	3	1	3	4	2	2		4	116	29.00	.73			
179	110	36	33	304	152	151	1	296	10274	34.70	1.26			

	1860.	BIRTHS.									
Counties and Towns.	Population in 1860	No.		Sex.		Pa	RENTA	JR.			
	Popule	Whole	М.	F.	Unk.	Am,	For.	Unk			
Bennington,	1140	0.1	1.5	1.6							
Arlington	1146 4389	31	15	10		20	10				
Bennington	2090	68	36	30		54	12	- 5			
Dorset	47	1	24	24		21	26	1			
Glastenbury	320	1 9	6	1		1					
Landgrove				10		9					
Manchester	1688 543	39	27	12		30	5	4			
Peru Pownal	1731	25	11	14		13					
Readsboro	930	12	7	14		18	5	2			
Rupert	1103	11	7	3		11		1			
Sandgate	805	13	8.	使		11					
Searsburgh	262	6	4	2		11)	- 2	****			
Shaftsbury	1936	28	10	_		5		1			
Stamford	759	16	7	8	·····i	19 13	8	]			
Sunderland	567	12	3	9	-	13	3	,			
Winhall	741	15	8	7							
Woodford	379	10			****	14	1	****			
Totals	19436	347	182	162	3	259	74	14			
Caledonia. Barnet	1994	27	12	15		23	4				
Burke	1138	22	11	11		15	4	2			
Danville	2544	32	19	12	i	26	4				
Groton	939	15	9	6		13	i	2			
Hardwick	1369	14	8			12		- 3			
Kirby	473	6	2			5	1				
Lyndon	1695	13	7	5	i	12	1				
Newark	567	7	2	-		6	î				
Peacham	1247	12		12		10	î	]			
Ryegate	1098	18	9	9		11	7				
Sheffield	836	22	13			20	2				
St. Johnsbury	3469	93	40	53		58	27	8			
Sutton	987	18	10	8		16		2			
Walden	1099	19	13	-		17	2				
Waterford	1171	12	9			îi		1			
Wheelook	832	20	12	8		13	4	3			
Totals	21458	350	176	172	2	268	59	23			

TABLE I. — Continued.

M	ARR	IAGI	2S. ,		DEATHS.										
No.	N	NATIVITY.				Sex.			Acr.						
Whole No.	Δm.	For.	Unk.	Whole No.	М.	F.	Unk.	Ages given.	Agg'te.	Average.	Percentage.				
7	6		1	21	11	10		21	922	43.90	1.83				
41	17	1	23	58	24	34		58	2099		1.35				
16	7	3	6	28	12	16		28	766		1.3				
1	i			1	1			ĩ	36		2.1:				
5				15	6	9.		15	534		4.6				
8	7			43	25	18		42	1902		2.5				
3	3	1		11	6	5		10	185						
9	8				10						2.05				
21	1	1		26		16		26	953		1.50				
12	12			11	3	8		11	350		1.13				
12	1 12		*****	12	7	5	*****	12	547		1.00				
4	3		1	9	4	4	1		257		1.1				
4	3			5	3	2		4	74		1.9				
•	5	1		22		11		20	695		1.13				
16	0		4	15	8	7		14	620	44.28	1.9				
2	2 2			5	2	3		5	153		.83				
10	8	2		13	9	4		13	448	34.46	1.7				
138	93	10	35	295	142	152	1	288	10541	36.59	1.5				
										!					
			-					-							
4	4			27	18	9		27	724		1.3				
4	5		2	22		12		22	760		1.9				
45	2 33		5		12	25		37	1560		1.4				
-	6 4			21	5	10		21	602		2.2				
13	5 8		7	13		- (		13	522		.9				
1	2 5	2		6		3		6	158		1.2				
1	5 3	5 2	2 8			7		22	781		1.3				
				12		5		12	379		2.1				
4	2 :	2		19		14		19	649		1.5				
	기 :	2	5			21		36	1368	38.00	3.2				
	5 3	3	2	23	15	7		22	725	32.81	2.7				
6	0 5	2 3	3 55	92	36	56		90	2250		2.6				
- 1	7 1	5 1			7	13		17	687		2.0				
1			1 1			13		21	664		1.9				
1			1			8		16	738		1.3				
	91 9	1		12		7			415		1.4				
19	4 9	4 13	87	400	176	229		393	12985	33.04	1.8				

	1860.	981 BIRTHS.									
Counties and Towns.	Population in 1860	No.	!	Sex.			Parentage.				
	Popula	Whole	Am.	For.	Unk.	Am.	For.	Uni			
CHITTENDEN.											
Bolton	645				• • • • •						
Charlotte'	1589	17		10		15	2	• • • •			
Colchester	3041	95				30					
Essex	1906	40				19		•			
Hinesburgh	1702	27				15					
Huntington	862	12				10					
Jericho	1669	26	16	10		16	9				
Milton	1963	31		12		15	10	!			
Richmond	1400	7	3	4		7	l				
Shelburne	1178	21				14	6				
South Burlington	7713	20	11			6	13	i			
St. George	121	3	2			1	2				
Underhill	1637	30				14					
Westford	1231	17				17		: ! • • • =			
Williston	1479	i9				9		1			
***************************************											
Totals	28136	365	185	178	2	188	153	2			
Essex.			1								
Averill	12				·			i			
Bloomfield	320	l									
Brighton	945										
Brunswick	212				1			i			
Canaan	408				10000						
Concord	1291	20	11	g		19	1				
East Haven	136	<del>.</del> .									
Granby	132	5	4	1	:	4	i				
Guildhall	552			· •			i				
Lemington	207	2	1	····i		i	i				
Lunenburgh	1034	4	_			4					
Maidstone	259	5		-				••••			
Victory	212	2		7		9		. • • • •			
victory											
Totals	5786	38	22	16	••••	35	3	· • • •			
Franklin.							1				
Bakersfield	1451	29	14	15		15	9				
Berkshire	1890	24				13					
Enosburgh	2066	9				7					
Fairfax	1987	35	_	_		23					
Fairfield	2497	50				23					

M	ARR	IAG	ES.	DEATHS.									
No.	NATIVITY.			No.	Sex.				AGE.				
Whole No.	Am.	For.	Unk.	Whole No.	M.	F	Unk.	Ages given.	Agg't c.	Average.	Percentage.		
4				7				15	resident.	42.00			
51		19	13	15	28			15 66	685	45.66	2.10		
12	19	11	10	66 29	19		1		1610 1077	24.39 38.46	1.5		
13			3	28	14	9			984		1.6		
3	(0.77	1		12	143				587	$\frac{35.14}{48.91}$	1.3		
19		1	11	28	17				997	35.60	1.6		
14		6	3	21	10			19	704		1.0		
8			5	3	10	-		3	105:	37.05 35.00	2.00		
6.	-	1	3		10.	= =		14	295		1.2		
4	4			$\frac{15}{12}$	70.			12	446	37.16			
1				2				2	990	46.00	1.68		
6			* * * * *	24	13			24	829	34.54	1.4		
6			4	15	4			15	397	26.46	1.2		
11	11		*****	12	6			11	475	43.18	,8		
148	70	38.	40	282	141	140	1	277	9283	33.51	1.00		
					;								
9	2		7	17	9	8.		17	717	42.17	1.33		
. 4 -				2		2		2	136	68,00	1.50		
4+4		****		6	3	3.		6	176	29.33	2.89		
	****	****		8	3	5.		8	300	37.50	- 6 4		
	1			6	4	2		6	299	49.83	2.31		
	2			í		1.		ī	4	4.00	.47		
2		_	7	40	19	21		40	1632	40.80	,69		
11	4												
11			9	37	90	15		37	1393	35.75	2.5		
111	7	1	2	37 15	22 11			37 14	1323, 538	35.75 38.42	2.54 .79		
10 14	7 5	1	2 8	15	11	4.		14	538	38.42	.79		
111	7 5 11	1 1 3	1			4 .							

	1860.	BIRTHS.								
Counties and Towns.	Population in 1860	No.		Sex.		Pai	Parentage.			
	Popul	Whole No.	М.	F.	Unk.	М.	F.	Unk.		
Franklin—Contin'd. Fletcher	716 1781 1547 2526 1262 1338 1655 3637	16 16 27 28 35 19 24 112	8 9 13 18 15 12 10 52	8 7 14 10 19 6 14 60	1	13 9 20 16 20 8 9 64	1 5 6 12 14 10 10 48	2 2 1 1 1 5		
Swanton Totals	2678 27231	467	21 244	21 220		24 264	179	24		
GRAND ISLE. Alburgh Grand Isle Isle La Motte North Hero South Hero Totals	1793 708 564 594 617 4276	43 8 22 17 18	23 6 11 8 8	20 2 11 9 10		22 3 12 14 10 61	21 4 9 1 8	1 1 2		
LAMOILLE. Belvidere	366 1784 919 602 1409 1526 1751 2046 747 1161	6 25 13 7 32 36 30 31 10 23	4 14 3 5 20 21 13 12 4	2 10 10 2 12 17 19 6 14	3	3 22 10 7 26 19 26 26 6 20	3 2 3 4 7 1 5 3 1	1 2 10 3		
Totals	12311	213	105	104	4	165	29	19		
ORANGE. Bradford Braintree Brookfield Chelses Corinth	1689 1225 1521 1757 1627	26 24 29 25 18	12 13 20 10 8	14 11 9 15	1	21 22 26 25 16	3 2	2 2 1		

3	IARE	IAG.	ES.				1	EAT	HS.		
No.	N	ATIV	ITY.	No.		Sex	+	3	Age		Age.
Whule No.	Am	For.	Unk.	Whole No.	М.	F.	Unk.	Ages given.	Agg'te.	Average.	Percentage.
11			1	23	12			23	585	25.43	3.21
10		****	11	20	7	14	1	3	175	58,33 35,68	1.42
5	á			13	6	1 +	1	13	785 383	29,46	.51
5	6	3		18:	81			18:	525:	29,16	1.41
24	9	2	13	13	5	7	1	13	423	32.53	.97
14	7	1	6	15	8,	7		8:	202	25,25	.96
60	24	12	24	44	28	16		34	1016	29.88	1.21
17	10	1	6	14	4	9	1	14	323	23.07	.52
217	103	33	81	293	149	141	17	272	8104	29.79	1.07
13	8	3	2	21	()	12		19:	439	23.10	1.17
4	2	2		7	-3	5		7	269	38.42	,98
4				- 9	30	1/		M	210	26.25	1.59
Di.	5	1	3	6	4	2		- 6.	218	36.33	1.01
-				4	1	3		4	173	43.25	.64
	15	6	5	47	24	23		44	1309	29.75	1,09
1	4.		1	2	1	1		2	•	10.00	.54
	17	1	1	35;	21	13	1;	3.5	1195	34.14	1.96
	3	1	2	- 91	3			1)	242	26.88	.97
1				7	-2	5		F	330	47.14	1.16
	11.			34	18			32	1078	33.68	2.41
	26	I	3	29	17	12		28	926	33.07 39.23	1.90
2	31	***	16	39 50	20 23	19 27		39 50	$\frac{1530}{2168}$	43.36	2.44
4		1		11	6	5		11	484	44.00	1.47
3	9	***	4	27	14	13		27	740	27.40	2.32
9	104	8	27	243	125	117	1	240	8695	36.22	1.97
13	11		2	36	15	20	1	31	1205.	38.87	2.13
10	10			19	7	12		19	926	48.73	1.55
15	12	1	2	34	15	19		34	1107	32 87	2.23
14	6	1	7	37	17	20		37	1238	33.45	2.10
13	11		2	35	22	13		35	1297	34.80	2.15

	1860			B	RTHS	3.		
Counties and Towns,	ion in			Sex.		PA	RENTA	DE.
:	Population in 1860	Whole No	Am.	For.	Unk.	- Am.	For.	Unk
CHITTENDEN.			i					
Bolton	645	;:		•••••	• • • • •			• • • •
Charlotte	1589	17		10	• • •	15		
Colchester	3041	95 40	59. <b>21</b> !	30 18		30 19		••••
Essex	1906	27			1	15		
Hinesburgh Huntington	$\begin{array}{c} 1702 \\ 862 \end{array}$	12				10		•
Jericho	1669	26				16		
Milton	1963	$\tilde{31}$		12	i	15		
Richmond	1400	7				7	!	·
Shelburne	1178	21				14		•
South Burlington	7713	20	11			6	13	
St. George	121	3	2			1	2	
Underhill	1637	30		18		14	,	
Westford	1231	17				17		• • • •
Williston	1479	19	10	9	••••	9	9	
Totals	28136	365	185	178	2	188	153	2
Essex.			Ι΄,					:
Averill	12	<b> </b>						
Bloomfield	320		• • • • •	• • • • •				
Brighton	945		••••	• • • • •	• • • • •			• • • •
Brunswick	212			• • • • •		• • • •		'••••
Canaan	408 1291	30	ii		• • • • •	19	i	
Concord East Haven	136	20		37	• • • • •	19	1	• • • •
Granby	132	5	4	1		4		
Guilthall	552	l						
Lemington	207	2	i	i		i	i	
Lunenburgh	1034	4	3			4	l	
Maidstone	259	5	1			5		
Victory	212	2	2	• • • • •	••••	2		• • • •
Totals	5786	38	22	16	••••	35	3	••••
FRANKLIN.								!
Bakersfield	1451	29	14	15		15	i 9	
Berkshire	1890	24				13		
Enosburgh	2066	9	4			7		
Fairfax	1987	35		11		23	12	
Fairfield	2497	50	35	15		23	24	1 :

TABLE I. — Continued.

ì	IARE	RIAGI	es.				I	DEAT	HS.		
No.	N	ATIV	ITY.	No.		Sex.			Age.		age.
v noie No.	Am.	For.	Unk.	Whole No.	М.	F.	Unk.	Ages given.	Agg'tc.	Average.	Percentage.
6	3		3	15,	3	11	1	15	575	38 33	2.73
33	26	2	5	47	23	24		47			1.8
1	7		4	9.	6	3		9	453	50.33	90
б	26			39	22	17		36	1712		1.5
4	10		4	28	19	9	· • • • •	27	1072		1.8
5	10		5	39	20	18	1	38	1410		2.0
3	10	2	1	36	19	17		34	1633		21
<b>S</b> '	8	• • • •	10	28	15	13	••••	27	1267		1.8
)	7	1	2	14	8	6	• • • •	13	345		1.3
Į.	4 11	i	2	16	9	10	• • • • •	16	697		$\frac{1.2}{2.4}$
l L	6			20 31	10 18	10 13	••••	20 31	· 732 754		2.2
-	178			483		242	3		18287	<del></del> -	1.8
1				-							
.i.	••••			23	7	16		23	626		2.2
4	1	••••	13	9	8	1	• • • • •	8	287		.5
۱,	• • • • •		9	6	4	2	•••••	6	160		1.7
6	1 5	! • • • •	1	15 19	8 8	- 7	• • • • •	15. 19	421 426		1.2 2.0
D¦ Di	6	••••	4	11	5	11	••••	11	158		2.0
3	1	2	46	25	11	14	••••	25	912		1 3
			19	26	9	17	• • • • •	26	1152		2.0
5 6 2 1 3 1 7 5 8	5			20	5	15		19	748		1.8
5	2		3	9		5		, 9	352		1.2
8	3		. Š	17	9.	8		14			1.5
2	2			7	5	2		7.	295		1.4
1	4			11	7	4		11	528	48.00	1.3
3	3			11	7 5	5	1	10	239		2.0
4				15 . 7	9	6		15	201	13.40	1.2
7	6		1	. 7	9 2 1 3	5		6	248		1.1
	6		. 9	. 6	1	5		6	283	47.16	.4
Ŋ	. ĕ		ĭ	9	-	6	• • • • •	9			1.4

5 111 251 111 139

1 244

7834

Counties and Towns   Sect   Sex   Parketage   Sex   Parketage   Sex   Parketage   Sex   Parketage   Sex   Parketage   Sex   Sex   Parketage   Sex   Sex   Parketage   Sex		1860.			BI	RTHS.			•
Rutland   Rutl	Counties and Towns.	ation in	o.		Sex.		Pai	RENTA	3 <b>E.</b>
Benson		Popul	Whole	М.	F.	Unk.	M.	F.	Unk.
Benson	RUTLAND.								
Brandon         3077         82         44         38         39         39         4           Castleton         2852         40         20         26         24         20         2           Clarendon         1237         30         11         19         17         7         6           Chittenden         763         10         5         5         8         1         1           Danby         1419         34         18         16         26         8            Fairhaven         1378         20         11         9         26         8            Fairhaven         1378         20         11         9         26         8            Fairhaven         1378         20         11         9         20         20           Hubbardton         606         16         6         10         13         3          20           Ira         422         18         7         11         16         1         1           Mendon         633         10         4         6         10           1	Benson	1256	28	15	13	l	25	3	4
Castleton         2852         40         20         26         24         20         2           Clarendon         1237         30         11         19         17         7         6           Chittenden         763         10         5         5         8         1         1           Danby         1419         34         18         16         26         8            Fairhaven         1378         20         11         9          20           Hubbardton         606         16         6         10         13         3            Mundon         633         10         4         6         10             Mount Holly         1522         23         10         13         14         7         2           Mount Tabor         358         5         1         4         2         2         1           Pawlet         1539         8         5         3         6         2         2           Pittsford         1839         45         19         26         27         18         2           Poultre	Brandon	3077			_			_	_
Chittenden 763 10 5 5 8 1 1 Danby 1419 34 18 16 26 8 Fairhaven 1378 20 11 9 20 Hubbardton 606 16 6 10 13 3 Ira 422 18 7 11 16 1 1 Mendon 633 10 4 6 10 Middletown 712 3 1 2 3 Mount Holly 1522 23 10 13 14 7 2 Mount Tabor 358 5 1 4 2 2 1 Pawlet 1539 Pittsfield 493 8 5 3 6 2 Pittsford 1839 45 19 26 27 18 Poultney 2278 35 15 20 11 22 2 Rutland 7577 316 167 149 87 216 13 Sherburne 525 15 7 8 13 1 1 Shrewsbury 1175 31 19 12 19 12 Totals 620 Wallingford 1747 43 25 18 25 17 1 Wells 642 13 8 5 11 2 West Haven 580 13 5 8 12 1  Totals 35946 859 431 428 418 383 58  Washington Barre 1839 35 20 15 32 3 Berlin 1545 27 13 14 23 4 Calais 1409 24 9 15 23 1 Duxbury 1000 16 10 6 10 6 Last Montpelier 1328 10 6 3 1 9 1 Fayston 800 12 5 7 8 3 1 Marshfield 1160 20 7 13 17 2 1 Middlesex 1254 18 10 8 11 7 Moretown 1410 36 20 15 1 23 11 2					26		24	20	2
Danby	Clarendon	1237	30	11	19		17	7	6
Hubbardton	Chittenden		10	5	5		8	1	1
Hubbardton	Danby						26	8	
Tra	Fairhaven			11			••••		20
Mendon         633         10         4         6         10           Middletown         712         3         1         2         3           Mount Holly         1522         23         10         13         14         7         2           Mount Tabor         358         5         1         4         2         2         1           Pawlet         1539         45         19         26         27         18         2           Pittsford         1839         45         19         26         27         18         2           Poultney         2278         35         15         20         11         22         2           Rutland         7577         316         167         149         87         216         13           Sherburne         525         15         7         8         13         1         1           Sherburne         525         15         7         8         13         1         1           Shrewsbury         1175         31         19         12         19         12           Sudbury         696         15         8 <td< td=""><td></td><td></td><td></td><td></td><td>- :</td><td></td><td></td><td></td><td>••••</td></td<>					- :				••••
Middletown         712         3         1         2         3           Mount Holly         1522         23         10         13         14         7         2           Mount Tabor         358         5         1         4         2         2         1           Pawlet         1539         8         5         3         6         2         2         1           Pittsford         1839         45         19         26         27         18         2         2         1         2         27         18         2         2         1         2         2         1         1         22         2         1         1         2         2         1         1         2         2         2         1         1         2         2         1         1         2         2         1         1         2         2         1         1         2         2         1         1         2         2         1         1         2         2         1         1         2         2         1         1         2         2         1         1         2         2         1 <td< td=""><td>Ira</td><td></td><td></td><td></td><td></td><td></td><td></td><td>1</td><td>1</td></td<>	Ira							1	1
Mount Holly         1522         23         10         13         14         7         2           Mount Tabor         358         5         1         4         2         2         1           Pawlet         1539         8         5         1         4         2         2         1           Pawlet         1539         8         5         3         6         2         2         1           Poultand         1839         45         19         26         27         18         2           Poultney         2278         35         15         20         11         22         2           Rutland         7577         316         167         149         87         216         13           Sherburne         525         15         7         8         13         1         1           Sherburne         1175         31         19         12         19         12         13         12         19         12         13         12         10         3         2         10         3         2         10         3         2         10         3         2         17	Mendon							• • • • •	••••
Mount Tabor         358         5         1         4         2         2         1           Pawlet         1539         1539         3         6         2           Pittsford         1839         45         19         26         27         18           Poultney         2278         35         15         20         11         22         2           Rutland         7577         316         167         149         87         216         13           Sherburne         525         15         7         8         13         1         1           Sherburne         525         15         7         8         13         1         1           Sherburne         696         15         8         13         1         1           Sudbury         696         15         8         1         19         12         19         12         1           Sudbury         696         15         8         1         1         1         2         1         1         2         1         1         1         2         1         1         2         1         1         2			1 .		2	• • • • •	1	••••	•••••
Pawlet         1539         8         5         3         6         2           Pittsford         1839         45         19         26         27         18           Poultney         2278         35         15         20         11         22         2           Rutland         7577         316         167         149         87         216         13           Sherburne         525         15         7         8         13         1         1           Sherwsbury         1175         31         19         12         19         12         19         12         19         12         19         12         19         12         19         12         19         12         19         12         19         12         19         12         19         12         19         12         10         3         2         10         3         2         10         3         2         10         3         2         11         2         12         1         12         11         13         12         1         12         12         1         12         12         1         1	Mount Tohor								
Pittsfield         493         8         5         3         6         2           Pittsford         1839         45         19         26         27         18           Poultney         2278         35         15         20         11         22         2           Rutland         7577         316         167         149         87         216         13           Sherburne         525         15         7         8         13         1         1           Shrewsbury         1175         31         19         12         19         12           Sudbury         696         15         8         7         10         3         2           Tinmouth         620         20         18         25         17         1           Wells         642         13         8         5         11         2           West Haven         580         13         5         8         12         1           Totals         35946         859         431         428         418         383         58           Washington         1839         35         20         15			9	13	4	• • • • •	22	2	1
Poultney				• • • • • •	••••		••••	• • • • •	••••
Poultney.         2278         35         15         20         11         22         2           Rutland.         7577         316         167         149         87         216         13           Sherburne.         525         15         7         8         13         1         1           Shrewsbury.         1175         31         19         12         19         12         19         12         12         10         3         2           Tinmouth         620				- 1				10	2
Rutland         7577         316         167         149         87         216         13           Sherburne         525         15         7         8         13         1         1           Shrewsbury         696         15         8         7         10         3         2           Tinmouth         620         15         8         7         10         3         2           Wallingford         1747         43         25         18         25         17         1           West         642         13         8         5         11         2         1           West Haven         580         13         5         8         12         1         1           Totals         35946         859         431         428         418         383         58           Washington         1839         35         20         15         32         3         1           Cabot         1318         18         8         10         15         1         2           Calais         1409         24         9         15         23         1         1	Poultney								
Sherburne         525         15         7         8         13         1         1           Shrewsbury         1175         31         19         12         19         12         19         12         19         12         10         3         2         2         10         3         2         10         3         2         10         3         2         10         3         2         10         3         2         10         3         2         10         3         2         10         3         2         10         3         2         10         3         2         11         2         10         3         2         11         2         10         3         2         11         2         1         1         10         3         2         1         10         3         2         1         1         1         1         2         1         1         3         1         1         1         1         1         1         3         2         1         1         3         1         1         1         2         1         3         3         1         3         1	Rutland								
Shrewsbury         1175         31         19         12         19         12         19         12         19         12         19         12         19         12         19         12         19         12         10         3         2           Tinmouth         620         1747         43         25         18         25         17         1           Wells         642         13         8         5         11         2         1           West Haven         580         13         5         8         12         1         1           Totals         35946         859         431         428         418         383         58           Washington         8are         1839         35         20         15         32         3         2           Barre         1545         27         13         14         23         4         2         4         2         4         2         4         2         4         2         4         2         1         2         1         2         3         1         2         1         2         1         2         3         1 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
Sudbury.         696 620         15 8 7 10 3 2           Tinmouth         620           Wallingford         1747 43 25 18 25 17 1           Wells.         642 13 8 5 11 2           West Haven         580 13 5 8 12 1           Totals.         35946 859 431 428 418 383 58           Washington         1839 35 20 15 32 3           Barre.         1838 18 8 10 15 1 2           Cabot.         1318 18 8 10 15 1 2           Calais.         1409 24 9 15 23 1           Duxbury.         1000 16 10 6 10 6 10 6           East Montpelier         1328 10 6 3 1 9 1           Fayston         800 12 5 7 8 3 1           Marshfield         1160 20 7 13 17 2 1           Middlesex         1254 18 10 8 11 7           Mortpelier         2411 33 17 16 10 14 9           Moretown         1410 36 20 15 1 23 11 2	Shrewsbury								_
Tinmouth         620           Wallingford         1747         43         25         18         25         17         1           Wells         642         13         8         5         11         2         1           West Haven         580         13         5         8         12         1         1           Totals         35946         859         431         428         418         383         58           Washington         1839         35         20         15         32         3         2         3         2         3         4         2         4         2         4         2         4         4         2         3         4         2         3         4         2         3         4         2         3         4         2         3         4         2         3         4         2         3         4         2         3         4         2         3         4         2         3         4         2         3         4         2         3         4         2         3         4         2         3         1         2         3         1	Sudbury								
Wallingford       1747       43       25       18       25       17       1         Wells       642       13       8       5       11       2       1         West Haven       580       13       5       8       12       1       1         Totals       35946       859       431       428       418       383       58         Washington       1839       35       20       15       32       3       3         Berlin       1545       27       13       14       23       4       23       4         Cabot       1318       18       8       10       15       1       2       2       1       1       2       2       1       1       2       2       1       1       2       1       1       2       1       1       2       1       1       1       2       1       1       1       1       2       1	Tinmouth		10,	<u></u>					_
Wells         642 580         13 8 8 5 11 2 1           West Haven         580         13 5 8         12 1           Totals         35946         859 431 428         418 383 58           Washington         Barre         1839 35 20 15 32 3           Berlin         1545 27 13 14 23 4           Cabot         1318 18 8 10         15 1 2 3           Calais         1409 24 9 15         23         1           Duxbury         1000 16 10 6         10 6 10 6         10 6           East Montpelier         1328 10 6 3 1 9         1         1           Fayston         800 12 5 7 8 3 1         3 1 9         1           Marshfield         1160 20 7 13 17 2 1         1         2           Montpelier         2411 33 17 16 10 14 9         1         9           Moretown         1410 36 20 15 1 23 11 2	Wallingford		43	25	18		25	17	i
West Haven         580         13         5         8         12         1           Totals         35946         859         431         428         418         383         58           WASHINGTON         Barre         1839         35         20         15         32         3            Berlin         1545         27         13         14         23         4            Cabot         1318         18         8         10         15         1         2           Calais         1409         24         9         15         23          1           Duxbury         1000         16         10         6         10         6          1           East Montpelier         1328         10         6         3         1         9          1           Fayston         800         12         5         7         8         3         1           Middlesex         1254         18         10         8         11         7           Montpelier         2411         33         17         16         10         14	Wells								
Totals.         35946         859         431         428         418         383         58           WASHINGTON.         1839         35         20         15         32         3         2           Berlin.         1545         27         13         14         23         4         2           Cabot.         1318         18         8         10         15         1         2           Calais.         1409         24         9         15         23         1           Duxbury.         1000         16         10         6         10         6           East Montpelier.         1328         10         6         3         1         9         1           Fayston.         800         12         5         7         8         3         1           Marshfield.         1160         20         7         13         17         2         1           Montpelier.         2411         33         17         16         10         14         9           Moretown.         1410         36         20         15         1         23         11         2	West Haven				_				••••
Washington       Barre     1839     35     20     15     32     3       Berlin     1545     27     13     14     23     4       Cabot     1318     18     8     10     15     1     2       Calais     1409     24     9     15     23     1       Duxbury     1000     16     10     6     10     6       East Montpelier     1328     10     6     3     1     9     1       Fayston     800     12     5     7     8     3     1       Marshfield     1160     20     7     13     17     2     1       Middlesex     1254     18     10     8     11     7       Montpelier     2411     33     17     16     10     14     9       Moretown     1410     36     20     15     1     23     11     2	<u> </u>								
Barre.         1839         35         20         15'         32         3           Berlin.         1545         27         13         14         23         4           Cabot.         1318         18         8         10         15         1         2           Calais.         1409         24         9         15         23         1         1           Duxbury         1000         16         10         6         10         6          1           East Montpelier         1328         10         6         3         1         9          1           Fayston         800         12         5         7         8         3         1           Marshfield         1160         20         7         13         17         2         1           Modldlesex         1254         18         10         8         11         7           Moretown         1410         36         20         15         1         23         11         9	Totals	35946	859	431	428	· · · · ·	418	383	58
Barre.         1839         35         20         15'         32         3           Berlin.         1545         27         13         14         23         4           Cabot.         1318         18         8         10         15         1         2           Calais.         1409         24         9         15         23         1         1           Duxbury         1000         16         10         6         10         6          1           East Montpelier         1328         10         6         3         1         9          1           Fayston         800         12         5         7         8         3         1           Marshfield         1160         20         7         13         17         2         1           Modldlesex         1254         18         10         8         11         7           Moretown         1410         36         20         15         1         23         11         9	Washington			i		:			
Berlin         1545         27         13         14         23         4           Cabot         1318         18         8         10         15         1         2           Calais         1409         24         9         15         23         1         1           Duxbury         1000         16         10         6         10         6         1         6         1         1         6         1         1         6         1         1         6         1         1         6         1         1         6         1         1         6         1         1         6         1         1         7         8         3         1         1         3         1         7         8         3         1         1         3         1         7         1         1         2         1         3         1         7         1         1         2         1         3         1         7         1         1         2         1         3         1         7         1         1         2         1         1         3         1         7         1         3         1<	Barre	1839	35	20	15	l	30	2	
Cabot.     1318     18     8     10     15     1     2       Calais.     1409     24     9     15     23     1       Duxbury.     1000     16     10     6     10     6       East Montpelier.     1328     10     6     3     1     9     1       Fayston.     800     12     5     7     8     3     1       Marshfield.     1160     20     7     13     17     2     1       Middlesex.     1254     18     10     8     11     7     1       Montpelier.     2411     33     17     16     10     14     9       Moretown.     1410     36     20     15     1     23     11     2	Berlin							_	• • • • •
Calais     1409     24     9     15     23     1       Duxbury     1000     16     10     6     10     6        East Montpelier.     1328     10     6     3     1     9      1       Fayston     800     12     5     7     8     3     1       Marshfield     1160     20     7     13      17     2     1       Middlesex     1254     18     10     8     11     7        Montpelier     2411     33     17     16     10     14     9       Moretown     1410     36     20     15     1     23     11     2	Cabot.								
Duxbury     1000     16     10     6     10     6       East Montpelier     1328     10     6     3     1     9     1       Fayston     800     12     5     7     8     3     1       Marshfield     1160     20     7     13     17     2     1       Middlesex     1254     18     10     8     11     7       Montpelier     2411     33     17     16     10     14     9       Moretown     1410     36     20     15     1     23     11     2	Calais						-		
East Montpelier     1328     10     6     3'     1     9     1       Fayston     800     12     5     7'     8     3     1       Marshfield     1160     20     7     13      17     2     1       Middlesex     1254     18     10     8     11     7     1       Montpelier     2411     33     17     16     10     14     9       Moretown     1410     36     20     15      1     23     11      2	Duxbury				6			6	
Fayston     800     12     5     7:     8:     3     1       Marshfield     1160     20     7     13:     17     2     1       Middlesex     1254     18     10     8     11     7     1       Montpelier     2411     33     17     16     10     14     9       Moretown     1410     36     20     15;     1     23     11;     2	Last Montpelier								
Marshfield     1160     20     7     13     17     2     1       Middlesex     1254     18     10     8     11     7       Montpelier     2411     33     17     16     10     14     9       Moretown     1410     36     20     15     1     23     11     2	Fayston	800		5	7	·		3	
Middlesex     1254     18     10     8     11     7       Montpelier     2411     33     17     16     10     14     9       Moretown     1410     36     20     15     1     23     11     2	Marshfield	1160	20				17		
Mortpelier 2411 33 17 16 10 14 9 Moretown 1410 36 20 15 1 23 11 2	Middlesex				8			7	••••
	Montpelier								
Northheld 4329   62 36  26  39 22 1	Moretown								_
	Northfield	4329	62	36	26		39	22	1

TABLE I. - Continued.

1	MARR	IAG.	ES.				1	DEAT	HS.		
No.	N	ATIV	ITV.	No.		Sex.			AGE.		age.
Whole	Am.	For.	Unk.	Whole	М.	F.	Unk.	Ages given.	Agg'te.	Average.	Percentage.
13	10	3		28	12				1289	2 4 1 8 42 .	2.22
45	-th m.		24	60:	34			60	2073	34,55	1.94
19	14			25	12	13 10			820	35,65	-87
7	9 5	· · · · i		18	7 6		1	17	622	36.58	1.45
14	9	3			EÏ				482 625	$\frac{40.16!}{23.51!}$	1.83
37	24	4)	_	15	10			15	603	40.20	$\frac{1.90}{1.08}$
5	5			10	4			10	461	46.10	1.65
2	9			5.	i	4		5	266		1.18
T	1			7	ā	2		-	190	27.14	1.10
3				10	7			9	425	47,22	1.40
8				20	-11	- (1		20	935	46.75	1.31
1	1			6	2	4	* * * * *	- 6	62	10.33	1.67
··i	1	,		16	9		****	16	633	06 00	* 1 * * *
6	3	····i	2		15	13	1		1123	39.37: 38.72:	3.24
12			4		16	10	1	26	834	32.07	1.57
76	12				85	58	1	142	2936	20.67	1.90
ĭ				4	1			4	121	30.25	.76
11	10	1		28	14				968	40.33	2.38
4	3	1		5	3	2		.5	262	52.45	.71
9	9			35	18	17		34	838	04.64	
5	3		1	13	6			13	411	24.64 31.61	$\frac{2.00}{2.02}$
O.	U			11,	4			11	375	34.09	1.89
										04.00	1,07
<b>2</b> 52	135	47	70	556	293	260	3	544	17354	21.90	1.54
29	29			27	17	10		27	1030	38.14	1.40
4	2	1	. 1	15	6	-			679		.97
15			13	36	21			36	1658		2.73
10	7		3	25	13	12		25	887	35, 48,	1.77
- 4 4				16	5			16	622	38.87	1.60
4	3		1	18	8			17	721	42.41	1.35
7	4			16	11		* P 4 * *	16	378	23.62	2.00
2	2			24	9			24	718	29.27	2.06
	4			26	15			-	1153	48.08	2.07
88		7945	88	41	23		,		1683	43.15	1.70
8 24	7			21	11	39	* * * * 4	18	643	35.72	1.48
24	19	) }****	. 11	75	36	99	* * * * *	. 73	1995	27.32	1.73

	Population in 1860.	_		E	IRTH	S.		
(1	n in			Sex.		P.	RENTA	aw.
Counties and Towns.	tio	ļ ģ		1754.		1.4	**************************************	<i>92</i> 4
	ulu	2	1	_	<u> </u>			
	Pop	Whole No.	M. 1	F.	Unk.	Am.	For.	Unak.
Washington—Cont'd					·			
Plainfield	822	17.	6	11		17		
Roxbury	1060	19	14			12	3	. 4
Waitsfield	1005	18	11			14	4	
Warren	1041	24	12	12	2	21	3	
Waterbury	2198	34	17		i		10	
Woodbury	999]	14	9	5	i,	12	1	1
Worcester	684	15	11	4	F	9	4	2
Totals	27612	452	241	200	2	328	98	26
WINDHAM.						•		
Athens	382	6	4	2	2	. 5		1
Brattleboro	3855	90	47	42	2 1	69	18	3
Brookline	243	2		:	2		• • • • •	
Dover	650	12	8	4				
Dummerston	1021	18	10		· · · · ·	16		·
Grafton	1154	16	7		)'		• • • • •	
Guilford	1291	20	13	7	·····			
Halifax	1126	22	. 7				•••••	••••
Jamaica	1541	25	16		·	21		
Londonderry	1367	20	11		· · · · · ·		· • • • •	
Marlboro	741:		4				• • • • •	••••
Newfane	1192	16	10				••••	••••
Putney	1163	38.	16		2	28		
Rockingham	2904	28	12	10	;	23	. ა	
Somerset	105	10	• • • • •	• • • • ;		8	····i	••••
Stratton	366	10	$\frac{7}{12}$	۰		21		
Fownshend	1376	21, 22	11	11		13		• • • • •
Vernon	$\begin{array}{c} 725 \\ 1004 \end{array}$	22	13	7 7	2			• • • • •
Wardsboro Westminster	1300	21	13		· į́		• • • • •	•••••
	1372	36	25	11		32	···i	
Whitingham	1424	30	16					(
Wilmington Windham	680		9			13		
Totals	26982	498	271	223	3 4	430	41	27
WINDSOR.	. !				•		;	:
Andover	671	4	2	2	? <b></b> .	4		•••••
Baltimore	145	5	3		2	5		
Barnard	1487	24	13		İ	99		. :

TABLE I. — Continued.

3	HARR	IAG	ES.			٠	I	EAT	'AS.		
No.	N	ATIVI	ITY.	No.		Sex.			Aos	t.	nge.
Whole	Am.	For.	Unk.	Whole	М.	F.	Unk.	Ages given.	Agg'te.	Average.	Percentage.
13	1	<sub>i</sub>	12	16 24	5 10	11 14		16 24	708 537	44 25 22,37	1.94 2.20
14	13	1		12	5	7		12	. 685	57.08	1.19
1.		1		15	7	8		12	426		1.63
11			11	34	23	11		34	1162		1.54
-9	2			12	5	7		12	520	43.33	1.20
10	3		7	7	5	2		7	383	54.71	1.02
250	94	8	148	460	235	225		446	16588	37.19	1.66
6	4		2	4	3	1		4	156	39.00	1.04
86.	66		16	48	21	26	1		1536		1.24
1	1			3	1	2		3	108		1.23
5.	4		1	19	11	8		19	591	31.10	2.92
5	5			25.	13	12		24	792		2.44
3			3	24	12	12		24	893		2.07
7	6		1	20	11	9		20	1168		1.54
14	13		1	20	8	12		20	829		1.77
141	11		3	40	19	21		40	1527	38.17	2.59
12	10		2	19	12	7		19	1087	57.21	1.38
3	3			18	8	10		18	609		2.49
14	14			26	8	18		26	1183		2.18
10,	6		4	21	12	9		10	485	25.52	1.80
30	21	9		27	17	10		23	607	26.39	,02
2	2			10	5	5		10	285	28,50	2.73
20	17		3	22	12	10		21	878	41.80	1.59
13	13			13	8			12	231	19.25	1.79
8	6		2	18	191	9		16	647	40.43	1.78
5	1		4	18	7	11		18	745	41.38	1.38
10	7		3	20	11			17	547	32.17	1.45
16	15		1	26	11			22	708	32.18	1.83
5	5			9	4			9	263	29.22	1.33
289	230	13	46	494	250	243	1	464	18151	39.11	1,83
6	5		1	16	8	8		16	664	41.50	2.38
1	1			2	- 2			2	120		1.37
7	-		9	19	13	6		19	1039		1.27

[1865.

	1860.			Bl	RTHS			
Counties and Towns.	Population in 1860	No.		Sex.		Par	RENTA	GE.
	Popule	Whole No	М.	F.	Unk.	м.	F.	Unk.
RUTLAND.								-
Benson	1256	28	15	13		25	3	: 4
Brandon	3077	82		38		39	39	
Castleton	2852	40	20	26		24	20	
Clarendon	1237	30:	11	19		17	7	
Chittenden	763	10	5	5		8	í	Ì
Danby	1419	34	18	16		26	8	
Fairhaven	1378	20	11	9				. 20
Hubbardton	606	16	6	10		13	3	
Ira	422	18	7	ii		16	ĩ	i
Mendon	633	iõ	4	6		10		
Middletown	712	3	ñ	2		3		
Mount Holly	1522	23	10	$1\overline{3}$		14	7	2
Mount Tabor	358	5	1	4	,	2	$\dot{2}$	
Pawlet	1539	l		<del>.</del>			<b>.</b>	
Pittsfield	493	8	5	3		6		2
Pittsford	1839	45	19			27	18	
Poultney	2278	35	15	20		ĩil	22	2
Rutland	7577	316	167	149		87	216	
Sherburne	525	15	7	8		13	ĩ	
Shrewsbury	1175	31	19	12		19	12	
Sudbury	696	15	8	7		10	3	
Tinmouth	620	l						
Wallingford	1747	43	25	18		25	17	1
Wells	642	13	8	5		· 11	2	
West Haven	580	13	5	8		12	ĩ	
Totals	35946	859	431	428		418	383	58
Washington.			İ		:			
Barre.	1839	35	20	15		32	3	
Berlin	1545	27	13			23	4	· · · · ·
Cabot.	1318	18	8	10		15	i	5
Calais	1409		9	15		23		1
Duxbary	1000	16	10	. 16		10	6	
East Montpelier	1328	10	6	3	i	9		i
Fayston	800	12	5	7		8	3	1
Marshfield	1160	20	7	13		17	2	i
Middlesex	1254	18	10	8		ii	7	
Montpelier	2411	33	17	16		10	14	
Moretown	1410	36	20	15	i	23	11	
Northfield	4329	62	36			39	22	-

TABLE I. — Continued.

MARRIAGES.	DEATHS.	
NATIVITY.	Sex. Age.	lage.
NATIVITY.	M. F. Unk. 5 Agg'te. Average.	Percentage
13 10 3 45 19 2 24 19 14 2 3 9 9 7 5 1 1 14 9 3 2  5 5 2 2 1 1 1 3 2 1 8 8 1 1	28     12     16     27     1289     47.73       60     34     26     60     2073     34.55       25     12     13     23     820     35.65       18     7     10     1     17     622     36.58       14     6     8     12     482     40.16       27     11     16     27     625     23.51       15     10     5     15     603     40.20       10     4     6     10     461     46.10       5     1     4     5     266     55.20       7     5     2     7     190     27.14       10     7     3     9     425     47.22       20     11     9     20     935     46.75       6     2     4     6     62     10.33	1.94 .87 1.45 1.83 1.90 1.08 1.65 1.18 1.10 1.40
1 1	6     2     4     6     62     10.33       16     9     7     16     633     39.37       29     15     13     1     29     1123     38.72       26     16     10     26     834     32.07       144     85     58     1     142     2936     20.67       4     1     3     4     121     30.25       28     14     14     26     968     40.33       5     3     2     5     262     52.45	
9 9	35     18     17     34     838     24.64       13     6     7     13     411     31.61       11     4     7     11     375     34.09       556     293     260     3     544     17354     31.90	2.02
29 29 13 15 2 13 10 7 3 4 3 1 7 4 3 2 2 2 4 4 4 88 8 7 1 88 8 7 1 11	27     17     10     27     1030     38.14       15     6     9     14     679     48.50       36     21     15     36     1658     46.05       25     13     12     25     887     35.48       16     5     11     16     622     38.87       18     8     10     17     721     42.41       16     11     5     16     378     23.62       24     9     15     24     718     29.27       26     15     11     24     1153     48.08       41     23     18     39     1683     43.15       21     11     10     18     643     35.72       75     36     39     73     1995     27.32	1.77 1.60 1.35 2.00 2.06 2.07 1.70 1.48

TABLE 1, - Recapitulation of Births,

	1860.			ВІ	RTHS		7	
Counties.	Population in 1860	No.		Sex.		Pa	RENTA	SE.
	Popula	Whole No.	М.	F.	Unk.	Am.	For.	Unk.
Addison	24010	364	196	165	3	241	107	16
Bennington	19336	347	182	162	3	259	74	14
Caledonia	21458	350	176	172	2	268	59	23
Chittenden	28136	365	185	178	2	188	153	24
Essex	5786	38	22	16	• • • • •	35	3	
Franklin	27231	467	244	220	3	264	179	24
Grand Isle	4276	108	56	52	• • • •	61	43	4
Lamoille:	12311	213	105	104	4	165	29	19
Orange	25455	410	201	207	2	358	28	24
Orleans	18981	292	150	142	• • • • •	179	75	38
Rutland	3 <b>5</b> 946	859	431	<b>42</b> 8	••••	418	383	58
Washington	27612	452	241	209	2	328	98	26
Windham	26982	498	271	223	4	430	41	27
Windsor	37193	590	301	<b>28</b> 6	3	<del>1</del> 86	68	36
Vt. Asylum			••••	•••••		••••	• • • •	••••
Whole State	315116	5353	2761	2564	28	3680	1340	333

TABLE I. — Continued.

M	ARR	IAG:	ES.			+	I	)EAT	AS.		
No.	N	ATIV	ITY.	No.		Sex.	,		Agi	z.	age.
Whole	Am.	For.	Unk.	Whole	М.	F.	Unk.	Ages given.	Agg'te.	Average.	Percentage.
13 4 14 11 11 2 10	1 2 13  2 3	I I 1	12 1  11	16 24 12 15 34 12 7	5 10 5 7 23 5 5	11 14 7 8 11 7		16 24 12 12 34 12	708 537 . 685 426 1162 520 383	22.37 57.08 35.50 34.17 43.33	1.94 2.26 1.19 1.63 1.54 1.20
250	94	8	148	460	235	225		446	16588	37.19	1.60
66 86 11 55 3 7 14 14 12 3 14 10 30	14 6	4	2 16 3 1 1 1 3 2	4 48 3 19 25 24 20 20 40 19 18 26 21 27	31 21 11 13 12 11 8 19 12 8 8 12 17	1 26 2 8 12 12 9 12 21 7 10 18 9		4 45 3 19 24 20 20 40 19 18 26 10 23	156 1536 108 591 792 893 1168 829 1527 1087 609 1183 485	34.13 36.00 31.10 33.00 37.20 58.40 41.45 38.17 57.21 33.83 45.50	1.04 1.24 1.29 2.99 2.44 2.07 1.54 1.77 2.59 1.38 2.49 2.18 1.80
2 20 13 8 3 10 10 4	17 18 6 1 7 15		3 2 4 3 1	10 22 13 18 18 20 26 9	5 12 8 9 7 11 11 4 250	5 10 5 9 11 9 15 5		10 21 12 16 18 17 22 9	285 878 231 647 745 547 708 263	41.80 19.25 40.43 41.38 32.17 32.18	2.79 1.59 1.79 1.78 1.38 1.45 1.83 1.83
(	1		1	16 2 19	8 2 13	8		16 2 19	664 120 1039	60.00	$\frac{2.38}{1.37}$

	1860.			В	IRTH	3.	[·					
Counties and Towns.	Population in 1860	No.		Sex.		PA	RENTA	GR.				
; ;	Popula	Whole No	М.	F.	Unk.	Am.	For.	Unk				
Windsor-Contin'd.					<del></del>							
Bethel	1803	27,	18	8	1:	22	1.	. 4				
Bridgewater	1292	17	7	10		14	'	3				
Cavendish	1509	35	18	17		19	15	1				
Chester	2126	28	8	20.		24	4					
Hartford	2396	40	18	21	1	30	10					
Hartland	1748	35	15	20	- <sub>1</sub>	25	5	5				
Ludlow	1568	29	20	9		21	7:	1				
Norwich	1759	33	20	13		30	2	1				
Plymouth	1252	23	12	11	!	20	2 1	2				
Pomfret	1376	28	13	15		23	3	2				
Reading	1159	$\overline{19}$	11	8		17	1;	1				
Rochester	1507	29	11	18		26	1	2 2 1 2 2				
Royalton	1739	. 27	16	11	1	22	3	2				
Sharon	1111	22	13	9!		16	5	1				
Springfield	2958	62	26	36		54	71	1				
stockbridge	1264	22	10	12		20		2				
Weathersfield	1765	11	7	4!		9		2				
Weston	932	24	10	14		23	1					
West Windsor	924	17	10	7		17						
Windsor	1669	6	3	3		4	1	1				
Woodstock	3062	23	17	5	1,	19	1	3				
Totals	37193	590	301	286	3	486	68	36				

М	ARRIAGE	DEATHS.								
Whole No.	NATIVITY.		No.	Sex.			. <b>A</b> G <b>E</b> .			.386
	Am. For.	Unk.	Whole No.	М.	F. 1	Unk.	Ages given.	Agg'te.	Average.	Percentage
17	14 2	1	47	21	26 .		45	1427		2.60
7	6	1	14	5	9.	;	14	666		1.08
20 24	17 2	11	27	14	12	1	23	908		1.78
24	22	2	44	23	21		44	1874	42.59	2.06
- 8	8		47	27	19	1	17	1280	27.44	1.96
Б	5	1	38	19	19.		38	1931	50.81	2.17
17	6 1	10	34	18	15	1	32	1027	32.09	2 10
(6)	5	1	43	25	18.		43	1164		2.44
34		8	27	16	11.		27	741	27.44	2.16
1	1		17	- 0	8.		16	734	45.87	1.23
- 5	5		24	12	12.	'	24	1109	46.20	2.07
18	1	7	22	9	11	2	21	741	35.28	1.45
24	17	7	39	17	22.		34	1440	42.35	2.24
13		1-	16	11	ō.		16	444	27.75	1.44
37	33	4	63	28	35		63	2619	41.57	2.12
11	9 1	1	29	15	141.	!	29	920	31.72	2.29
20	13	7	19	10	9.		18	493	27.39	1.07
- 9	9		25	10	14	1	25	911	36.44	2.68
6			24	13	11		24	613	25.54	2.59
18	6	12	25	16	8	1	16	453		1.49
50	5	45	49	20	25	4	47	1967	41.85	1.60
315	189: 7	119	710	361	338	11	683	25285	37.05	1.90

TABLE I, - Recapitulation of Births,

	1860.			BI	RTHS	•		
COUNTIES.	Population in 1860.	No.		Sex.		Pa	RENTA	)E.
	Popul	Whole No.	М.	F.	Unk.	Am.	For.	Unk.
Addison	24010	364	196	165	3	241	107	16
Bennington	19336	347	182	162	3	259	74	14
Caledonia	21458	350	176	172	2	268	59	23
Chittenden	28136	365	185	178	2	188	153	24
Essex	5786	38	22	16	• • • • •	35	3	
Franklin	27231	467	244	220	3	264	179	24
Grand Isle	4276	108	56	52	• • • . •	61	43	4
Lamoille:	12311	213	105	104	4	165	29	19
Orange	<b>254</b> 55	410	201	207	2	358	28	24
Orleans	18981	292	150	142		179	75	38
Rutland	35946	859	431	<b>42</b> 8		418	383	58
Washington	27612	452	241	209	2	328	98	26
Windham	26982	498	271	223	4	<del>4</del> 30	41	27
Windsor	37193	590	301	286	3	<del>4</del> 86	68	3€
Vt. Asylum			• • • • •	• • • • •		••••		••••
Whole State	315116	5353	2761	2564	28	3680	1340	333

#### SUPPLEMENT B. - TABLE II.

Exhibiting the number of Illegitimate Births.

(Included in Tables I and II.)

Months.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia.	Chittenden.	Execx.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
January	Males Females	1			••	• •	• •			1	••			••	• •	••
February	Males Unknown	3 2		i	• •	•••	• •	· ·	• •	• •		• •	•	i	i	• •
March	Males		•••				••		• •	• •	•	• •	• •	••	••	••
April	Males Females	ĩ	• • •	• •	• •	•;			• •	• •	• •	• •	. 1		•••	1
Мау	Males	2	i	• ,		.;	• •	• •	•	• •	•••	• •	1	• • •	••	
June	Males Females	3		1	i		• •	i	• •	• •	• • •		••	• • •	••	• •
Jaly	Males		• • •		• •	• •	• •	• • •	• •		• •	•		• • •		••
August	Males Females	3			i	•••			• •	• •		_	•	*2	2	• •
September	Males		• • •				!••	• • •	• •	• •	• •			•		•
October	Males	2	2			• • •		i	• •		•		•	• • •	• • •	••
November	Males	j			1	i			· ·	•	• •	•			• • •	• •
December	Males Females	3	3		j	١	· ·		ij						•	•••
Unknown	Males Females	j							• •			. j				
Totals		38	) 8	3 2	. 4	ا ع ا		-	3 ]				2 3	3 4	1 2	4

<sup>\*</sup>Twins.

TABLE II. — BIRTHS.

the number of each Sex born in th

Exhibiting the number of each Sex born in the several Counties, during each month of the year.

Months.	Sex.	Whole Number	Addison.	Bennington.	Caledonia.	Chittenden.	Kescx.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Jan.	Male. Female. Unkno'n.	197 170 2	14 15	12 9	15 10 1	11	1	19 15	1-00 :	5	15 14 1	8	23 29	18 12	17 16	33 19
Feb.	Male. Female. Unkno'n.	176 181 3	10 11 1	19 10		12 12	1	16 19 1		8 9		17 7	24 36	17 22 1	14 11	16 21
March.	Male. Female. Unkno'n	224 226	14 15	15 9		13 16	3 1	19 25	1 10	6		14 18	33 33		26 18	29 25
April.	Male, Female, Unkno'n,	207 221 2	11 14	16 9		14 17 1	3	17 19	8 3	10	17 12	12 13	32 38	23 18	18 27	24 24 1
May.	Male. Female. Unkno'n.	264; 225; 3	15 10 1	12 22	25 13	16 15	1 3	15 18 1	5 3	7 6	20: 18: 1	11 15	40 38		39 15	
June.	Male, Female, Unkno'n,	235 228 3	9 15	17 18	11 24	19 13 1	3	23 14	5	18 14 1	20 24	14 13	38	15 18	22 15	21 17 1
July.	Male. Female. Unkno'n.	239 233 1	24 12	11 20	21 18	20 13	1	28 20	5	10	15 22	10 18	32 32		21 26 1	25 17
Aug.	Male. Female. Unkno'n.	238 204 3	18 11	20 14 1	19 14	18 16	1	24 16 1	3	7 12	15 21	15 7	40 29	17 21	17 17	23 22 1
Sept.	Male. Female. Unkno'n.	264 207	21 24	14	13 12	23 11	3	17 16	5 5	12 5	20 17	12 9	46 36		29 20	24 30

#### TABLE IV. — PERSONS MARRIED.

Distinguishing by Ages the number of persons, of different social conditions, who were married during the year.

#### (A.) Aggregate.

	her.					Am	S OF	W	ONE	٧.				
Ages of Men.	Whole Number	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	Over 70.	Unknown.
Whole number	2569	624	890	297	129	53	41	36	22	28	9	ß	1	438
Under 20	63	46	13	-3	1				1 4 5					1
20 to 25	849	378	399	54	7	1								10
25 to 30	580	128	318	100	21	4		2				* 1		7
₹0 to 35	240	44	92	61	127	5	1		1	1				1
35 to 40	113	12	30	36	-00	á	3		1.	1.				1
0 to 45	64	5			13	7	5			1:				1
5 to 50	72	,	5			16	12	d	13	1		1		
0 to 55	53	i	36		15	4	6	7	4	9		i		
5 to 60	46	1		4	5	6	4	12	4	5	0	1		1
9 to 65	40	-	1	4	-9.	3	5	-	-	9	9			-
5 to 70	15		í	7		43	2	5	- 3	5	0			1
Over 70.	18	1				1	3	+2	-	2	3	4	1	-
nknown.	416	7	0	0	1	1	0		1	137	U	-4	1	201

#### (B.) First marriage of both parties.

Whole number	1326	454	583	126	27					1	1.	4 1		4	٠١.				. 1	4 0	I	27
Under 20	46	36	8	2											١.						ŀ.	
20 to 25	614	289	286	31	2		١.														1	6
25 to 30	369	87	214	55																		33
30 to 35	116	29	50	00	11		11.						1.		.[				.			23
35 to 40	27	3	12	9	1 3		٠.						Í.								Ι.	
10 to 45	14	3	3	3	2		0						1	ĺ				Ĺ	1		1	i
ló to 50	15		1	10				1		1									- 1		Ш	- 1
00 to 55	3	1	17										1.						- 1		١.	
N TO HD	1 2					i	1 .			- 1			1	_	J.		_		. [		1	
00 to 65.	1						1	1					Ľ			-	•	,	1		Ι.	
35 to 70							1	-	ľ			• •	Ľ	•	1		*		-		١,	
Over 70.							1					4 4				*			•		ı.	
Caknown	128	6	7	2			1				ľ	• •				1	4	*	1	• •	i	13

TABLE IV, - Continued.

#### (C.) First of men, but subsequent of women.

	ber.					Ac	ES O	F W	омт	EN.				
Ages of Men.	Whole Number	Under 20	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	Over 70.	Unknown.
Whole number	95	7	29	23	10	4	2	3	2	1				14
Under 20	3		1										9.4	
20 to 25	30	500	1.5			1								1
25 to 30	27	2	45	- 8	- 5	1		2						
30 to 35	10		2	5	1	1				1				
35 to 40	5	1	I	1		1			1					
40 to 45	1			1										
45 to 50	4		1				1		1					1_
50 to 55	1						1							
55 to 60	1							1						
60 to 65														
65 to 70														
Over 70													1	
Unknown	13				3									19

#### (D.) Subsequent of men, but first of women.

Whole number	216	35	54	44	34	11	13	1 7	1	5		4	-	 1,		+1	1
Under 20	1				1				-								
20 to 25	9	7	2			. , .					9 6		-				
25 to 30	30	-8	16	4	1												
30 to 35	43	- 8	15	1.3	- 5	J,	1				. 1						
35 to 40	37	G	10	11	- 8	1	J										
40 to 45	23	2	4	- 5	- 6	3	3								*		
45 to 50	20	1	2	5	4	1 JG	3	]		1							
50 to 55	18		-4	3	- 8	1		1		1						J	
55 to 60	10	1		1		2	3	2	d .			1					
60 to 65	8			2	1	1		2	2	1		1	1.	 ١.		J	
65 to 70	6		1				1	1 )		2		1	1.	 I.			
Over 70	3	1					1		1.			1		 1.			
Unknown	8	1							١.								

#### SUPPLEMENT B. - TABLE II.

Exhibiting the number of Illegitimate Births.

(Included in Tables I and II.)

Months.	Sex.	Whole Number	Addison.	Bennington.	Calconia.	Chittenden.	FRECT.	Franklin.	Grand Isle.	Iamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
January	Males	1								1						
February	Females Males Unknown	3	• •	ı			•••	•				• •		_	i	• • •
March	Males Females		•••		• •		• •			• •	• •	٠.		••		::
April	Males	ī	• • •	• •	• •	• •				••				• •		ĩ
May	Females	2	i	• •	• •			• •			-			• •		1
June	Females Males	3		l l	·i		٠.	·i	-		• •		_	•••		
Jaly	Females	2	: . : 	. I	•	• • •		٠.,					• •	• •		
August	Females	3					: :		• •	••	• •			÷2	• •	• •
September	Females			• •			•				• •	• •	• •	• •		• •
October	Females		· i	• •									•	• •	••	••
November	Females	į	•	i			•		• •	٠.					• •	
• • • • • • • • • • • • • • • • • • • •	Females			•		1	į							• •	1	• •
December	Males Females	3					· · ·				• • •	• • •	• •	••	• •	• •
Unknown	Males Females		l			.'.	 		• •		į.	. 1	į	 		
Totals		38	 2	5		1 8	3	-	-	1	1	9	3	4	9	-4

<sup>\*</sup> Twins.

#### TABLE III. - MARRIAGES.

# Exhibiting the number contracted in the several Counties during each month of the year.

Months.	Whole Number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
January	226	20	6	18	6		18	13	15	27	17	29	15	35	17
February	172	10	9	16	12	2	22	1	4	16	7	20	12	19	22
March	191	11	6	14	10	1	16		16	25	10	10	24	18	30
April	157	11	11	11	7		6	2	12	22	5	11	19	14	26
Мау	204	10	10	19	14	1	11	2	5	21	16	21	21	31	60
June	142	7	6	11	13	3	11	2		i	11	17	4	19	17
July	177	18	6	13	11	1	14	1	5	20	12	28	13	17	18
August	183	16	11	14	15	1	16	1	13	8.	8	24	19	19	18
September,	233	15	17	13	13	1	26	3	17	19	22	20	22	27	18
October	280	16	15	25	12		29	3	14	24	26	24	30	28	34
November	249	20	25	14	13		24	4	15	20	18	20	16	25	35
December	329	22	15	24	20	1	24	3	17	18	18	23	55	36	53
Unknown	26	3	1	2	2			1	1	4	1	5		1	5
Totals	2569	179	138	194		-		_	139	240	171				315

Months.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Oct.	Male. Female. Unkno'n.	282 275 3	22 18	14 25	14 30 1	14	2	15 17	1 2	17 17	23 30	14	30 27 1	32 24	27 26	57 40 1
3 3	Male. Female. Unkno'n.	209 200 1	17 11	18 <sub> </sub> 15	13 17	8 11	1	12, 16	3	11 16	27 19	10 7	22 12	18 21	27 30 1	21 23
90 (	Male. Female. Unkno'n.	174 160 3	13 7 1	14	5 10	18:		12 14	3 1	5	14	3 7 2	22 16	17 15	18 18	28 20
重人	Male. Female. Unkno'n.	29 26	2	3 2		1		1 2	1	8 2	2	4	2	2 4	1 5:	3 7
	Male. Female. Unkno'n	2426 2403 29	151	142 152 1			21				248 232 3	139				
1 2	Totals.	4858	304	295	400	282	40	293	47	243	483	251	556	460	494	710
Parontuge	Americ'n	4096		265 21	-			238		1-	437				410	
Pat	Unkno'n.	339	29	9	36	29	3	25	6	14	32	28	50	56	65	18

#### (C.) First of men, but subsequent of women.

	per.					Ac	ES C	FV	7ом:	EN.				
Ages of Men.	Whole Number	Under 20	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.		Unknown.
Whole number	95	7	-29	23	10	4	2	3	2	1				1.
Under 20	3	2	3											
20 to 25	30	0100	15	- 8	3	1								
25 to 30	27	2	9	- 8	- 5	1		2						
30 to 35	10		2	5	1	1				1				
35 to 40	5	1	1	1		1			1					
40 to 45	1			1									١.,	
45 to 50	1 4		1				I		1					
50 to 55	ll i						1							
55 to 60	ll î							1						
60 to 65														
65 to 70												1	1	
Over 70										1		1.		1
Unknown	13				i									li

#### (D.) Subsequent of men, but first of women.

Whole number	216	35	54	44	34	11	13	7	5	4	4.	 l.	1		9
Under 20	1				1									 	
20 to 25	9	7	2											 9.1	
25 to 30,	30	8	16	4	1								+		1
30 to 35	43	- 8	15	13	- 5	1	1							 	
35 to 40	37	0	10	11	- 8	1									
40 to 45	23	2	-4	5	- 6	3	3					 ١.		 	
45 to 50	20	- 1	2	5	4	1.3	3	1	1			 ١.			1
50 to 55	18		4	3	- 8	1		1	1						
55 to 60	10	1		1		2	3	2		1	u.	 ١.			
60 to 65	8			2	1	1		2	1						
65 to 70	6		I			***	1	1	2	1	ıl.	 ١.			
Over 70	3	1					1			1	1 .				
Unknown	8	1	!												

#### ACCORDING TO AGE.

in the several Towns and Counties during the year.

}	Ç.	45	20.	55.	  3	65.	2	75.	₩	85.	<u>8</u>	95.	over.	Wn.	<u></u>		Ton	AL.		tage.
3	35 50	40 \$2	45 to	og 0g i	55 to	60 to	65 to	70 to	75 to 80.	80 to	85 to	90 to	95 and over.	Unkno		Malce.	Fem.	Unk.	Total.	Percentage,
1	••	ļ		٠;		1	ļ	ı.	ļ.;		••					2			9	.3 1.4
إ		i							5 2	i	::					13		• • • • •	21	$\frac{1.4}{2.1}$
ď		• •		٠:	1		1	1	2	Ī		••			<b> </b>	•••	8	• • • • •		1.1
•	i	2	••	1	٠٠	• •	1	٠.	٠٠	. •	••	• •	••	• •		9		• • • • •	27	1.3 2.5
				•	•	i	•	<b>"</b>		٠;	i	• •	•••	••		5	18	• • • • •		$\begin{vmatrix} 2.5 \\ 1.0 \end{vmatrix}$
						•						::	::		l		4	• • • • •		3.1
·	٠.	ļ.,	• •	1	1					١		; 1		••		6			10	i i
٠	٠.	••	••	1	٠:	٠.		٠.	٠.		٠.	1	۱	• •	١	• • •	4			.4
Ì	•	•••	•••	• •	1	••	• •	•••	• •	••	••	••	• •	• •		4	• • • • •	• • • • •	8	1.9
				•••		•	•	•		i	•••	••	•••	• •		3	4	• • • • •		2.
•	٠.		1	ì								i			ļ.,		6			1.
1	٠.	٠.		• •	ļ	••		1		1	٠.					3			9	1.9
ľ	ï	١	• •	• •	٠٠		• •	٠٠	••	1	٠.	••	١	• •	٠.	•••	6			2.8 1.4
	•		•••	i	٠٠	1	1	• •	٠٠	1	1	• •	••	••		6		••••	10	1.5
IĮ.					<b> </b>	•••	i				•	•			١.,	5	•		17	1.1
ŀ						!			1	٠			::		١.,		12			9.9
ŀ	٠	• •	٠.	2	٠.	<b>' 1</b>			2	· •	1			2 2		18			38	1.3
•	il	1	• •	• ;	٠٠	••	• •	3	••	١.:	1	• •		2		•••	20			1.3 1.3 1.2
•	ì	• •	• •	1	• •	•••	i i	••		1	; 1	. • •	••	٠٠		•	9	• • • • • •	17	1.2
٠,			•	i	i	i	i	. 5		· •	٠,	••				10		,	16	1.6
1	ų,	• •		ī		·	ī		ľi			•			II.,	•••	6			1.9
•	۱	1	۱.		1	٠.	3	· ·	3	1						13			21	1.8 1.2
٠	1	٠,	• •	• •	1		• •	1	٠٠	1	2	٠.	٠.	••	٠.	••••	8		:	1.5
•	1	1	٠.	1		1	٠.	1	1:	•••	••	<u>.</u> ٠	١٠٠	• •		6		• • • • •	13	2.3
		••							1.		• •	•			١.,	•••	7		5	2.7
	١	• •	ľi	١	I	I	١.		١.:						١.		3			1.1

TABLE V. - DEATHS.

Exhibiting the number of each Sex in the several Counties, during each month of the year.

Jan.   Months.	æs.	Whole Number	Addison.	Bennington.	Caledonia.	Chittenden.	L'ESCA.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Jan.	Male. Female. Unkno'n.	146 128 4	10, 7	5' 6' 1	15 11	9 5	i .	7 10	1  3  · · · ·	10 6	13 16	5 7:	16 18	14 9	16 13	25 16 3
Feb.	Male. Female. Unkno'n.	154 150 2	11 6	5 9	10 16	8	4	13 <sup>-</sup> 10 1	l   	6 11	19 15	8 5	19 21 	15 14	13 16	
March.	Male. Female. Unkno'n.	188 205 1		11 9	8 24	11 25	•••	18 *	3	8 	29 15	5 15	21 28	19 13	22 20	23 29 1
April.	Male. Female. Unkno'n.	161 171 3		14 8 	18 16		2 2	8, 6	4 2	7 7	13 20	9 8	20 19	12 19 	13 17	27 29 2
May.	Male. Femalc. Unkno'n.	156 157 5	11	10 10	14 16 1		3	11 7	i	6 8 	23 19 . 1	4 10	14 20	10 9	22 12	22 27 1
June.	Malc. Female. Unkno'n.	135 146 4		6 11	14 19	8	1 i	10 8		5 2 1	13 13 1	4 9		11 11	20 17	17 27 1
July.	Malc. Female. Unkno'n.	175 183 3	9	8	13 18	13 9	2	11 13.	1 2	12 4 	15 19 1	9 14	22 25 1	21 17	17 17	27 26 1
.hug.	Male. Female. Unkno'n.	293 300		16 18	20 22 	15 19	4	14 17	2 5	11 11	30 28	20 23	36 24	36 40	26 25	39 38
Sept.	Male. Female. Unkno'n.	326 298 1	20	19 17	32 23	15 24	3	17 13	3 	19 17	26 22	18 23 1	49 42	28 29	28 27	50 34

Months.	Ser.	Whole Number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
	Male. Female. Unkno'n.	282 275 3	22 18	14 25	14 30 1	14	2	15 17	1 2	17 17	23 30	14 7	30 27 1	32 24	27 26	57 40 1
Nor.	Male. Female. Unkno'n.	209 200 1	17 11	18 15	13 17	8 11	1	12 16	3	11 16	27 19	10 7	22 12	18 21	27 30 1	21 23
Dec.	Male. Femsle. Unkno'n.	174 160 3	13 7 1	14 14			$\frac{2}{3}$	12 14	3 1	5 8	14 14	3 7 2	22 16	17 15	18 18	28 20
Unk.	Male. Female. Unkno'n.	29 26	2	3 2		1		1 2	1	2	3 2	4	2	2 4	1 5	3 7
Aggregate.	Male. Female. Unkno'n.	2426 2403 29					19 21	149 141 3		125 117 1		111 139 1	260		250 243 1	361 338 11
A. F.	Totals.	4858	304	295	400	282	40	<b>2</b> 93	47	243	483	251	556	460	494	710
- 100 F	Americ'n	4096	250	265	317	220	34	238	35	220	437	196	463	390	410	621
Parcutage.	Foreign. Unkno'n,	363		!				30 25		1	1	27			65	ì

٠.\_

TABLE VI. - DEATHS.

Exhibiting the number of each Sex, at different ages,

Towns.   Whole   Sex.   Sex	Population.	· · ·			<u> </u>	;	<u> </u>			-	
Addison.   1000 Males   512   1	Towns.	Whole		ler 1.	ငန် က	4	ے اور	8 IS	.o 20	25.	30
Addison         1000 Males         512   1   1   1   1   1   1   1   1   1		No. SEX.		Cnc	10 L	3 to	4 to	9	15	07	1 25
Females   488   1		TOWN II I	- 7.0				!				1
Females   G80	Addison	14 A									į:
Bristol	Bridport							1	: :	• •	ŀ
Females   695   3   1   4   1   1   1   1   1   1   1   1	Bristol				1	1	1	1 1		• •	į
Females 493					1 4					1	
Females   869				1	••••				2		•
Goshen.         394 Males.         208         2         1            Granville.         720 Males.         384         1	Ferrisburgh			1	•••••	• •	1 -	i ::	1 !	1	
Granville         720 Males         384   1	Goshen	394 Malcs.	208		• • • •		2.	·li			
Females   336	Granville	1) (		1	• • • •	1	<u>                                     </u>			'i	
Females   213		Females.	336		1	1				٠.	1
Table   Tabl	Hancock	11			• • • •			i ::	2	2	
Lincoln       1070 Males       546       1       1       1	Leicester	11		i i	1	١	• •	ų.,	· •	٠.	•
Females   524   3   2   1   2   1   1   1   1   1   1   1	Lincoln			1	1 1						
Females   1513   3				3	$\frac{2}{1}$					1	1
Females   555   2   1   3	•	Females.	1513	3	• • • •		٠	1 1	1	3	
New Haven     1419 Males.     712	Monkton				I	• •	• • •				
Orwell     1341 Males     692     2'     1       Females     649     1     1       Panton     511 Males     257     1       Females     254     2     1       1     1	New Haven	1419 Males.	712					. 1	1		•
Panton	()rwell									• •	•
Females. 254 2 1 1		Females.	649	1						•;	
!! resize a coult i! ! ! ! ! !	Panton			2	1	· • •					
570   Males.   303   1                 1     1     1       1       1       1     1         1     1       1     1           1     1	Ripton	570 Males.	303					.¦	.;	١	

اعامامام	ر داداد		n iei	Total.	age.
36 to 34 36 to 4 40 to 4 45 to 66	55 55 55 55 55 55 55 55 55 55 55 55 55	70 to 75.	90 to 95. 95 and over Unknown.	Males. Fem. Unk.	Percentage
1 1 1	1	2 4 1 1	1	5,	1.14 .24 1.29 .72 1.36 1.84 .16
1.	1	1 1 1		24	4.47 2.32 2.12 .20 .74 .72
12 7 7 5	5 3 1	2 15 19 17		152 151 1 304	1.26 1.25  1.26
$\begin{bmatrix} 2 & 1 & 2 & 1 \\ 2 & 1 & 1 \\ 1 & 1 & 1 \end{bmatrix}$	1	1 2 1 2 1 1 1 1 1 1 2	1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2.00 1.67 1.14 1.48 1.09 1.60 3.57
1	$egin{array}{cccccccccccccccccccccccccccccccccccc$	1 2 2 2 2 2 1 2 1	1 1 1 2 1 1 1 1	25 43 18 11	3.42 6.20 3.05 2.06 2 04 2.00 1.12
1 1	i	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1.90 .61 1.80 1.22 .92 .95 1.03

	Port	LATION						
Towns.	Whole No.	Sex		Under	- 2 2 2 3 5 5	3 to 4.	4 to 5.	5 to 10
Bennington—Cont'd						•		
Searsburgh	.∥ 262 M		140	1	• • ;• •	. • •	• •	٠:
m '6 1	1936 M	emales.	122 1001	1 .	'			1
Shaftsbury		anes. emales.		. –	• • • •			• )
Stamford			414			i	••	
	F	emalea.	345	li		Ī		
Sunderland	. 567 M	ales.	284	1				
	F	emales.						
Winhall			389	1	_	• • •		• •
16 1		emales.					• •	• •
Woodford		l <b>aics</b> . cmales.	201 178		• • • •		• •	• •
		emaics.	110					• •
Aggregate	м	alcs.	9845	21	5 4	12	3	ť
	F			21	7	7	1	10
	]]U	<b>nkn</b> o'n				• • •		
	'		10400					-
Totals		• • • • •	19436	42.	12; 1	. y	4.	LO
Caledonia.	,					4		
Barnet	. 1994 M		986	1		• •	1.	
		emales.				• • •	• •	• •
Burke	. 1138 M	aies. emales.	560 578		1		• •	• •
Danville	2544 M		1232				• • •	• •
Danaine		emales.		-		-	i	i
Groton	939 M		478		1	_		
	F	emales.	461					2
Hardwick			674					
	F	emales.				• • •		٠:
Kirby	. 473 M		234		• • •		•	1
Lyndon	. 1695 M	emales.	239 868	1	3.			)
TANGOR		aies. emales.		<u>ئ</u> ـ ا				• •
Newark	. 567 M		304				2	i
	F	emales.						
Peacham			397			٠		
	il F	emales.		1	1 :	-		1
Ryegate	. 1098 M		553	1	• •	• • •	• •	1
	F	emales.	545 420	3	i .	• •		3
Sheffield	. 836 M	laics. emales.		ا ا	1	. • •	• •	1
		nkno'n		1	• • • •		• • •	• •

9 6			0	Ö	ó	.0.	9.	0.0	5.	0.		ver.	WD.		Tor	[AÎ <sub>e</sub>		tage.
3 4	0	45 to 5	50 to 5	55 to 6	00 to 6	65 to 7	70 to 7	75 to 8	80 to 8	85 to 9	90 to 9	95 and	Unknown	Males.	Fem.	Unk.	Total.	Perecutage
	·,··	į	i••	• •			ļ				* *		1	3. 11. 8. 2.			5	2.
i.	•	i • •				i	2		• •				2	ii.	2		22	1.
2 : 1	Z I'	i	i	• •	2	• •	$\frac{2}{\cdot \cdot}$	• •	1					····· 8 .	11		15	1.
• • •	• • •			• •	1	• •	• •	, 1	1				1		7			2.
• • •	•			.;	• ;	• • •	i								3			1.
i	• • •	! • •	1	1		• •	• •	• •				• •	4 4	9.	4			1.
• • •	• •			• •	• •	• •	• •	• •		+ +								
-	-													149				1.
4	4	1	5	7	6	8	10	7.	6	7	1		1	142 .	152			1.
-	**			* *		1.0				-	-	_	-		1001		005	1.
9	5	i))	25.	9	14	10	19	15	19	13	4	N P	1		****	****	295	1.
à.,	1			2		1	1						_	18,.			27	1.
٠.		1		••	••;	2			٠.	# B1				10	91			1.
	'. i		ூ	- 1	7.		ூ			- 1			1		-3			2.
i	2	1	1	3	••	i	ï	• •	5	I		• •	4 4	12 . 5 .	251		37	1.
••	·	• •	.;	••:	.;	· ·	••	• •	• •	F - 3	1			57.	16		21	3.4
••	••	•	ī	••	••	į	:	• •	9					7 -	401		13	1.0
•	•	•••	;	• •. • •	••,	••,	••;	• •	• •					3.			6,	1.5
		i	• • !	i	! lı		•	••	• •	• •	1	•.•		5. 7. 3.	3		23	1.5
•	••;		1	• • <sup>i</sup>	i	••,	• •		• •	2	• •	•.•	1	16. 7. 5. 15.	7		12	2.
		i	1	••	$\cdot \cdot_{i}^{l}$	••.		•••	i		•;	• •		••••	5			1.
i	••!	••	1;	• •	i	i	i	:	ì	• •	,	• •			14			2.
••	.,	•	٠; ٔ	• •	1	1	1	2	1	1	•	• •	••	15.		•••••	36	2.1 3.1

<del></del>	N. Honey artes
Towns.	Population.
TOWNS.	Whole No. Sex. 5 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
ennington—Contaraburgh	262 Males. 140 1
haftsbury	Females. 122
amford	
inderland	Females. 345 11 567 Males. 284 1
Vinhall	Females. 283 1
Voodford	Females. 352 379 Males. 201 Females. 178
ggregate	
Totals	
Caledonia.	1994 Males. 986 1 3 1
rnet	Females. 1008 3 I
rke	1138 Males. 560 4 1 Females. 578 1
mville,	
roton	
ardwick	1369 Males. 674 1
rby	
ndon	
owark	567 Males. 304
acham	1247 M-1
yegate	1098 X
er 13	'mne's

8. <del>6</del> . 5.	9 6	9	ا و ن	10 0		0.	over.	W.D.		To	ral,		tage.
2 2 3 3 3 3 4 3 4 4 4 4 4 4 4 4 4 4 4 4	3 3	3	3 3	5	3 3	3 3	and	Unknown	Males.	Fem.	Unk.	Potal.	Percentage
									-				
122 2. 1 1		. • • •	• . • •	i La ada				1	3.			5	2
	!	1.	• • •	0	• • •		- 4	9	11	2		90	1.
2 2	1	• • • •		2	Ji	* * *			11.	11			1.
1 1	1 1	i . i	2		., 1				8.			15	1.
• • • •	!	ļ	1	• •	1 1			1		7			2.
• • • • •	- •   - •		1	i	• • •				2.	9	• • • • • • • • • • •	9	1.
	i	i	i		. i				9.			13	0
1	1	1.								4			1.
• • • • •	· · ·				• • •			• •					
• • • • •		• • •	• • •	•	• • •	• • •							***
5 5 4	4 3	2	8, 8	9	8, 9	6 :	3	5	142 .	* * * * * *			1.
6 4 4	1 5	7	6 8	10	7 6	7	1	1		152.			1.
-,	•••••	•• •	•,••		• • • •			1	* * * * * ; *	****	1		. 1 1
1 9 8	5.8	91	416	191	5 1 5	13		7				295	1.
	0 0	0,1	110	101	0,10	10				****		200	
			:						18, 10 12 5 3 16 5 15 15	į			
2 1		2.	. 1	1.					18;			27	1.
• • • • •	1'		., 2	• • •					144 44	91.		00	1.
	1.9		. 1, 1,		ا	1	1.1	• •	147.	1-2	****	22	•2
2	i ī	• • •	. i			1			12.	1		37	1.
1 1	1	3.		1:.	. 5	1.		- 11		25].			
• • • •		• •,•		••.•	• • •			• •	51.	140	1014	21	1.
	7	••	. 1	•••	9	4 4	4 1			110		13	$\frac{3.4}{1.4}$
: • •	$$ $\frac{1}{2}$	• • •	. i						****	6		10	
• • • • • • • • • • • • • • • • • • • •	• • • •		• , • •	٠.'.		3 ' x x			15.			$\mathbf{G}_{i}^{[i]}$	1.5
• • • • • • •	• • • •	• • • •		• • • •	. • •	]	*,*		1 * 1 * 4	3 .		32	1.3
• • • •		1	L⊢ Ó	١.		0		1	[D-*		* * * *	201	1.0
lj:	••••		ı	••••					7.			12	2.
2	1 1	•• •			. 1					5 .			1.5
	, 1		:  - ;:	• • •		1			4			19	2.
L.	T	•		1	. L.	1.	4.5	• •	15	14		36	2.
2	i i		2	3		. 1			1 . 1	21		30	3.
$\mathbb{P}   \bar{1}$	1	••;•	. 1		. i.	]		1	15.		****	23	3
	•• ••:	••	3 1	• • •	• • •					1 -			1.
	l	· • • •	• • • • •					1			1(.		

	Po	PULATION	•	-:		<u> </u>	!			ė.	0.	2
Towns.	Whole No.	Sex		Uuder	1 to 2.	2 to 3.	3 5	4 to 5.	5 to 10	10 to 1	15 to 2	20 to 2
Caledonia-Cont'd.						,						
St. Johnsbury		Males.	1705	8	7	2 1	1	٠.;	2	1	3	1
Sutton	987	Fem <b>a</b> lcs. Males.	1764 525	٥	z	1	7	1	U	3	3	•
Duston		Females.	462	i	2	• • .			• • •	ان.	• •	i
Walden	1099	Males.	576						1			ī
		Females.		2	• • •		إ	1	1	1	3	2
Waterford		Males.	592	1	1	•	••	• :	• •	• ;	• •	• •
Whoelock		Females. Males.	579 439	1	• •	1.	••	1	1,	1	• •	••
W HOCKICK		Females.		i	• •	• •1	•		.:	1	•	i
		Unkno'n		ī		•				• •	•	
	<u> </u>				_	<b>—</b> ;	_	—	-	_	_	_
Aggregate			10743	19	20	7	2	3	7	12	10	14
		Females.		19	11	5	41	7	18	11	16	18
		Unkno'n	•••••	2	• •	• • !	••!	• •	• • ;	• •	••	••
Totals		<b></b>	21458	40	31	19	6	10	25	23	26	3.7
10000	1			10	01	-	Ĭ	10	المت	20	_	شده
CHITTENDEN.	1 :		.				!					
Bolton		Males.	322		••	••¦	••	• •		٠.		
D		Females.	323	• • •	• •	• •	• •	• •	<sub>.</sub>	• •	• •	• •
Burlington	11	Males. Females.	3779 3934		• •	••	• •	••	••:	• •	••	••
Charlotte		Males.	777		• •	•		• •	••	٠,	••	••
		Females.	812	i				i	••	۔.		•••
Colchester	3041	Males.	1526	11	ì	• • •		î	1	• •	2	4
		Females.		9	2	3	1,	2	2		3	1
Essex		Males.	929	$\parallel 2$	1	1	1		2	2	1	• •
		Females.			٠٠.	• •	• •	• •	••	• •	2	••
Hinesburgh		Unkno'n Males.	874	• • •	•••	• • •	1	• •	3	·i	••	•
TITIO DUI SIL		Females.		2	•	• • 1	Ť	• •	1		••	: i
Huntington		Males.	437			i	ا	::		• •	::	
		Females.	425				i					
Jericho		Males.	827	5	1	1	• •	• •	ا. ا	٠.	· •	• •
Milton		Females. Males.		2	• •	••	••¦	1	1	• ;	1	• •
MIHOR	11	maies. Females.	973 990	1	;	•••	• •	1	• •	1	•••	
Richmond		Males.	696	1. 1	1	• •	٠.	•			• •	1
		Females.	704						i'	• •		• •
Shelburne	1178	Males.	617	1	2	1	2				2	• •
		Females.	561		1	••	••	• •		• • ;	• •	. 1
South Burlington		Males.		!	• •	••,	٠.,	• • ;	• • •	• •	1	]
	11 1	Females.		1		i	• • !		11	٠.,	۱ ا	

TABLE VI, — Continued.

30 to 35. 45 to 45. 40 to 45. 40 to 55. 55 to 60. 60 to 65. 65 to 70. 70 to 75. 75 to 80. 80 to 85. 85 to 90. 90 to 95. 95 and over. Unknown.	Malcs. Total.	Percentage
2 1 4 2 2 4 2 2 2	8 16 8 16 4 12	2.11 3.17 1.33 2.81 1.38 2.48 1.35 1.35 1.38
5     2     4     6     6     4     7     7     11     3     7     6     3     5     .     2       8     4     5     9     14     7     14     9     9     4     8     6     4     .     3       13     6     9     15     20     11     21     20     12     11     14     9     9     5	222	
1. 1 1 1	615	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	16 21	T * 13.73
	140-	

[1865.

	Population	Ň.	-:	٠.			,	.•		8	ž.	i <b>c</b>
Towns.	Whole SE	<b>x</b> .	Under	1 to 2.	21 25 33	3 to 4.	4 to 5.	5 to 10	10 20 1	15 to 2	20 55	25 10 3
Chittenden-Cont'd.	121 Males.	61						:		' 		
St. George	121 Maies. Females		<b> </b>  :::	•••	••	i		••			•	••
Underhill	1637 Males. Females	821	2			1	i.	1 2		i		
Westford	1231 Males.	618	1	ان	1		2	٠.,	• • '	٠.	٠.	1
Williston	Females	$\begin{array}{c} 613 \\ 726 \end{array}$	"									•
	Females	753	1	1	• •	••	••	••	• •	• •	•	••
Aggregate	,Males.	13983	25	6	5	4	2	7	6	6	10	7
C. C.	Females	14153	19	6	4	4	6	8	1	8	. 5	8
	Unknoʻr	·	!!		_	_	_	_	_	_	<u>:</u>	<u></u>
Totals		28136	44	12	9	8	8	15	7	14	15	15
				,						!		
								:				
Essex.	12Males.	! 5							ļ		٠	
Averill	Females								i			•
Bloomfield	320 Males.	180			٠.	٠.	• •	اً أ	٠.,	• •	٠	
	Females		<b>  </b>	• •	٠.	• •	••	••,	• • !	• •	• •	• •
Brighton	945 Males.	490		• • •	• •	• •	٠.	• •!	• •	• •	• •	• •
Brunswick	Females 212 Males.	$\begin{array}{c} +455 \\ +123 \end{array}$	11					• •		• •	• •	• •
Brunswick	Females	123						• •		••	•	::
('anaan	408 Males.	236		••								
	Females								٠.	٠.	١	
Concord	1291 Males.	687	2									٠.
	Females						• •					• •
East Haven	136 Males. Females	75 61		• •							•	• •
Ferdinand	34 Males.	. 01   29										••
!	Females			• •							•••	••
Granby	Females	1	н								••	••
Guildhall	552 Males.	1										• •
Lemington	Females 207 Males.	.i 271 99		_	• •		• • •					
	Females	108					• •		1	• •	٠;	• ;
Lunenburgh	1034 Males.	534		••							1.	. 1
Maidutuma	Females 259 Males.	. 500 145	11 -	••							1	
Maidstone		. 114	11	• •	٠.	• •	• •	٠.	• •	• •	••	

50.550.55			over.		TOTAL.		ıtage.
30 to 35 to	65 to 70 to 75 to 15 to	85 to	95 and Unkne	Malca.	rem. Unk	Total.	Percentage
. 1	1 i. 1	1 2 1.		13	11	24	1.65 1.58 1.34
1 21 1	$egin{array}{cccccccccccccccccccccccccccccccccccc$	i.		6	11	15 12	.64 1.77 1.82
4 4 3 5 6 813 4 5 4 2 1213 8 8 9 8 1	7 7 4 9 5 1 5 9	6 4 2 7	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	141	140 1		1.00
1213 8 8 9 8 1	2 8 9 18	811	4 2 5	•••••		282	1.00
							• • • • • •
************							• • • • • •
31					• • • • • • • • •		
1					· · · · · · · · · · · · · · · · · · ·		1.31
1				• • • • •	2	·····2	3.03
1					<b></b> .	!	

	Populatio	ON.		li				٠. د	. i	
Towns.	Whole SEX.			1 to 2.	3 to 4.	4 to 5.	5 to 10	10 to 1	15 to 2	25 25 25 25 25 25 25 25 25 25 25 25 25 2
Essex—Continued. Norton	32 Males.	25					-			
Victory	212 Males. Females	113			1			•	•	
Aggregate	Males. Females	3088 2698	2 2	2.	i i		- 	2		1 1 2 1
Totals		. 5786	4	3	1 2		•••	2.		3 2
Franklin.		İ								i
FRANKLIN.		1			į					1
Bakersfield	1451 Males.	746 709		1	3	• •		1	1.	
Berkshire	Females 1890 Males.	955	2		: 		1	1	1.	<b>Z</b>
Enosburgh	Females 2066 Males. Females	1022	1 1 1		1	• •		• • •		•:••
Fairfax	1987 Males. Females	961	1		1 1 2		2	1	3	3 :: 1 i
Fairfield	2497 Males. Females	1235 $1262$	7		. [ ]	• ;	2	1	!	$^2$ .;
Fletcher	916 Males. Females	452		1	.! 1		1	2		i'
Franklin	1781 Males.	$904 \\ 877$		•••		٠.		• • •		• • •
Georgia	Females 1547 Males. Females	770 777	1 3				ī		i	i i
Highgate	Unkno'i 2526 Males. Females	1282	1		i i	• •	i		· · ·	2
Montgomery	1262 Males.	645	1	1.			ì	1,		i'
Richford	Females 1338 Males. Females	672 666	2						i . 2	. 2 2
Sheldon	Unkno'i 1655 Males. Femules	854						•	: .	. i
St. Albans	3637 Males. Females	1827	4	2	2	_			i i	2 1 1 1

Met. 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	TOTAL.	986
85 to 40 to 45 to 60 to 65 to 60 to 65 to 60 to 65 to 60 to 65 to 70 to 75 to	Males. Fem. Unk. Total.	Percentage
		1.0
4 1 1 1 2 2 2 4 5 1	21	.69
121 11	4	2.9 1.9 1.1 .4 .3 .4 1.7
· 4 l· · · · · · · · · · · · · · · · · ·	17 25 8 23 11 23	2.3 1.3 .6 2.6 2.4 .4 .9
1. 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 . 1 .	8 18	.4 .5 1.2 1.6

TABLE VI, - Continued.

	Populatio	×.	نـ ا			1		ام ام
Towns.	Whole No.	<b>x</b> .	Under	12 ts 12	3 to 4.	5 to 10	15 to 2	20 to 25.
Franklin—Contin'd. Swanton	2678 Males. Females Unkno'n			1 1		• <sub>1</sub> •• <sub>1</sub>	1	<u> </u>
Aggregate	Males Females Unkno'n		15	6 6	1	. 9 3 11	4'10	9 2 8 9
Totals		27231	46	16 14	5	3 20 1	0 16	17 11
GRAND ISLE.		i	j	i	;	. !	i	
Alburgh	1793 Males. Females	908	1:	$\frac{2}{2}$	<b></b>	$i^{[1]}$	l	
Grand Isle	708 Males. Females	352	1			i i.		••••
Isle La Motte	564 Males.	296	1	i	·	٠	·-{	i
North Hero	Females 594 Males. Females	302	1	i	: !!		ï	;••¦••
South Hero	617 Males. Females	320		 		• • •	i	
Aggregate	Males.	2178 2098	4	$\begin{bmatrix} 3 & 1 \\ 2 & . \end{bmatrix}$	•• •	2 3.	_ _	
Totals		4276	7	5 1		2 4	2 4	1
LANOILLE. Belvidere	366 Males. Females	191 175		1		• • • •		••••
Cambridge	1784 Males. Females	892   892	2	$\begin{array}{c} 1 & 2 \\ 2 & \cdot \end{array}$	1	1 2. 1 1.	]1	1 1 1 1
Eden	Unkno'r 919 Males. Females	483			• • •		i	••••
Elmore	602 Males. Females	306		• • • •	••••		1	
$Hy {\tt depark} \dots \dots$	1409 Males.	720	2	3	i.		, ,	3 1
Johnson	Females 1526 Males. Females	772	2	i		. 2 i 3	1 1	1
Morristown	1751 Males. Females	877	4		ī.	 •,•••	i	1 1 1 1

\$ 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	TOTAL.	age.
36 to 3 55 to 6 55 to 6 55 to 6 55 to 7 70 to 7 70 to 9 85 to 9 90 to 9 95 and c	Males. Fem. Unk. Total.	Percentago
2 1	4914	.29 .68
8 3 4 6 5 9 4 3 5 2 4 9 5 411 4 3 5 1 5 5 4 4 4 1 3 14	149 141 3	1.08 1.04
1214 8 9 10 10 9 8 9 6 8 10 3 19	293	1.07
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2	.99 1.35 .56 1.40 2.73 .37 1.32 .68 .31 1.01 1.09
$\begin{array}{c} \begin{array}{ccccccccccccccccccccccccccccccccc$	21	.52 .57 2.46 1.45 .62 1.37 .65 1.69 2.32 2.20 1.59 2.28 2.17

	Pe	PULATION	.	1!	-	1		٠		4
Towns.	Whole No.	Sex		Under	1 60 2	100	4 to 5.	10 to 1	15 to 20	25 25 25 25 26 25 26 25 27 25 28 26 28 br>26 26 26 26 26 26 26 26 26 26 26 2
Lamoille-Contin'd.						-		1	-	
Stowe	2046	Males.	1010		1					
Waterville	747	Females. Males.	1036 348	3	1	0	4.41	1 2	-	2 5
THE RECEVILLE	1,21	Females.	399						* *	
Wolcott	1161	Mules. Females.	602	i	1			. 1		i
Aggregate		Males.		15	9	6: 3	1	4 3	5	6 8
		Females.		6	8	3 5	41	0, 7	4	71
	*****	Unkno'n								
Totals			12311	22	17	9. 8	51	4:10	9	13 1-
ORANGE.		!			!	ı				Ì
Bradford	1689	Males.	816	2	1.	1 1			2	2.
		Females. Unkno'n	873	3 1		T   X   S		- 1		1.
Braintree	1223	Males.	626					11.1		
		Females.		1	1.	= 4 +	1.			11.
Brookfield	1521	Males.	751	1			3.		2	1
Chelsea	175	Females.	770 842	1	2	1	i.	1 1	1	i.,
Cheisea	1,0	Fomales.		1	11.	3	1	1 2	2 1	3.
Corinth	. 1621	Males.	824	2	2	1	2	2.	2	1
		Females.			1.	. 1	10			1
Fairlee	- 549	Males.	282							
		Females.		1				1	1	
Newbary	254	Males.	1221							
		Females.	1328	5				. 5	2 3	
Orange	. 93	Males.	488						2.0	
42 1 1 1	070	Females.					1 5 4		1 1	-: -
Randolph	250	2 Males. Females.	1255	13	1			1		1.
Strafford	. 150	6 Males.	708					1 2	2 2	2
		Femules.	738	1			1.		. 1	1.
Thettord	- 187	6 Males.	935	1	2	1	h 0	1	2	i
1		Females,								
Topsham	166	Uukno'n 2 Males.	833	1		4		1 6	i	3
Tobauam	100	Females.						1	i	1
Tunbridge	. 154	Males.	814	2						
	1)	Females	732			1		1 1	2	1

0000	0.	5.0	0.0	5.0	5.	VD.		Tor	AL.	1	nge.
3 6 6 6 4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	50 to 5	60 to 6	70 to 7	80 to 85.	90 to 9	Unknown	Males.	Fem.	Unk.	Total.	Percentage.
11	1	1	2 3	1 1 1			14.	5	••••;	27	2.2 2.6 1.7 1.2 2.3 2.3
· · · · · · · · · · · · · · · · · · ·		4 + 4					125	• • • •	1	243	2.0 1.7
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1. 2	2	2 I I 1	11	1	1 1 2 1	15. 17. 122. 3. 6. 22. 19. 20. 19.	20 19 20 13 11 24 3 17	1	34 37 35 15 47 9 39 28	1.8 2.2 1.1 2.0 1.9 2.4 2.0 2.1 2.0 4.1 1.8 1.8 1.3 1.3 1.3 1.3 1.3 1.3 1.3

	Population.	- 20000
Towns.	Whole Sex.	Under 1 16 2. 3 to 4. 4 to 5. 10 to 15. 15 to 20 15. 15 to 20 15 t
Orange—Continued	1054 Males. 565 Females. 485	$[1, \dots, 1]$ $[1, \dots, 1]$ $[1, \dots, 1]$
Washington		4 3 1
West Fairlec	* C 1004 (11 % C C C C C C C C C C C C C C C C C C	$5   \dots   1 \dots   2   1   1 \dots$
Williamstown	A - 244 14 5 114 1	1 1 5 4 2.
Aggregate	Males. 1276 Females. 1268 Unkno'n	2013 6 1 4 611 13 13 1
Totals		5 42 25 10 7 10 16 26 34 28 2
Orleans.		
Albany	1224 Males. 62 Females. 59	
Barton	1590 Males. 818	Di miericaja a serelenjenjenjeki
Brownington	Females. 773 757 Males. 40 Females 355	1 1 1 .
Charleston	1160 Males. 580	$[0, 1, \dots, 1, \dots, 1]$
Coventry	914 Males. 449	$2 \mid 1 \mid \dots \mid 1 \mid \dots \mid 1 \mid \dots \mid 2$
Craftsbury	Females 47: 1413 Males 68 Females 73:	$1  2 \dots 1 \dots 1 \dots \dots$
Derby	1910 Males. 955 Females. 95	$2 \mid 1 \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot$
Hover	1244 Males. 63 Females. 61	도   · · · · · :  · · · · · · · · · · · :  :
Greensboro	1065 Males. 509 Females. 569	$2 \mid 2 \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot \cdot $
Holland	748 Males. 386 Females. 36	8 1
rasburgh		8 1 2 2 2
Jay	474 Males. 26	$3 \ldots 1 \ldots 2$
Lowell	813 Males. 43	1

-0	0.0	0.	5.	.09	65.	0	ಕ	0.	0.0	0.	ac.	over.	FR.				Tor	- FAL.		-	tage.
30 to 3	40 50 4	45 to 5	50 to 5	55 to 6	60 to 6	65 to 7	70 to 7	75 to 8	80 to 8	85 to 0	O ot OH	95 and	Unknown.		Males.		Fem.	I'm'		Total.	Percentage.
1	2 8 8 7 3	5 5 15	98	10 8	1 1 1 11 111	18 11 11 12 18 16	1317	16 14	100	66	300	3 2	58	D 1	18		10		3	14 14 26 33	1.41 1.13 2.35 2.46 1 2.62 1.90 1.94 1.82
1	1	1	1	1 1 1 1 1 1	1	1 1 1 2	1 1 2	1 3 3 1 1 1 1	i i i i i i i i i i i i i i i i i i i	1	1		1				11 6 14 15 5			13 13 29 20 20	3 1.11 2.69 1.27 .16 .99 .56 1.36 1.21 1.80 2.33 .73 .81 1.15 1.45 1.42 2.77 .99 2.66 1.03 1.03
14.	2		1		2	2				1	4 8		•••			7	2			i	

	Po	PU LATION		0.50
Towns.	Whole No.	Sex		Under 1 1 to 2 2 to 3. 3 to 4. 4 to 5. 5 to 10. 10 to 15 15 to 20 20 to 25 25 to 30
Orleans-Continued. Morgan		Males. Females. Unkno'n	268	2 1
Newport	1197	Males. Females	616 581	2 2 1 1 1 1
Salem	603	Males. Females.	306 297	1
Troy		Mules. Females.	$637 \\ 611$	1
Westfield		Males. Females.:		$\begin{bmatrix} 1 & 1 & 2 & 1 \\ 1 & 1 & 2 & 1 \end{bmatrix}$
Westmore	324	Males. Females.	$\frac{170}{154}$	
Aggregate		Males. Females. Unkno'n	9627 9354	15 4 7 1 1 8 5 4 8 6 16 7 5 5 5 9 6 12 5 5 1
Totals		• • • • • • • • • • • • • • • • • • •	18981	
RUTLAND.	1050	X C . 1 .	100	
Benson		Males. Females.	609; 647;	$\left[ \begin{array}{cccccccccccccccccccccccccccccccccccc$
Brandon	3077		1555	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Castleton	2852	Males. Females.	1412 1410	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Chittenden		Males. Females.		1 1
Clarendon		Males. Females.	642 595	1 1 1 1
Danby	1419	Unkno'n! Males. Females.	732 687	$egin{array}{cccccccccccccccccccccccccccccccccccc$
Fairhaven	1378	Males. Females.	717 661	4 1 1
Hubbardton	606	Males. Females.	306	
Ira		Males. Females.	$\frac{223}{199}$	i
Mendon		Males. Females.		2
Middletown		Males. Females.	377 335	1.

	75. 55. 65. 65. 65. 65. 65. 65. 65. 65. 6	Total.	lage.
35 to 35 to	75 to 8 80 to 8 85 to 9 90 to 9 95 and 6	Malce. Fem. Unk. Total.	Percentage
	. 1 1	5	1.18 1.86
1 1 1 1 1		9	1.46 1.03 .65
111.		5 6 1 6	1.68 .15 .81
1	1	2	.93 2.02 .58 2.59
3 4 4 2 3 4 6 7 5 10 3 3 5 7 5 8	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	111	1.15 1.48
814 7 5 811 11 15		l'	1.32
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 1 1 1 1 1	12	1.97 2.47
1 2 2 1 1 2 2 1	1 2 2	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2.25 1.70 1.84
1 . [ ]	1 2		.90 1.53 2.15
1 1 2	311 11	7 18 10 18	1.09 1.68 
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 1	$egin{array}{cccccccccccccccccccccccccccccccccccc$	2.32 1.39
1	11	5 10 10 1 5	1.30 2.00 .44
1 '			2.00 1.46 .68 1.85
1 1	1		.89

	Po	PULATION		_	1							:	ó
Towns.	Whole No.	Sex		Under 1	1 to 2	0	3 to 4.	0	5 to 10.	10 to 15.	15 to 20	2	
Rutland-Contin'ed.											_		
Mount Holly	1522	Males. Females.	$\frac{802}{720}$	1 2									
Mount Tabor	358	Males. Females	$\frac{200}{158}$		1		1 0						
Pawlet		Males.	780		- 0								-
Pittsfield		Females. Males.	255						i			i	1
Pittsford	1839	Females. Males.	922	···i	2		1		1	1	2		
		Females. Unkno'n		3		i						1	1
Poultney	2278	Males. Females.	$\frac{1121}{1157}$		1	1	1	1	1	i			
Rutland	7577	Males.	3899	29	5	8		3	5	1 2	2	5	
Sherburne		Unkno'n		1									
		Females.					1 2				ï		
Shrewsbury	1175	Males. Females.	590 585			i	1		2				
Sadbury	696	Males. Females.	352 344				i						
Tinmouth	620	Maies. Females.	314 306			. 4							
Wallingford	1747	Males. Females.	905	3		2	2		3		1		
Wells	642	Males. Females.	320		1		1						١.
West Haven	580	Males.	297						1				
		Females.			_		_	-	-	_		_	-
Aggregate		the second secon		31	17	14 12		7 2	19 17	15	9	18	1
		Unkno'n		3		٠.	• •						
Totals			35946	86	38	26	13	9	36	19	23	31	2
Washington.	1920	Males.	926				0		,		1		
		Females.	913	_		2 0	1.1		i	1		i	
Berlin		Males. Females.	776 769	1									
Cabot		Males.	669 649	1 2		1		. :				1	

فأواة	0		0.		0.	75.	0.	5.	0.	2	ver,	m.		Ton	AL.		age.
30 to 30	45 60 54	50 to 5.	55 to 60	60 to 6	65 to 7	70 to 78	75 to 8	80 to 8	85 to 90	90 to 9	95 and over	Unknown	Males.	Fem.	Unk.	Total.	Percentage
1 1.			1	3			3	2					11	4		6	1.3 1.2 1.0 2.5
1	1 1	i	1 1 1	2	i	1 3	I	2	i	1			15	13	1	16 29	3.5: 2.9: 1.0: 1.4
1 2	2			i	1	3	1			i			16	10 58		20	1.4 .8 2.1 1.5
														3 14			.3 1.2 2.3 2.3 .8
21	1		• •		1	1	1	1	1			1	18	17		35	1.9 2.0 1.8
1013 8	8	5	9	i					1		. ,			7		11	2.1 1.3 2.4 1.5
Phas   1 1															3		1.4
2 1 2 2 2 1	1	2	1	2	2		1	1 1 1 3	1			1	21	10 9	*****	15 36	1.8 1.0 .7 1.9 3.1 2.3

TABLE VI, - Continued.

<del></del>							-				
	Pe	PULATIO:	].	i	, !	1	نور		ا	- -	
Towns.	Whole No.	SEX	٠.	Jnder	1 to 2 2 to 3.	3	2 S	0 to 1	5 50	3 2	ა ნ
	<u> </u>				_ 8			_	= :	- ·	N —
Washington-Cont'd.				'	,				!		
Calais		Males. Females.	724 685			:  •• <sub> </sub> •		2	2	1	1
Duxbury	1000	Males.	534	2		11.			••'		• •
East Montpelier		Females. Males.	466 693	• • •	2			1	1	i.	1
Fayston	800	Females. Males.	635 426	3		2	. 1			!	• •
Marshfield		Females. Males.	374 595	1	1	i.	i		1	ij	• •
Middlesex		Females Males			1 2		i	1	2	3	• •
		Females.	621		i				•	2	•:
Montpelier		Males. Females.	1182 1229		i	2			i	1	2
Moretown		Males. Females.	720 690	3		2	. 1	ا		2	1
Northfield	4329	Males. Females.	2179 2150	6 1	4 2	t <sup>1</sup> . [	11: 9	1	3	2	2
Plainfield	822	Males. Females.	396 426		1			•••	1	1	
Roxbury		Males. Females.	560	4	1'	-	1	1	i		
Waitsfield	1005	Males.	506		.1.						1
Warren	1041	Females. Males.	525	1	• • • •	••'•	• • •		1		• •
Waterbury	2198	Females. Males.	516 1104	$\frac{2}{3}$	2		. : 1	1	1 2	i	• •
Woodbury		Females. Males.	1094 530			1	• • •	1	•	1 2	1
Worcester	684	Females. Males.	469 360	1	l		• •		1	••	1
		Females.	324			•••					••
Aggregate		Males. Females.	14038	29	12 5 13 7				12		7
(15-4-1-		. cmates.	i—	<u> </u>			3 12	ا	<u> </u>	_⊦	
Totals		• • • • • • •	27612	13	25 <sup>i</sup> 12	17	4 20	16	27	26	ī.A
Windham.					(		•			-	
Athens	–	Males.	201 181	¦			٠,٠٠	1	••	• •	1
	!	Females.	191	••••	•• ••		٠١	!	• • l	٠.١،	•

11.11.11.11.11.11.11.11	·	<u> </u>
386 to 38. 335 to 46. 445 to 50. 445 to 50. 56 to 55. 66 to 66. 65 to 70. 70 to 75. 775 to 80. 85 to 90. 99 to 95. 95 and over	TOTAL.	Percentage
38 to 5 to 6 to 6 to 6 to 6 to 6 to 6 to 6	Malce. Fem. Unk.	re i
8 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Male Fem. Unk.	Pe
7 7 9 1 9	13 25	1.79
1 1 2 2	13	1.75
. 1 1	5 16	.93 2.36
122	8 18	1.15
22	10'	1.57
11111	11 16	$\frac{2.58}{1.33}$
1 2 1	9 24	1.51
$2 \cdot 1 \cdot 1 \cdot 1 \cdot 1 \cdot 1 \cdot 1 \cdot 1 \cdot 1 \cdot 1 \cdot $	15	2.65 2.36
$2 \cdots 2 \cdots 2 \cdots 2 \cdots 2 \cdots 1 \cdots \cdots 1 \cdots \cdots 1 \cdots \cdots 1 \cdots \cdots 1 \cdots \cdots \cdots 1 \cdots$	11	1.77
$\cdots \cdots 2 1 1 \cdots 1 1 \cdots 1 2 \cdots 1$	23 41	1.94 1.46
$-\frac{1}{2}$ $\frac{1}{2}$ $1$	11 21	1.52
$egin{array}{cccccccccccccccccccccccccccccccccccc$	1	1.44 1.65
3 1 3 3 2 1 2 1	39	1.81
	5	1.26 2.58
1	10 24	1.78
	5 14	2.80 .98
1 2 1	7	1.40
1	$\begin{bmatrix} 7 & & & 15 \\ & 8 & & & \end{bmatrix}$	1.33 1.55
(2.) 1 1 3 4 1	23 34	2.08
$egin{array}{cccccccccccccccccccccccccccccccccccc$	11 12	1.00 .94
	7	1.49
	. 5 7	1.38
711 6 6 7 8 11 16 7 18 13 5 6 (11 410 5 12 4 11 4 10 15 10 11 1 1	6 235	1.67 1.65
181516111912222017332416 7 11	_	1.66
1019 1011 13 12 22 20 11 00 24 10 7 11	100	1
		H
	1	
	34	1.49
• • • • • • • • • • • • • • • • • • •	*!! • • • • • • • • • • • • • • • • • •	

# TABLE VI, - Continued.

	POPULATION.	اما الما
Towns.	Whole Sex.	Under 1 to 2. 2 to 3. 3 to 4. 5 to 10. 10 to 10. 20 to 2.
Windsor-Continue		
Rochester	. 1507 Males. 778 Females 729	
Royalton	Unkno'n	1 1 . 2
Sharon	. 1111 Males. 562	31111
Springfield	Females. 549 2958 Males. 1410 Females. 1548	5 3 3 1 1 1
Stockbridge	. 1264 Males. 622	311 2 2
Weathersfield	11	1 2, 1 1,
Weston	Females. 919 Males. 476 Females. 456	2 1 1 1 1 .
West Windsor	Unkno'n 924 Males. 481	1
Windsor	Females. 443 1669 Males. 857	
	Females 812 Unkno'n	1
Woodstock	. 3062 Males. 1457 Females. 1605	
	Unkno'n	3
Aggregate	Males. 18554 Females. 18639	
	Unkno'n	8
Totals	37193	69 32 26 24 16 37 28 42 34

# TABLE VI, — Continued.

70.55.0	w 24.00 00 00 00 00 00 00 00 00 00 00 00 00	TOTAL.
46 to 5 50 to 5 60 to 6 65 to 7	70 to 75. 75 to 80. 85 to 90. 90 to 95. 95 and over	Malcs. Fem. Unk.
1 1 1	1 1 3	21 48
1 2		261
	1	1
1	1	11 19
11 1	(	13
2	3	12
1 2	2 2 1 1	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
1 1	1 1 2	8
July 1	1. 21. 1.	12
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 1 0 2	10 : 40
1	3 1 1 1	12 19 8 18
deal Hankarian	1 1 2	0 10
	the state of the s	10
	$\begin{bmatrix} 1 & 2 & \dots & 2 & \dots & \dots \\ 2 & 2 & \dots & \ddots & \dots & 1 & \dots \end{bmatrix}$	8 26
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2 2	12 21
i i i i	1	9
$\frac{1}{2}$ 1.	1	17 27
		*****
	2	5 10
1		5
2 2	$2 \dots 2 \dots 2 \dots 1$	10
4 7		8 13
	11	9 18
1 1 1	1 1 1	
2 ,	2 2	11
1 1 1	1	11 20
	1 3	9

### TABLE VI, - Continued.

	Por	PULATION	•	-:	!					9	0		, '6'
Towns.	Whole No.	Sex.		Under	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10	10 to 1	15 to 2	20 to 2	25 to 3
Windham-Contin'd.						_	_				-	-	
Windham		Males. Females.	340 340		i	••	••	••		••	1 2		•••
Aggregate		Males. Females. Unkno'n	13594 13388	22	7	-5	6	3	7	7	18	10 16	13
Totals		· · · · · · • •	26982	49	25	10	9	5	17	19	34	<b>2</b> 6	22
WINDSOR.			!				1				: : •		!
Andover		Males.	343										1
Baltimore		Females. Males.	328 62	4									
Barnard		Females. Males.	53 745						-	••	٠;	•	·••
		Females.	742		1						٠	1	
Bethel		Malcs. Females.			1 3		. 1			1		2	1
Bridgewater	1292	remaies. Males.	- 653		٠.							. 2	1
o .		Females.	639	11							1	ļ.,	
Cavendish		Males. Females.	$\frac{739}{770}$		• •	·;		,	• •		. 2	·i	1
		Unkno'n			• • •		•	•	•••	• •		•	 i
Chester	2126	Males.	1064			1						1	
Hartford		Females. Males.	$\frac{1062}{1189}$	3	3	٠.	٠.,	• •	1	• •			• •
narmoru		Maies. Females.		ī	. O	د .	3	3	2	• •		i	
	1	Unkno'n		1		٠				٠			
Hartland		Males.	885		••								
Ludlow		Females. Males.	863 777	2		• •	i	• •	· ;	•;	i	1	. 1
Eddiom		Females.		i	• •	• • •	•	•••	ī				•••
	!! 1	Unkno'n		1						•	•	•	
Norwich		Males.	862		3			_		. 3	]		
Plymouth		Femules. Males.	897 698		3	• •	1	i				1	
•		Females	554	1	1		;		î	•	i	2	
Pomfret		Males.	663					ì	į		٠:	,	-
n 1:		Females. Males.	1							1	1	1	-
Reading	31	maies. Females.	569 590		• •				ī		2		•

# TABLE VI. - RECAPITULATION.

•		20.	اج:	3		- ان		÷.			w.n.	Т	OTAI	 		tage.
35 to 4	40 to	45 to	50 to	55 to 6	60 to 6	65 to 7	70.02	75 to ₹	80 to	85 to 90 to 9	Unknown.	Malce.	Fem.	Unk.	Total.	Percentage
3		1	9 5	 ;	6 1	8	6	13	13	5 1 3 2	1 :		15.	١	304	1.25
; 4			 3		8 6	× ×	 9 10	× 7		6 3. 7 1.	. <i>i</i>	142	15	 2	295	1.44 1.58
2 4	 4 5	6 9	6 14	 4 7	7 14	ii 9	 3 9	7	6 8	3 5.	. :	176	22	· · ·	400	1.63 2.07
13	4	3	5 4	6 2	··· <del>·</del> ;		4 5	9. 9	6 2	4 2.	2 :	! 141 !	140	· · ·	282	90,1
 3 11	1 4	1  6 3	 I 3	1 1 9	? 		1 5 4	1 2 4	1 1 1	9	3 14	19 149	··· <u>·</u> ··· · · · · · · · · · · · · · · ·	i	40 203	.61   .77  1.08  1.04
• • •		 2 6 5	1	2	 2 1 3	 6 7	- 1	1		1 2 7.3. 3.1		2 24     125 	··· <sub>2</sub>	 3 7	3 47 243	1.10 1.09 2.01 1.73

4 5 9 14	7 14 9 9	4 8 64	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	400 1.63
13 4 5 4	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1 1 2 141 2 140	282 1.00 .98
1 1 1 3 4 6 5 11 4 3 5	1 1 1 2 1 9 4 3 5 1 5 5 4	3 1 1 1 4 2 4 9 4 4 1 3 1	5 19	40  .61 .77 293 1.08 
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	$egin{array}{cccccccccccccccccccccccccccccccccccc$	47 1.10 1.09 243 2.01
12 n 5 9	10 11 18; 13 18 11 16 17	14 4 6 5 2		483 1.94 1 82
4 4 2 3 10 3 3 5	4 6 7 3	3	3 111	$-251 \ 1.15$

11

8 11 16 7 18 13 5 6... 6 235..... 4601.67 4 11 4 10 15 10 11 1 1 5... 225...... 1.65 3 8 7 15 9 12 13.... 9 223 8.... 4501.64 13.... 6 5 7

10 . . . . 226 . . . . . 1.68

### TABLE VI, - Continued.

	POPULATION.	
Towns.	Mpole Sex. La to to to to to to to to to to to to to	
Windsor-Continued		
Rochester	1507 Males 778 1	
Royalton	Unkno'n	
Sharon	1111 Males. 562 3 1 1 1 1	
Springfield	Females. 549 1	
Stockbridge	1264 Males 622 3 1 1 2 2	
Weathersfield	Females 642 1 2 2 2 1 1 1 1 1765 Males 846 1 2 1 2 1 1 2 1 1	,
Weston	932 Males 476 2 1 1	
West Windsor	Unkno'n 1 1 1 1 3 1 1	
Windsor	1669 Males. 857 2 1 1	
Woodstock	Unkno'n	
Aggregate		
Totals	37193 69322624163728423420	

Malce...
Femalcs...
Fomalcs...
Malce...
Femalce...
Femalce...
Malce...
Malce...
Malce...
Malce...
Malce...

Males..... Females.... Females...

[1865.

7 12 11 7 9 15 15 12

9

8 11

i

	Population.	].					<u>.</u>		ଛ	5	0	ić.
COUNTIES.	ole .	5	ci		4.	Ġ	_		5			
	Whole No.	Under	<b>1</b>	сı З.	3 to				15 t			
Addison	24010 M. 11984 F. 12026	19	4	8			6	4 5	9) 9)	5 10	5 10	(i (i
Bennington	U 19436 M. 9845 F. 9591	21 21	 5 7	 4 5	 2 7	3 ]	 6 10	 6 8	 6, 8		•••• 4 5	
Caledonia	U 21708M. 10878 F. 10830	19 19	20 11		··· 2 4	·: 3 7	7 18	12 11	10 16	14 18	11 9	 5 8
Chittenden	28136 M. 14002 F. 14169	25 19	 6 6	 5 4	4 4	2 6		6: 1:	 6 8	10. 5	7 8	 4 8
Essex	5786 M. 3088			• • •	··i	• •	• • •	• • • ¡	• • • •	· · i	··i	
Franklin	F. 2698 27231 M. 13686 F. 13545	28 28 15	1 10 6	×	4		 9i	6	6 10		2	 8
Grand Isle.	U	3 3		-	• • •	• • •	1	2		•••	··i,	2
Lamoille	12311 M. 6201 F. 6110	15	9.	6 3	- 3	2 1 4	4 10	3	5	6	,	
Orange	U 25455 M. 12766 F. 12689	1 19 20							21 13			
Orleans	U 18981 M. 9627 F. 9354	3 15		 7 5		i	 8 9	· · · 5	4 12		6	

35946 M.

27612 M.: 14038

87193 <mark>М</mark>. 18554

Washingt'n

Windham ..

Windsor...

Vt. Asylum

Aggregate.

17601

F. 13574 26982 M. 13594

13388

F. 18639 U. 29

24 13

16 1

8.......

... M. 158786 316 148 89 64 36 118 97 124 124 90 87 ... F. 156312 243 116 80 59 57 132 169 153 142 112 101

......|315098|| 580|264|169|123|93|250|206|277|266|202|188

3 2

1 3 12

42 22 15 13 5 23 15 19 11 9 12 19 10 11 1111 14 13 23 23 11 17

::
undununda : : : : : : : : : : : : : : : : : : :
- Hand-Hand (
- : ***********************************
יות או ביות אות ביות אות ביות אות ביות אות ביות האות ביות האות ביות ביות ביות ביות ביות ביות ביות בי
- NO CONTRACTOR OF THE CONTRAC
* 4 · 4 * 4 * 4 * 4 * 4 * 4 * 4 * 4 * 4
- 5년 1월 1월 20 - 20 1월 1월 20 - 20 1월 1월 20 - 20 1월 1월 20 - 20 1월 1월 20 - 20 1월 1월 20 - 20 1월 1월 20 - 20 1월 1월 20 - 20 1월 1월 20
College St. Add. In sect St. 1 and Day and College St. 1 and
1.50 : SEX = 20 81 0 x 5 : : : : : : : : : : : : : : : : : :
100 88 111 1 1 1 1 1 1
2 c - 2 c -
3:0:2:0:00:00:00:00:00:00:00:00:00:00:00:
5 14 16 18 19 15 18 10 14 11 12 12 12 12 12 12 12 12 12 12 12 12
13 18 18 18 18 18 19 19 19 17 12 12 18 18 18 11 12 12 18
- 11:11:1:1:1:1:1:1:1:1:1:1:1:1:1:1:1:1:
112 1111111124 - 111-111111111 8
「「「「」」「「」」「「」「」「」「」「」「」「」「」「」「」「」「」「」「
Typhoi Typhoi Tree
Chronic Chronic Chronic Chronic Chronic Typhoi Chro Chro Chro Chro Chro Chro Chro Chro
iphthe ropey.  ropey.  ropey.  ropey.  ropel.
Diphtherin Dropay Drowned Dyspepeid Excent Epilepsy Epilepsy Epilepsy Erysipelas Fall of a Tever Full of a Tever Com
[[:::::==:::::::::::::::::::::::::::::
+4451-420 14 14 11 11 14 4 11 11 11 11 11 11 11 1
112458 word 144 to 11 114 to 1 1 1 2 1 4 1 1 1 1 1 1 1
112458 word 144 to 11 114 to 1 1 1 2 1 4 1 1 1 1 1 1 1
112458 word 144 to 11 114 to 1 1 1 2 1 4 1 1 1 1 1 1 1
112458 word 144 to 11 114 to 1 1 1 2 1 4 1 1 1 1 1 1 1
112458 won 1414 to 1 1 1 1 1 1 1 1 1 1 2 1 1 1 1 1 1 1 1
44000000000000000000000000000000000000
400000 40 10 10 10 10 10 10 10 10 10 10 10 10 10
400000 40 10 10 10 10 10 10 10 10 10 10 10 10 10
400000 40 10 10 10 10 10 10 10 10 10 10 10 10 10
400000 40 10 10 10 10 10 10 10 10 10 10 10 10 10
1
1
1
1
1

of Bowele ..... of Liver..... of Lumbar ..... Ampulation .....

... .......... Artery, Owsification of .....

Males.... Females...

Femulc.

Battle, Wounded in.....

Barrels, Disease of

Abortion A DECCEA

Males. Totals.

PARSES OF DEATH.

AJUNUTA.

2

Malce....

emale...

Female...

emale. Male... cmalc.

emake.

MONTHS

TABLE VII. - CAUSES OF DEATH.

	-
	- :
*!::::::%=::=:====::::::::::::::::::::::	
::::::::::::::::::::::::::::::::::::::	
	- 01
	4
91 : : : : : : : : : : : : : : : : : : :	- 61
01 1-01	
18	
::::::::::::::::::::::::::::::::::::::	23 :
: : : : : : : : : : : : : : : : : : :	
: - : : : : : : : : : : : : : : : : : :	- 10
ନ ପାଳ ଥିନାନ ଜଗନାନ ନଳ ଉପ୍	*
	with a
20; 10; 17; 15; 17; 18; 19; 17; 18; 18; 18; 18; 18; 18; 18; 18; 18; 18	
יה בי וסי משומוסי ממחחחחם בי ומי מהי אי	-
* - : - x : 4 : 5 : x = : 0 : 0 - w : 0 : 2 : 2 : :	-
of Bowels Uterus f	
f Bow of Live of Uter	
of Bow of Live of Live of Live of Live inc of	on
sis.  age of Bow of Live of ture of tu	tion
remessis  g. Tyeis  Discuse of  of Live  of Live  of Live  of Live  of the  of the  colors  tis.  tis.  choids.	nation
natements ing. rptynis. , Disense of rrhage. of Live o	nination
matenesis reptysis reptysis ret, Discuse of ret of Live of Liv	ummation
emptysis.  emptysis.  emptysis.  of Live of Li	flamination
Gent Shat.  Gent Shat.  Henoptysis.  Henoptysis.  Gent, Disense of Live of Live of Live of Live of Leruin.  Hepstatis.  Hepstatis.  Homorivie.  Homorivie.  Homorivie.  Hydrocephalus.	Inflatamation
General General Hanging Hanging Henerthage of Live of Live of Live of Live of Live herring Hip, Discuse of Fracture of Homesick Homesick Homesick Hydrocephalus Infantile	Inflatottation
Gun Shat Dematenesis Ranging. Henceptysis. If enerthage. of of lepatatis Hepatatis Hepatatis Homicide. Homicide. Homicide. Hydrocephalus Infantile.	Influtnitation
Hanging.  Hanging.  Henoptysis.  Ilent, Disease of the formation of the fo	I Inflatomation
Gun Shat Dematenesis Ranging. Henceptysis. If enerthage. of of lepatatis Hepatatis Hepatatis Homicide. Homicide. Homicide. Hydrocephalus Infantile.	I Inflammation
Gen Shot Gen Shot Hanging Hanging G 1 Henorthoids Henorthoids Heptatis Hip, Discuse of Practure Homicide Humor	Inflammation
Gun Shat Gun Shat Hanging  Hanging  Gun Shat  Hencytysis  Gun Shat  Hencytysis  of  Gun Shat  Hencytysis  of  of  Hencytysis  of  of  Hencytysis  of  of  Hencytysis  of  of  Hencytysis  of  of  Hencytysis  of  of  of  Hencytysis  of  of  of  Hencytysis  of  of  of  of  Hencytysis  of  of  of  Hencytysis  of  of  of  of  Hencytysis  of  of  of  of  of  of  of  of  Hencytysis  of  of  of  of  of  of  of  of  of  o	I. Inflatomation
Gun Shat  Hanging  Hanging  Gun Shat  Hanging  Gun Shat  Hanging  Gun Shat  Hencytysis  of  Itemarkage  of  Itemarkage  of  Itemarkage  of  Itemarkage  of  Itemarkage  of  Itemarkage  of  Itemarkage  of  Itemarkage  of  Itemarkage  of  Itemarkage	2 Inflatomation
Gun Shat Gun Shat Hanging  Hanging  Gun Shat  Hencytysis  Gun Shat  Hencytysis  of  Gun Shat  Hencytysis  of  of  Hencytysis  of  of  Hencytysis  of  of  Hencytysis  of  of  Hencytysis  of  of  Hencytysis  of  of  of  Hencytysis  of  of  of  Hencytysis  of  of  of  of  Hencytysis  of  of  of  Hencytysis  of  of  of  of  Hencytysis  of  of  of  of  of  of  of  of  Hencytysis  of  of  of  of  of  of  of  of  of  o	1 2 Inflammation
Gen Short  Gen Short  Hanging  Gen Short  Hanging  Gensele  Gen Short  Hanging  Gensele  Gens	1 2 Inflatation
1   1   1   1   1   1   1   1   1   1	I 2 Influmnation
Gen Short  Gen Short  Hanging  Gen Short  Hanging  Gensele  Gen Short  Hanging  Gensele  Gens	I 2 Inflammation
1   1   1   1   1   1   1   1   1   1	2 1 2 Inflatantiation.
1   1   1   1   1   1   1   1   1   1	2 1 2 Inflatonation
1   1   1   1   1   1   1   1   1   1	2 1 2 Inflammation.
1   1   1   1   1   1   1   1   1   1	1 2 I 2 Inflationation.
2 2 1 1 2 1 1 1 1 1 2 1 1 1 1 2 1 1 1 1	1 2 I mannation.
2 2 2 1 1 2 1 1 1 1 2 1 1 1 2 1 1 1 1 2 1	1 2 1 2 Inflatonation.
2 2 1 1 2 1 1 1 1 1 2 1 1 1 1 2 1 1 1 1	1 2 1 2 Inflamation.
2 2 2 1 1 2 1 1 1 1 2 1 1 1 2 1 1 1 1 2 1	I 2 Inflatomation.
2 2 2 1 1 2 1 1 1 1 2 1 1 1 2 1 1 1 1 2 1	1 2 1 2 Inflationation.
Con Short    1	m
Con Short    1	
2 2 2 1 1 2 1 1 1 1 2 1 1 1 2 1 1 1 1 2 1	

Months.  Months.  Months.  (Alexe of Prath.	Aganusty Aganusty Aganusty Aganusty Author A	Males 2 3 1 2 16 13 8 3 Chelera Infantum 72 37 34 84 Market 10 10 10 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Climater (Colinater Colinater Colina	Male 2321 32 26 20 25 30 20 30 30 30 30 30 30 30 30 30 30 30 30 30		ति त ति त ति त ति ति ति ति ति ति ति ति ति ति ति ति ति ति  Males     1     1     1     3     2     3     3     1	
---	--	--	--	--	--	--	---

;=::::::::::::::::::::::::::::::::::::	
8 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	
militari i Emailiaria i	
011-11126-11-1	
11:1:::::: Sa:::::::::::::::::::::::::::	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
[:::=:::=:::::::::::::::::::::::::::::	
- M - +	
1 111111 1111111	
111111 TCI	- : : : : : : : : : : : : : : : : : : :
111111111111111111111111111111111111111	: ::::: ::
· · = · · · 01 · - · · · · · · · · · · · · · · · · ·	01 - 10 - 00 10 10
1: :: : : : : : : : : : : : : : : : : :	
80 0 12 mo 0 .	
: : : : : : :	
\$6 -00 -01 -\$ -000000 ;	GO - 61 : 62 : 57 : 50 :
_: ::::::::::::::::::::::::::::::::::::	: : :01 : : :
11:::::::::::::::::::::::::::::::::::::	
111111111111111111111	
111111111111111111111111111111111111111	
*************	
Bowels Liver Uterus	46
Bo of Liver	0 of.
February of Liver of Uterr	ure of
mosis  Discuse of  Bowe  of Bowe  of Liver  noids	kcore of
tonesis  ag. Discuss of Discuss of  rrhage of Liver of Liver of Uterr	Disease of racture of side recephalus ile
Shot natomesis apptysis. rr. Discuso of of Bowe of Liver norrhoids	Fracture of Fracture of Consists of Consis
enstanceis  enging.  enopysis  ent. Discuso of.  cmorrhage.  of Bowe  of Liver  enorrhoids.	ip. Disease of.  Fracture of. omesick omicide ydrocephalus finitile
yeis.  Discuso of of of of of of of of of of of of of	Hip, Disease of.  Fracture of. Homerick. Homicide.  Ilumor.  Hydrocephalus.  Infinitile.  Infinitile.
Hanging. Hanging. Henr. Disease Control of C	Hip, Disease of Practure of Homeick Homicide Ilumor Infinitile Infinitile
Hematonosis Hematonosis Henoptysis Hemorrhage Of Of Hemorrhoids Hematis	Hip. Hom Hom Hip. Hip. Hyde
Hemutonosis Hemutonosis Hemotysis Hemotysis Hemotysis Hemotysis Hemotysis Hemotysis Hemotysis	Hip, Discuse of Fracture of Homesick Homience Homience Humor I Hydrocephalus I Infinitile I Infi
Hemitonosis  Hemitonosis  Hemotysis  Hemotysis  Hemorrhage  of  Hemorrhoids  Hemorrhoids	Home Home Home Home Home Home Home Home
Hemitonosis  Hemitonosis  Hemotysis  Hemotysis  Hemorrhage  of  Hemorrhoids  Hemorrhoids	Hip. Hom Hom Hip. Hip. Hyde
Hematonesis Hematonesis Hematonesis Hemoptysis 9 10 1 Heart, Disease 6 4 1 Hemorrhage, of 1 1 Hemorrhaids 2 1 Hemorrhaids	Home Home Home Home Home Home Home Home
Hematonesis Hematonesis Hanging 15 910 I Heart, Disease 4 5 6 4 I Hemorrhage 1	Home Home Home Home Home Home Home Home
Hemotysis  1 Hanging  1 Hanging  1 Hemotysis  2 5 4 Hemotysis  1 Hemotysis  2 6 4 Hemotysis  2 1 Hemotysis	Hom Hom Haden Hom Hom Haden Ha
Hematonesis Hematonesis Hanging 15 910 I Heart, Disease 4 5 6 4 I Hemorrhage 1	Home Home Home Home Home Home Home Home
Hemotysis  1 Hanging  1 Hanging  1 Hemotysis  2 5 4 Hemotysis  1 Hemotysis  2 6 4 Hemotysis  2 1 Hemotysis	Hom Hom Hom Hom Hom Hom Hom Hom Hom Hom
Hemitansing Short	Hom Hom Hom Hom Hom Hom Hom Hom Hom Hom
Hemotysis  5 5 6 4 5 1 Hemotysis  2 5 6 4 5 6 4 Hemorrhage  1 1 9 0 Hemorrhage  1 1 9 0 Hemorrhage  1 1 9 0 Hemorrhage  1 1 9 0 Hemorrhage  1 1 9 0 Hemorrhage  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Hom Hom Harden Hom Harden Hom Harden
1   1   2   1	10. 10. 10. 10. 10. 10. 10. 10. 10. 10.
Hemotysis  5 5 6 4 5 1 Hemotysis  2 5 6 4 5 6 4 Hemorrhage  1 1 9 0 Hemorrhage  1 1 9 0 Hemorrhage  1 1 9 0 Hemorrhage  1 1 9 0 Hemorrhage  1 1 9 0 Hemorrhage  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Hom Hom Hade Hom Hom Hade Hade Hade Hade Hade Hade Hade Hade
1   1   2   1	10. 10. 10. 10. 10. 10. 10. 10. 10. 10.
1   1   2   1	10. 10. 10. 10. 10. 10. 10. 10. 10. 10.
1   1   2   1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1   1   2   1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Funnisher Short Sh	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Funnisher Short Sh	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Funnisher Short Sh	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1	Hom Hom Hom Hom Hom Hom Hom Hom Hom Hom

		Unknown.	H
		Over 80.	
1	- 1	.08 of 07	H · · H · · · · · · · · · · · · · · · ·
1			
	1		: : : : : : : : : : : : : : : : : : :
		,00 to 60,	
	AGI 8.	,06 at 02 [6]	19 19 19 20 11 19 11 19 11 11
ľ	Ž	30 to 40.	1
1		20 to 30.	
1		15 to 20.	:::::::::::::::::::::::::::::::::::::::
	- 1	.dl of 0f	1:::07:25
П		.01 of 8	[ : : : ot to : : : : : : : : : : : : : :
		Under 5.	: : : : : : : : : : : : : : : : : : :
	-	THE OUNT A	
	Ž.	Unknown.	여러 : : : : : : : : : : : : : : : : : : :
1	1	Females.	
	WHO LE NO.	Malca.	: : - 12 : : 12 : : : : : : : : : : : : : : :
	=	Totals,	
		H	
		24	
		-	
		OF	######################################
		ES OF	runitte court intent. intent. hoid hos
		AUSES OF	ntermitte cryotae emittent potted 'y yphoid yphoid yphose ellow ones, ones, ones, is
2000		CAUSES OF	Typhoid Typhoid
A 3 D L B		CAUSES OF	Nervous. Nervous. Remittent. Spotted Typhoid. Ty
TABLE		CAUSES OF	Fever, Intermittent Remittent Spotted Typhoid Typhus Typhus Typhus Fight Sore Fight Gall Stones Gangrene Gastralgia Gastritis
T T D D D		Unknown.	Fever, Intermitten, Spotted Fright Sore Fright Gall Stones Gangrene Gastritis
T T D C D			1 : : : : : : : : : : : : : : : : : : :
Table a		Хотешьек. December. Unknown.	1 : : : : : : : : : : : : : : : : : : :
T A D L B		October. November. December. Unknown.	1 : : : : : : : : : : : : : : : : : : :
T T D F D		September. October. November. December. Unknown.	34
T T D C T	on the	August. September. October. November. Unknown.	1
TO DE DE	ONTES.	July. August. September. October. November. December. Unknown.	1
TOP TOP T	Months.	June. June.	1   1   1   1   1   1   1   1   1   1
TABLE T	Months.	May. June. June. Angust. September. October. December. Unknown.	2
Table T	Months.	April. May. June. June. June. September. September. October. December. Unknown.	1   2   4   5   5   5   5   5   5   5   5   5
T T D D T	Months.	Algreh. April. May. June. June. June. October. November. December. December.	1
and a state of the	Months.	Pebruary April. May. June. June. June. June. October. November. December. December.	1
Table Laborator	Months.	Algreh. April. May. June. June. June. October. November. December. December.	1
A S D L A	Months.	Jenuary. March. March. May. June. June. June. September. September. September. October. December. Unknown.	1
A S D L D	Months.	Jenuary. March. March. May. June. June. June. September. September. September. October. December. Unknown.	1
TABLE	Months.	Pebruary April. May. June. June. June. June. October. November. December. December.	1

10	
Orea Colored a companie of Colored Colored	
Olini, Caria eded a vivi, vivi	
	- 01
THE HOLD THE WALLES	13
	-01
(0) - 1 - 2 - 10 - 00 - 2 - 2 - 2 - 2 - 2 - 2 - 2 - 2 -	* 4
**************************************	1 1
	-:-:
· · · · · · · · · · · · · · · · · · ·	22 .
<u> </u>	_:
	7 .
[	- 10
00 0	÷ .
\$	
** - * a : = = : 0 0 - 0 : 0 : 1 : 1 : 1	
	1 1
14	
	: :
of Liver Uterus of	: :
Bowe Liver Uter	
The cool of the co	n.
shore atemesis tr. Disease of I of I of I of I of I of I of I of I	ţi,
the second of th	Ē :
Hanging.  Hanging.  Henoptysis.  Henorthoids.  Heputis.  Fructure of lemorthoids.  Hyp. Disease of lemorthoids.  Hyp. Disease of lemorthoids.  Hyprocephalus infantile.	
Hanging.  Hanging.  Henoptysie.  Henorthage.  Of Li  Of Li  Henorthoids.  Heptatis.  Hip, Disease of Ilonesick.  Homoride.  Humor.  Hydrocephalus.  Infantile.	Ξ
11 He 24 . He	
1111111091111109111111111111111111	-
N	-::
INTERPRED	21":
::::::::::::::::::::::::::::::::::::::	: :
	v 1
a = 1 1 1 1 1 2 1 1 1 1 1 2 1 1 1 1 1 1 1	:31
3 : : : : : : : : : : : : : : : : : :	
	:-
	1
	s   1
	alos1
Males Majes Majes Majes Females Females Majes Females Females Males Males Males Males Males Males Males Females Females Females Females Females Females Males  dates 1 1	

		dwonala'l	
		Ocea 2010	
		.0st os 07	
		60 to 70.	
		.00 or uc	
	2	.06 or 0#	Marian - Mariana - Mariana
	AGES.		THE PROPERTY OF THE PROPERTY OF
	-	.01 to 40.	1
		.08 of 02	
		15 to 20.	
		10 to 15.	
		01 01 9	
		Cnder 5.	:::::::::::::::::::::::::::::::::::::
	-	('nknown'	
	ž	Females.	
	20	and and	
	5	Males.	mm :-m :5 : :-# :# :# :# : x
	WHOLE NO.		
-	=	Totals.	의 의 : - 의 : - 의 : 음 : 의 : · 여 : 프
-			
9.6			
Continued		2	
-		E	
2		2	
4		=	111111111 8,118,118 4 111
1			
		=	[ :
-		õ	ead.
TIL		8	Head Head Heed Heel , Chron are of Stroke ease of sease of ion
VIII,		11 SES OF	S. the interest of the state of
Z VIII.		Cat ses of	and the property of the state o
11.2 VII.		Catars or	and the property of the state o
ABLE VIL,-		CAUSES OF	and the property of the state o
TABLE VIL.		CAUSES OF	Trade dice
TABLE VIL.		Calabown.	and the property of the state o
TABLE VIL.		Спквочв	and the property of the state o
TABLE VIL,-		December.	Inflaenza Injury of Intemper Jaundice Kidney, Kidney, Lightnin Lightnin Liver, Di Live
TABLE VIL.		November. Uecember.	Intemper in Intemper in Intemper in Intemper in Intemper in Intemper in Intemper in Intemper in Interpretation in Interp
TABLE VII,-		October. November. December. Unknown.	1   Inharman   Inhar
TABLE VII,-		September.  Norember.  December.  Unknown.	1   1   Inharman   Inha
TABLE VIL.	ś	October. November. Uecember. Unknown.	1   Inharman   Inhar
TABLE VIL.	TIIS.	August. September. Norember. Lokember. Unknown.	1   1   Inharman   Inha
TABLE VIL.	oxtils.	July. August. September. Norember. Lekember. Lakember.	1
TABLE VIL.	Months.	June. July. August. September. Sorember. Corember. Laknown.	25. 1 1 1 Intempte 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
TABLE VIL.	Months.	Mar. June July August September Gerober Gerober Lesember	1   1   1   1   1   1   1   1   1   1
TABLE VIL.	Months.	April. Mar. June. July. August. September. Gerober. Josepher. Corember.	25. 1 1 1 Intempte 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
TABLE VII.	Months.	April. Mar. June. July. August. September. Gerober. Josepher. Corember.	1   1   1   1   1   1   1   1   1   1
TABLE VII,	Months.	April. April. Alare. June. July. August. September. September. Gerober. Josepher. Jose	1   1   1   1   1   1   1   1   1   1
TABLE VII,	Months.	February. March. March. May. June. June. June. June. September. September. September. September. Morember. Morember. Lokomper.	1
TABLE VII,	Months.	April. April. Alare. June. July. August. September. September. Gerober. Josepher. Jose	1
TABLE VII,	Movrus.	February. March. March. May. June. June. June. June. September. September. September. September. Morember. Morember. Lokomper.	2   1   1   1   1   1   1   1   1   1
TABLE VII,	Months.	January February April March June June July August September September September September	Co. Co. Co. Co. Co. Co. Co. Co. Co. Co.
TABLE VII,-	Months.	February. March. March. May. June. June. June. June. September. September. September. September. Morember. Morember. Lokomper.	Co. Co. Co. Co. Co. Co. Co. Co. Co. Co.
TABLE VII,-	Months.	January February April March June June July August September September September September	1

		70 to 80, Over 80, Unknown.	
		100 ed 06	
- 1	123	40 00 20	
	AGES.	30 to 40.	
ì		20 to 30.	יייייייייייייייייייייייייייייייייייייי
		15 to 20.	
		.61 of 01	
		.0I of a	
	_	Under 5.	:: 644 :: :: : : : : : : : : : : : : : :
		Unknown.	
	No.	Femulea.	
1	Wnolk	Males.	L 1, 1 1 1 1 1 1 1 2 1 1 1 1 2 1 2 1 2 1
d.	=	Totals.	8 : : : : : : : : : : : : : : : : : : :
TABLE VII, - Confinued		CAUEES OF DEATH.	Poison Premature Birth Polypus Pyemia Quinay Railroud Accident Rhenmatism Scarlatina Scarlatina Scald Head Scarlatina Scald Head Scarlatina Scald Head Scarlatina Scald Head Scarlatina Scarlatina Scarlatina Scarlatina
		Unknown	
1		November	
= 1		October.	
- 1	25	September	; ; [8] ; ; ; ; [8] ; ; <del> </del> ; ; ; ; ; ; ; ; ; = = ; ]
1	Mantus.	August.	11111711717
	E	. Tint	: : : :- :a : : : :aa- :- ::-
-1	-	June.	
-1		.ysk	
		Jingh 1	
		February.	
		-Vrannab	THE RESTRICTION OF THE PARTY OF
		Sex	Male. Female. Mates Females Unkne'n Males Males Female. Males Males Males Males Males Males Males Males Males Males Males Males Males Males Males Males Males Males Males

·····································
,
· · · · · · · · · · · · · · · · · · ·
11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1
302:::-:::::::::::::::::::::::::::::::::
1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
18 : 14 : 14 : 10 : 10 : 10 : 10 : 10 : 10
\$ · · · · · · · · · · · · · · · · · · ·
1 :
1114 * 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Discuser  ted  Discuser  Discuser  Discuser  Discuser  Liver  Liver  Liver  Liver  Liver  Lorge  Neck  Ovary  Bowels  Stomach  Womb.
Disease lisease
TANK BOXET BB TENDER TO THE
oke  ulated  Disease  ulosis  of Brain  of Liver  of Liver  of Longe  of Neck  of Stomse  of Stomse  of Womb  wn.
a s s s s s s s s s s s s s s s s s s s
Still Bornach, Strangula S
Stringulated Stornach, Di Stringulated Sudden Sunetroke Throat, Dise Throat, Dise Throat, Dise Tof Br of Br of Cor
mal
errer in the contract of the c
Palitie 1111 te 114 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Tm
60 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
701- · · · · · · · · · · · · · · · · · · ·
2004
[世紀 : 1:1:1:1:1:1:1:1:1:1:1:1:1:1:1:1:1:1:
www.iiii
ER: :-: : :- : : : : : : : : : : : : : :
(NON : 100 : : : : : : : : : : : : : : : : :
A - Ch
* * * * * * * * * * * * * * * * * * *
* \$27 * \$2 * \$2 * \$2 * \$2 * \$2 * \$3 * \$4 * \$2 * \$4 * \$2 * \$4 * \$2 * \$4 * \$4
The state of the s
nuales  nuales
Males Females Males Females Males Females Females Males Females Females Males Females Females Females Females Females Females Females Females Females

Monunty  April		Unknown.	1::-:::::
Moseuler April Alareh Agril Ag		Over 80.	1::::::::
Moseuler April Alareh Agril Ag		.08 ea 07	1::::::::::::::::::::::::::::::::::::::
Monunty  April  Alarch		.07 of 05	He : : : : : :
May April.  April.  Alareh.  A	1		1::::::::
May Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  All Agrid.  Ag	vi.		1111111111
March.  April.  Aller April.	80		1:::::::
Moreunary  April  April  August  Augus	4		1: 100
May April.  All April.  All All April.  All All April.  All All April.  All All April.  All All All April.  All All All April.  All All All All All All All All All Al	1		1
Monunty.  April.  Alarch.  Ala			1
Monunty.  April.  Alarch.  Ala			1
Morenter Country  When to Country  Anne Coun			1
Moorman Agrid.  Agrid.	1	L'asba'l	111
Moorman Agrid.  Agrid.		CHEROWER	
Morenber Coogh Disk of Core of	2		
March  April  Agree  Aune  14			
March  April  Agree  Aune  101	Males.		
March  April  Agree  Aune  1	Lotule.	H-16: 5: 20:	
March April Algeria Annunty April Annunty April Angust Angus An	-		
March April Algeria Annunty April Annunty April Angust Angus An			
March April Algeria Annunty April Annunty April Angust Angus An			= : : : : : : : : : : : : : : : : : : :
March April Algeria Annunty April Annunty April Angust Angus An		i i	8 : : : : : : :
March April Algeria Annunty April Annunty April Angust Angus An		- 12	5
March April Algeria Annunty April Annunty April Angust Angus An		2	5 : : : : :
March April Algeria Annunty April Annunty April Angust Angus An		8	E
March April Algeria Annunty April Annunty April Angust Angus An		59	E : 2 : 3
March April Algeria Annunty April Annunty April Angust Angus An		2	5 5 8 ::
Agren.  Agren.		5	\$15 To 15. 1
Agren.  Agren.			in in it is
Agren.  Agren.			22 × × ×
Agren.  Agren.		· uacumun 1	11111111
Agranty  Agratic  Agr	-		
Agenday  Age	,		
Agentary  Agentary  Agentary  Agentary  Agentary  Agentary  Agentary  Agentary  Agentary  Agentary  Agentary  Agentary			11111111111
Announty  Announty  Announty  Announty  Announty  Announty  Announty  Announty  Announty			:::m=01::
Agnunity  Agrid	NO.		:::::::::::::::::::::::::::::::::::::::
Aganonia Colorada Col	E		1 1 1 1 1 1 1 1 1 1 1 1
Annunty Services Serv	NO.	oune !	
Annunty.   Pebruary.	-		. : - : - : : -
Annunty State Stat			::::::
February.			-:::::
Alununc		Echenary.	11111111
		- Zinnant.	: : : : : : : : : : : : : : : : : : : :
Sex.			
S. S. S. S. S. S. S. S. S. S. S. S. S. S		H.	les les
		2	ale ale ma ale mun
NEWS NEW			NENGRENC

	14 4				
ified.	Percentag	4858 4527 100.00	22.51 24.41 3.84 3.84	20 SE	4.92
dass	.statol'	4858	1799 11034 1447 149	1778 15 0	80.1
ug e	. Tosbai W	717	285 201 201 201 201 201 201 201 201 201 201	¥ : "	100
tien	msdbaiW	404	82535	55.61-	800
on.	73aides W	460	102 102 151 151	25.01	19
*	Rutland.	556 518	132238	186	83
with	Orleans.	88	8881	87	200
3	отару.	163	181 96 116 57	93 181	200
es.	Lamoille.	200	2223		\$ C. C.
a ser	fel bussio	\$ P	5 0 N 0 0	91	
from each Cause, in the sever together with the percentages	Franklin.	888	50.55	103	53
ic p	Essex	유능	ST E	17	0.0
Caru.	-Chittende	888	28399	101	22
ch wi	Caledonia	378	156	151	67
ther on	Mainmail	888	3445 7 8644	2-0	33.12
fron	Addison.	304	88282	9 ::	55
Exhibiting the number of Deaths from each Cause, in the several Counties, statistically classified, together with the percentages.	Carses of Death.	ALL CAUSES	Cheeses.  I. ZYMOTIC II. CONSTITUTIONAL III. LOCAL. IV. DEVELOPMENTAL V. VIOLENT	Orders. L.—I. Miashafic. 3. Dietic. 4. Parastric.	111. Diaturic

-	
1.5	
60	
200	
2	
276	
PAGE.	
100	
-	
22	
de	
-	
~	
16	
45	
Distance of the last	
_	
-	
1	
-	
Ed.	
149	
-	
-	
-	
60	
-	
and.	
45	

, эдвіпээтэ Ч	1 8 8 1 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2.71 .59 5.65 .90	2.67 .15 .06 .39	7.13	90'
l'otale.	25.55 25.55	22234	121	3 5 6	_10
Vindsor.	0.00 m m m m m m m m m m m m m m m m m	2400	133	C3 1-	:
.msdbaiv.		2-61-0	7:::	26	
.notgninga V		2002	# : :01	• 4	_
.basltus		10,00	00 m : 01	: 00	:
Orleans.		61 : 30 H	**************************************	181	-
.agnar(		3000		:8	_:
.ollioma.	ST   ST   ST   ST   ST   ST   ST   ST	3-1-	00	- 45	
irand Isle.		15.0	юн.		
Tranklin,	, and we work to the terms		::	. 00	
.x9862,	1 5 - 3 2 :	1-126	90	- 75	_:
.nabnastid	। चन दी चन चन दर्ग को दर्ग	24120	ତ୍ର ପ	: 61	-
.sigobəls	101000 : 010	2 1 1	9	- C1	
dennington.	10000000000	∞ ল গ্ৰ	- : :00	21 23	
- tosibb/	1000	=====			
CAUSES OF DEATH.	III.—1. OF THE NERVOUS SYSTEM	IV.—1. DISEASES OF CIGIDREN 2. DISEASES OF WOMEN 3. DISEASES OF OLD PROFIE 4. DISEASES OF NUTRITION	V.—1. Accident 2. Battle 3. Homicide 4. Suigide	Sudden Death,	Contractor I,-). MIAMATIC.

35. 3.59 1.59 1.76	8.19 11.55	4.5	2 2 3 8	\$	<b>=</b> =	Si \$	4.6	=	3,3	3	දි දි	8	য়	 8:	: 83	<b>\$</b>	<u> </u>
20000	371	818	13	हेंग है	ক ক	- 8	890	10	<b></b> - €1	ক্	(r) =	6 pro-6	10	\$ 0	10	C3 F	
5ur	18		-			. 43	618	4	:	-	-		011	0			* * * * * * * * * * * * * * * * * * * *
1918				-	: :	. 00	:9	-	:-		:		-	=	: :	*	:
THE PARTY IN	2 4	20 5		_	N =		1				-		CNI	W)		:	:
: - : : : : : :	# 15	63.6	2 .	:		- 01	19 95						-	=			
1401-1-	38 - 0	কার						-		4			<del></del>		4 00		
ন্দ্ৰান	22	OI -	901	-	-	- '	- 10				4						•
	010		1 :			1 :				-	* *			-		1	
01+0 e3	ST 63	. 0	10 c	*		1 -	38	10.5			0 1		,	-0	9	* *	*
	-1 02		A &		- 4		- 0	-			* 1		4	-	9 1	-	
7707	28	e2 0		- 9		i e	: 10		1 1	<i>p</i> —i			*				*
- C 0100	36	02,2	9 :		: :	: :	8			:			4.5		- 1	•	
-1001-	- 50 50 50 50	50 -	+	-		101	300	:		-			- K	73 <del>-</del>		-	
(প্রত্যাল	5	014	-			100	- 3	-					4		1-		
	::	:		:	: :	:		•		:			:	:		:	
		:		•				:				: :		:	::	:	:
				:									:	:	:::	:	
				:									:	:		:	Bric.
				•						:	•		:	:		:	3. Dirtic
bus ntum					trent	20	_		nt.					:	hgno	:	1
Okolora Infantum Cholora Infantum Croup	Diphtheria.	Erysipolas.	Bilious	Comp	Congostive Intermittent.	Nervous	Yellow.	Typhus	" Romittent		:	Ouingy	Rheumatism	Scartating.	Whooping Cough.	:	Fyemia
ora Pora	of the	2	rever Bi	ర	33	ž	<b>*</b>	Ę,	#	Measles	Motria	4	8	# F	opi.	Dius	Pyemia Bernaldo

			-	-		
.ogatusors4	1.52	11.		두원위		न संस्थानस्य
Totals.	स्केश-देश	- 10°		∞ = ±1	195	38-25
.rosbniW	:::	***		है। दर्ग दर		. 1-01 cles c1
Windham.	:	:-	91:01	1	-134	
.notgnińsaW	:		9 : 6	-	: :Io	0.0
Rutland.		:	10,10	:	7 7 7	
Orleans	: :	1	20 110		이누르	
.эдавтО		::	920	9 :-	- 2:	x 10 00 01
Lamoille.				:	57	
Grand Jele.		_:::				
Franklin.	1 1 1				ा हो। ।।।	20 60
Fesex.		:::			01 4 01 	
Chittenden.		: -	या । या !			50.01
.ainobeln')	01		1- :=	:::	- Gn	- In 101
Bennington.		. 01	00 00		: # H	20:1
Addison.		: :	1 ::	: : : : : : : : : : : : : : : : : : : :	্ট্র জান	***************************************
CAUSES OF BEATH.	Interaperance Privation Scorbusis	Apthon	Caneer	hug	II. – 2. Treercular. Philisis (Consumption)	Ludoreuiobis III.—I. Nervous System Apoplery Brain, Discuse of Cephalitis Convulsions Epilepsy

1.92	3.62	20.02 20.02 20.03 20.03 20.03 4.46	0.40.00.00.00.00.00.00.00.00.00.00.00.00
±0.00 € 1	164	128182	
:- : 4 T C	કૃં		c) -4-4
E : - : E	12	1 2 2 10 8 10 10 10 10 10 10 10 10 10 10 10 10 10	<u> </u>
1-01	· : #		
†== · •	:81	<u> </u>	C
<del>रेश ल क</del>		- : : : : : : : : : : : : : : : : : : :	x
⊣ ରୀତି ଐ	17	:00 :E	# 01 HAHH 0
	:=	:::2017	
	-	1, 96	
7 · · · · c1	<del></del>	::	
cı			
:0 :0	- 1-	: : : : : : : : : : : : : : : : : : : :	<del></del>
PH :0 :1-	:21		mn : :9 : :nn : :0;
21		0 0 10 10 10 10 10 10 10 10 10 10 10 10	9
. : 01 · 44		: -ଚଣ :ଖ	а : п : п : : : : : : : : : : : : : : :
	::		
	TION.	F10N.	<u> </u>
	CULA	TIBA.	
	Š	Ä.	
	io sy	off	DANS OF DIGHERION.
	ORGA RSC of	Organ	Miscase of Barney Or Diskrion.  Barney of Barn
Inflammation Installe Meningitis Neuralgia Paralysis	III.—2. Organs of Circulation Arterios, Difeese of	Asthma. Branchists Branchists Branchists Branchists Branchists Branchists Branchists Branchists Branchists Branchists Branchists Branchists Preuries	
Inflammation Infamity Meningleis Neuralgia Parnlyšis	orio", ert,	III.—3. Asthna Bronchitis Laryngitis Lungs, Cong., Lungs, Cong., Disco.	Bowele, Diece Dyspetie Entertie Gastralia Gastrilis Hennia Hernia Jaundice Livor, Diecese Periconitis Sconach, Diecese Throat, Diecese
Inflau Ingen Menin Neure Parri	I Arteri Heart	Ast Bro Lar Lar Ple Ple	Dysper Entering Gastri Gastri Henor Heputi Hornia Jaundi Liver, Periton Stomac

						and a
	Регеептаке.	2238812	8 5	결숙성	5288	E
	Totals.	45000 700	⇔ ତା	-0161	C-44	335
I	Windsor.			ল : ল	::	0)
	Windham.	ने लिशन				
1	.notgaidsaW		1			<u></u>
	Rutland.		::	:	69 : - :	1-
	Orleans.		:	: : PHI	- : : -	
	. эзавтО	::*	::	: : 61	7 : : -	10
	Lamoille.				::":	CI
60.	Grand Isle.		::	111		
Continued	Franklin.		11	: :		-9
3	Евек.			171		
V 1111,	Chittenden.					-
	Caledonia.	1 1 2 2			or : :	**
LABLE	Bonnington.			: : : : : : : : : : : : : : : : : : : :	- : : :	
-	Addison.	. m . m e1	- ,	: ; ; ; ;	-	21
	Cavens of Death.	Badder, Disease of. Calcadus, (Gravel) Oystitis Diabetis Nephritis	UL6. GENERATIVE ORGANS. Urinary Organ, Disease of.	Amputation Locomorive Ordans.	Absuces. Polypus. Skin, Discuse of.	IV.—1. Diseases of Calldren.


#### TABLE IX. - OCCUPATIONS.

Exhibiting the number of persons, pursuing different avocations, living in the State, according to the Census of 1860; also the number of deaths occurring amony each class, together with the ratio of the same to the living, and the aggregate and average ages.

			50 .5			Aces.		
Occupations.	Living.	Deaths.		Ratio to Living.	Given.	Aggregate.	Aversge.	
Agents	41	]	1 i	n 41	1	23	23.00	
Artists	169	3	1 .			64	21,33	
Barbers	49	1	1 4			34	34.00	
Basket Makers	177	1)	1 4	13		111	55 (0)	
Blacksmiths	1546	21	1 1	- 73	20	1157	57.85	
Boatmen	46	9	1 :	23	2	59	20.50	
Cabinet Makers	380	1	1 4	47	1	47	47.00	
Carpenters	2360	28		84	26,	1428	54.92	
Cashiers	44	i	1 .	33	]	62	62,60	
Carriage Makers	266	3		ENLY	1	122	40,66	
Clergymen	619	14		2.0			(60.78	
Clerks	936	12		1 0	12	311	25.91	
Clothiers	124	2	1 .	1,500		95	47.50	
Constables	-6	1	1 .	2.1	1	59	59,00	
Coopers	287	7	1 .	4 41	7	334	47.71	
Custom House Officer		1			1	31	31,00	
Dentists	73	0	1 "		0	51	25,50	
Drovers	20	3	1 1	*	3	161	53,66	
Farmers		1042	4	40		51071	49,48	
Gardeners	15	2	1 4		0	154	77.00	
Goldamiths	21	1	T		2	65 100	65,00	
Gunsmiths	327	ī	.1		ī	87	50.00 87.00	
Harness Makers	51	1	1		1	79	79.00	
Hatters	408	5		20.71		256	64,80	
Inn Keepers	5	1	1		1	51	51,00	
Iron Smiths	12	10	1 11		2	155	77,50	
Laborers	21993	60	L		58	2831	48.81	
Lawyers	494	11			11	622	56.54	
Lumbermen	152		1 11	-	11	0	Service C	
Machinists	213	2		-	2	82	41.00	
		-	~	200	-	N. Fales	22.200	

# TABLE IX. - Continued.

				di di		Ages.		
OCCUPATIONS.	Living.	Deaths.		Ratio to Livin		Given.	Aggregate.	Average.
Manufacturers	478	2	1	in	239	2	120	60.00
Mariners	69	1	1	4.6	69	1	84	84.00
Masons	508	5	1	4.6	101	4	270	67.50
Mechanics, (not specified)	633	31	1	4.4	20	31	1528	49.29
Merchants	1282	29	1	14	44	20	1558	53.62
Millers	348		1	6.6	87	4	279	69.75
Millwrights	140	•2	1	1.6	70	2	160	79.50
Miners	108	2	1	6.5	54	2	98	49.00
Monldere	147	3	1	46	49	3	78	26.00
Operatives, (Factory)	1259	- 8	1	6.6	137	6	203	33.83
Painters	419		1	6.6	104	4	180	45.00
Peddlers	354	2	1	8.6	177	0	116	58.00
Physicians	663	10	L	6.6	66	10	588	58.80
Printers	138	3	1	6.6	46	3	73	24.33
Quarrymen	557	4	1	4.4	139	3	176	58.66
Railroad Men	163	12	1		13	10	346	34.60
Sash and Blind Makers,	37	1	1		37	1	17	17 00
Saddlers	69			k n	69	1	33	33.00
Shoemakers	1676	17	1	4.4	1981	15	756	50.40
Soldiers		69				69	1800	26.08
Stone and Marble Cutters	265	3	1	6.0	88	3	156	52.00
Students	1016	8	1	**	127	6	110	18.33
Tailore	381	4		8.4	95	4	20	52.75
Tanners and Curriers	273		1	6.6	136	2	102	51.00
Teachers	150		1	1.4	21.	6	159	26,50
Teamsters	205		1	b 0	102	2	118	59.00
Tin Smiths	168	1	1	4.6	168	1	32	32.00
Wheelrights	500		1	4.6	145	4	264	66.00
Other Occupations	1433	10	1	4.6	143	9	405	45.00



### REMARKS.

The tables constituting the Ninth Annual Registration Report of Births, Marriages and Deaths, for the State of Vermont, for the year ending December 31st, 1865, for completeness and accuracy surpass those of any previous year. Instead of that growing neglect which has prevailed during the last few years with regard to full and correct returns, as shown by a tabulated statement in last year's report, there appears a rapidly increasing interest, and very few towns have failed to make fair, and apparently true, records. The great strife, which for four long years absorbed the almost entire attention of all our people, has ended; and the close of this year finds the citizen soldiers of Vermont, again at their homes, -their farms and their workshops. That devotion to peaceful pursuits which had been interrupted by the war, is now restored, and society recalls its members to duties which had been neglected, or but imperfectly per-It is also to be hoped that there is an increased appreciation of the importance of correct statistical records, such as are embraced in these reports; of their true relation to science in general, and to sanitary science in particular; of their value to individual and family interests, as well as to society in the aggregate.

While we commend the improvement in these tables, it is yet very apparent that there is a deplorable want of accuracy, especially in the mortality reports, and the fact remains that none but medical men can properly make records of disease and death, and yet medical men do not make these records; and again the duty returns of suggesting, most respectfully, such a revision of existing laws as will remedy this defect. Under causes of death, 333 are set down as "Unknown," while such vague terms as "Disease of Bowels," "Disease of Brain," "Debility," "Dropsy," "Fits," "Humor," "Infantile," and "Sudden," are made to account for 402 other deaths; and 256 are set down to "Old Age."

During the year 1865, only eight towns, mostly small, and with a population of 3,951, have failed to make returns. These are Woodford, Averill, Bloomfield, Brighton, Brunswick, Canaan, East Haven and Pawlet. A few other towns have made but partial returns. Among these are Burlington, Barton, Enosburgh, Franklin, Ferrisburgh and Richmond.

The tables, constituting the Ninth Annual Registration Report, for the year 1865, show that, during the year ending December 31st, the whole number of births was 5,353, of which 2,761 were males, 2,564 were females, and of 28 the sex is not stated.

Marriages were 2,569 couples, or 5,138 persons, a number greater by 254 couples, or 508 persons, than ever before reported.

Deaths were 4,858, of whom 2,426 were males, and 2,404 were females; of 28 the sex is not stated.

Compared with 1864, the number of births is greater by 600. The number of marriages is greater by 765, or 1,530 persons. The number of deaths is less by 435.

Compared with the year 1860, (before the war,) the number of births is less by 1,098. Marriages, greater by 390, or 780 persons; and deaths greater by 961.

Compared with the average of eight years ending with 1864, the number of births is less by 665. Marriages, greater by 498, or 996 persons. Deaths, greater by 534.

Estimating the population at 315,098, which is nearly correct, probably, we have one birth to every 58.8 of inhabitants. One person out of every 61.32 married, and one death to every 65 persons living.

The average number of births daily, was 14.52. Of marriages 7. Of deaths 13.31.

The average age of those who died was 35.38 years. Average age during nine years ending with 1865, was 34.27 years.

Average age of those who died during the years 1862-3-4 was 30.29 years.

Average age of those who died during six years of the last nine, excluding the years 1862-3-4, was 36.29 years.

#### POPULATION.

At the last census in 1860, the population of Vermont was 315,098, of whom 158,786 were males, and 156,312 females. Of these 282,335 were Americans, of whom 141,299 were males, and 141,056 females. Thirty-two thousand and seven hundred and forty-three were foreigners, of whom 17,487 were males, and 15,256 females.

It is impossible to know the present population, yet it probably varies but little at the close of the present year, from the above aggregate, but perhaps differently divided. During the war this State furnished 34,238 men for service, but as some were re-enlistments, the actual number of persons in service was 28,967. The loss by all casualties was 13,728, but of these 5,022 were discharged and returned home, mostly, while of the remaining 8,706 few, if any, have returned. During the first half of the year 1865, the population remained in the same disturbed condition as during the two previous years, while in the last half of the year nearly all of Vermont regiments had been mustered out of service.

On the 30th day of April, 1865, the number of men enrolled in the State, was 23,326, or 14.69 per cent. of the male population of 1860; 7.4 per cent. of whole population.

#### BIRTHS .- TABLE I.

The whole number of births for the year 1865, was 5,353. The number for the last nine years is as follows:

Sears. (1	Whole No.	Birth rate.	No. pop. to I birth. (	Male.	Female.
1857	6,412	2.04	49.1	3,282	3,071
1858	6,477	2,06	48.6	3,294	3,142
1859	6,608	2.11	47.7	3,351	3,155
1860	6,451	2,05	48.8	3,225	3,186
1861	6,567	2.08	48	3,354	3,170
1862	5,505	1.75	57.2	2,831	2,650
1863	5,369	1.70	58.7	2,719	2,624
1864	4,753	1.68	61	2,439	2,264
1865	5,353	1.69	58.8	2,761	2,564
Total	53,523			27,286	25,826
Av. annual	5,947	1.88	52.9	3,032	2,869

Making a total number of births in nine years of 53,523, which exceeds the number of deaths for the same period by 14,073. Average annual number of births 5,947, which is 1,623 more than the average annual number of deaths for the same period.

The excess of births over deaths, was, in 1860, 2,554. In 1861, 2,529. In 1862, 669, but in 1863, the deaths exceed the births by 341, and in 1864, by 540. In 1865 the births again exceed the deaths by 495.

The number of births is 600 more than in 1864, and 1,098 less than in 1860. In this, as well as other states, there has been a marked decrease in number of births since 1860, until the present year, which exhibits an increase as compared with 1864. In Massachusetts the number of births for 1864 was 5,602 less than in 1860. In Connecticut births for 1864 were 2,200 less than in 1861; but the year 1865 shows an increase of 468 over the year 1864.

There is reported but one birth to 58.8 of population. In Massachusetts, last year, it was one to 40.25; in Boston one to 38.06; in Rhode Island, one to 47.5.

The following table shows the differences by counties, for the years 1860, '64 and '65, the number of births in each year, and the percentage of decrease.

Births by Counties for 1860, '64, '65, with per cent. of decrease.

Counties II	2,480.	1864.	1963.	Difference.	Per cent.decrease,
Addison	457	305	364	93	20.35
Bennington	445	362	347	98	22.02
Caledonia	468	309	350	118	25.21
Chittenden	599	325	365	234	39.06
Essex	77	36	38	39	50.65
Franklin	562	408	467	95	17.08
Grand Isle	88	64	108	20	22.72
Lamoille	258	166	213	45	17.40
Orange	497	441	410	87	17.50
Orleans	358	234	292	66	18,43
Rutland	846	662	859	13	1.53
Washington	616	427	452	164	26,62
Windham	528	409	498	30	5.68
Windsor	652	605	590	62	9.50
Totals	6451	4753	5353	1098	17.51

It is seen that in all counties, except Bennington, Orange and Windsor, there is a gain as compared with last year, while in Grand Isle and Rutland the number of births is greater than in 1860.

Sex.—Two thousand seven hundred and sixty-one births of males, and 2,564 of females, are recorded for this year. Of twenty-eight the sex is not stated. Ratio, 1,077 males to 1,000 females; the same as for last year. Ratio for nine years, (1857-65) 1,055 to 1,000. In Connecticut the ratio for 1865 was 109.31 males to 100 females; for the last eleven years, 108.95 males to 100 females. In Rhode Island for ten years, 1,064 males to 1,000 females.

Of still born, the males, as usual, are in excess, 39 males to 23 females; sex not given of 11. Of illegitimates, contrary to the rule, males were in excess, 20 males to 17 females.

The following table shows the number of each sex, by counties, with ratio of males to females.

Counties.	М.	F. 1	M. to 100 F.	Counties.	M.	2.	M. to 1017.
Addison				Lamoille	105	104	101
Bennington	182	162	112	Orange	201	207	97
Caledonia				Orleans	150	142	105
Chittenden	185	178	104	Rutland	431	428	101
Essex	30	16	137	Washington	241	209	115
Franklin	244	220	110	Windham	271	223	121
Grand Isle	56	52	107	Windsor	301	286	105

Season.—The highest number of births occurs in May, 492, next, July and September, June and December; and the smallest in February.

The following table shows the number of births during the different quarters of the year 1865, and also during nine years, 1857-65, and the percentage of each. The number for the third quarter is largest, being slightly larger than the fourth quarter; and the first quarter is much less than the others.

Prator.	Numbe		PERCENTAGE.		
Quarter ending March	11,875	1,179	22.03	22.02	
Quarter ending June	13,135	1,388	24.76	26.13	
Quarter ending September	14,179	1,389	26.65	20,35	
Quarter ending December	14,015	1,355	26 35	25,51	

Plural Births.—Only 29 cases of plural births are reported, of which 36 were males and 22 females; a much smaller number than usual, being only one case in 184 of all births. In 1864, the number was 32, or one in 148 births. The number of twin births during nine years. (1857-65) is an average of 56 per year, or one to every 108 births. In Connecticut 123 cases of plural births are recorded for 1865, in an aggregate of 10,202 births, or one in 83. In Massachusetts, during nine years, the number was an average of one case to every 104 births. In Rhode Island, during twelve years, one in 97.5 births.

Illegitimates .- Thirty-nine cases of illegitimate births are

reported for this year. The number for 1864 was 32, and for 1863, 59 cases. The average number during nine years was 51, or one in 116 of all births. During the year 1865, the ratio was one to 137 of all births. Of these 20 were males and 17 females—of two, sex not stated. In Massachusetts, in 1864, there was one illegitimate birth to every 107 births. In Connecticut, in 1865, one to every 109 births.

Still born.—The number of still born reported for this year is 73, of which 39 were males, 23 females and 11 unknown, one still born in every 73 births.

Parentage.—Of the whole number of births, 3,680 or 68.65 per cent., are recorded as Americans—that is, born of American parents; 1.340, or 32.05 per cent. of foreign parents; and 333, or 6.21 per cent. unknown. According to the last census, the percentage of American and foreign population was 89.61 and 10.39; almost nine Americans to one foreigner, while the ratio of births is less than three to one.

During nine years (1857-65) the average percentage of births is as follows: American 67.86; foreign 20.41; unknown 11.73.

#### MARRIAGES.

The disturbing influence of the war upon society and social relations, has been evident during the last three years in the small number of marriages and births. So, as peace returns, already there follows an increase in the number of marriages. During the year 1865, the number of couples married was 2,569, an increase of 765 over the previous year, 440 more than the average number during nine years, and 254 more marriages than are recorded in any previous year.

The following table shows the number of marriages during each of the last nine years, with the ratio to population.

Ellen Arms, y	1805.	1884.	18983.	1802.	1801.	ERGO,	2869.	1808.	1857.	ISST-15. Averngr
Marriages Persons married Ratio to pop	5,138	3,608	4,614	3,1524	4,370	4 355	1,1338	4,6300		1,270

In Connecticut 653 more marriages were registered during the year 1865 than during the previous year, and 174 more than for any previous year.

The ratio of marriages to population is one to 122, or one person married to 61 persons living. The average for nine years is one to 148, or one person married to 74 living. The greatest number took place in October and December, the least in April and June. There were 858 marriages in the fourth quarter of the year, 593 in the third, 586 in the first, and 503 in the second.

Of the 2,569 marriages, 1,326 were of bachelors to maids; 95 bachelors married widows; 166 widowers married widows; 216 widowers married maids, while of 766 the condition is not stated.

In 624 instances the bride was under 20 years of age; in 63, the groom was under 20, and in 46 instances both parties were under 20 years of age. Eighteen men were over 70 years of age, and one man over 70 married a maid under 20 years of age. Three hundred and eighty-two widowers were married, and 261 widows; 1,421 bachelors and 1,542 maids.

#### DEATHS.

The whole number of deaths registered for the year 1865 was 4.858, a decrease of 435 compared with last year, yet above the average for the last eight years, and greater than the number for any previous year recorded, except 1863 and 1864. In Connecticut the deaths registered for 1865, are 1,159 less in number than for 1864, a decrease of nearly 15 per cent,

The following table shows the whole number of deaths for nine years ending with 1865, with percentages and ratio of deaths to the living, and the average age of those who have died.

	1 1 11		1 1	1 1	Each vr.average.
Years	1837 1838	1859 1860	1881 1862 1	803 1804 1805	185,-35
No. deaths	8,3123,541	3,725 3,817	4,038 4,886 5.	710 5,293 4,858	4,394
Per cent	1,311;1,135	1,182 1,237	1,242 1,535 1,	8181,711,1,511	1,390
Living to 1 death	NS N7	84 81	78 65	55 58 65	72
Average age	38.29 36.57	35,55 33,44	35.53 30.05 3	1.01/20.22/35.38	34.18

Average number of deaths annually, 4,324, or one to every 72 inhabitants; for 1865, one to every 65 inhabitants.

Age.—The ages are given of 4,710, leaving 158 as unknown. The average age is 35.38 years. It appears by the above table that during the three years, 1862-3-4, the average age of those dying was much less than usual, being but 30.29 years, while the average for five years previous (1857-61) was 36.47 years. The average age during nine years, was 34.18 years. It is to be remembered that these records do not include any who died outside the State of Vermont, in the army, or elsewhere.

The following table will show the number and percentage of deaths at the specified ages.

Deaths for 1865-Ages, Sex and Rates:

Ages.	M.	у.	Astrogata.	Per cent.	Living to I death.
Under 5 years	653	555	1208	24.86	26
5 to 10	118	132	250	5.14	37
10 to 15	97	169	266	5.47	145
15 to 20	124	153	277	5.7	82
20 to 30	214	254	468	9,63	72
30 to 40,	160	180	340	6.96	102
40 to 50	140	147	287	5.90	103
50 to 60	143	176	329	6.77	118
60 to 70	259	194	453	9.32	54
70 to 80	238	240	498	10.25	19
80 to 90	192	151	343	7.06	10
Over 90	35	46	81	1.66	3
Unknown	63	67	130	2.67	1

It appears that 24.86 per cent., or nearly one-fourth of all deaths, took place during the first five years, or were under five years of age. In 1864, the proportion was nearly the same. In Massachusetts for 1864, the percentage was 37.05.

Sex.—The tables show that of all deaths there were males, 2,426, of females, 2,404; an excess of 22 males. In 1864, there was an excess of 245 males. The average for nine years is an excess of 40 females annually, or 98 males to 100 females. During the present year the ratio is 100.9 males to 100 females. In Connecticut the ratio is 107.22 males to 100 females.

Of deaths under five years of age for the year 1865, there were 118 males to 100 females; between 5 and 15, 71.42 males to 100 females; between 15 and 30, 80.6 males to 100 females; between 30 and 70, 102 males to 100 females. Over 70, there were 111 males to 100 females. Deaths of 58 persons are recorded between the age of 90 and 95, of whom 29 were males and 29 females. Twenty-three over 95 years of age, 6 males and 17 females.

Season.—The fatality by months and quarters differs from last year, but corresponds nearly with the average of other previous years. The order of months in fatality was September, August, October, November, March, July, December, April, May, February, June and January. The order by quarters was third, fourth, first and second.

### Deaths by Quarters, Numbers and Rates.

Quarters.	1885.	LH64.	1857-65.	Per et. for 1865.	Per et. for 1864.	Per et. 1857-65.
First Quarter	978	1483	9142	20.14		23.6
Second Quarter	938	1286	8760	19.31		
Third Quarter	1579	1383	10733	32.5	26.49	27.7
Fourth Quarter	1308	1084	10094	26,92	20.	26.06

Nativity.—An important item is neglected in preparing these records, in not giving the nativity of those who die.

The following table shows the fatality, by counties, with percentage of death to population. In some counties a deficiency in records gives a smaller ratio than properly belongs to them.

Counties.	No. deathsa	Per cent.	Counties.	No. deaths.	Per cent.
Addison	304	1.26	Lamoille	243	1. 117
Bennington	295	1.51	Orange	483	1.89
Caledonia	400	1.86	Orleans	251	1.32
Chittenden	282	1.00	Rutland	556	1.54
Essex	40	.69	Washington	460	1.66
Franklin	293	1.07	Windham	450	1.66
Grand Isle	47	1.09	Windsor	710	1.90

Percentage of deaths in whole State, 1.54. Average during nine years, 1857-65, 1.39. Average in Massachusetts during thirteen years 1852-64, 1.88. Rate in Massachusetts for the year 1864, 2.33.

#### CAUSES OF DEATH.

Of the 4,858 cases of death registered, 4,527 have specified causes, 93.18 per cent. The year 1865 has been free from any remarkable fatality from any form of disease. It is interesting to notice that since the year 1857, deaths from zymotic diseases had rapidly increased in number and percentage, until 1863, since when, they have decreased in nearly the same ratio, the number for the present year being 705 less than in 1863, and 477 less than last year. Constitutional diseases have varied very little in aggregate fatality during nine years, the average number, 1,013, being slightly less than the number for 1865. Local, developmental and violent causes of deaths, scarcely differ from the average of nine years in their results.

The table shows fatality from all classes of disease, with percentage of the whole for nine years.

-	ZYMOTIC.		Constitu	TIONAL.	La	PAL	DEVELOR	MENTAL.	STAL. VIOLES		
Years.	Deaths	Per cl.	Deaths	Per ct.	Deaths	Per ct.	L'eatha	Por ct.	Deaths	Per tt.	
1857	627	10.26	1041	31.97	928	28.5	514	15.78	146	4,48	
1858	804	23.08	973	27.35	1013	29.07	570	16.36	124	3.40	
1859.	960	26,06	1027	27.86	993	26,94	575	15.59	131	3.50	
1860	933	25.54	1088	29.78	1054	28.85	432	11.83	146	4.08	
1861	1085	28,62	1025	27.403	1025	27.03	520	13.71	136	3,50	
1862	1879	41.20	907	21,23	1053	23.11	478	15.49	178	3.9	
1863	2584	48.44	1046	19.61	1096	20.54	434	8.13	164	3.07	
1864	2176	44.48	928	18.97	1132	23.14	393	8.03	262	5.3	
1865	1799	39.96	1024	22.61	1108	24.47	447	9.87	149	3.2	
*57-65	1429	32.03	1013	28.42	1045	24.17	495	11.44	159	3.0	

It is seen that the actual number of deaths has changed but little from year to year, except in the class of zymotic disease. During the war the number of violent deaths was above the average, but as these records only include such as die in this State the number is small.

Dysentery and Fever were more fatal than last year, and Diphtheria, Croup, Scarlatina and Measles much less so.

CLASS I.—Zymotics.—The entire number of deaths registered from this class of causes is 1.799, or 39.96 per cent. of all deaths. Last year it was 2,176, or 44.48 per cent. Average for nine years, 1,429, or 32.93 per cent. In Connecticut the percentage was, for 1865, 30.55. For 1864, in this State, it was 31.90, and the average for six years, 1859-65, was 30.32. In Massachusetts the average for five years, 1860-4, was 29.98.

Diphtheria.—The number of deaths from this disease, for the year 1865, was 371, or 8.19 per cent. of all deaths. Last year the number was 843, or 17.21 per cent., while in 1863 the large number of 1,225, or 22.96 per cent., is recorded. Of these 167 were males and 204 females. An excess of females has usually been noticed in deaths from diphtheria. Last year, of 843 deaths, 392 were males and 451 females. The whole number of deaths registered as having

died of diphtheria in this State, since the disease was first known, is 3,980, of whom 1,830, or 45.97 per cent., were males and 2,150, or 54.03 per cent., females.

Of the 371 deaths for this year, 129, or 35 per cent., were under five years of age; 227, or 61 per cent., were under ten years of age. The importance of all records of this fatal disease is sufficient reason for again presenting a table showing fatality by counties, since its first prevalence in 1858.

Counties.	1 458.	1879.	leist.	1261.	lenis.	145	INH.	. JW15.
Addison	2	y	19	40	38	70	65	13
Bennington		1	11	26	30	41	45	15
Caledonia	1		4	18	192	136	95	36
Chittenden	2	6	17	33	68	47	16	16
Fasex			1		7	17	5	0
Franklin			7	24	46	57	24	23
Grand Isle	1)	1		G	19	14	3	2
Lamoille		13	1	43	-64	23	25	24
Orange		27	20	44	35	114	83	41
Orleans			4	10	39	92	46	24
Rutland	0	9	31	58	38	78	70	36
Washington	1	-0	48	4.5	104	80	62	15
Windham		3	14	30	67	252	154	43
Windsor			35	51	62	204	150	80
THE REAL PROPERTY OF THE PARTY							-70	
Totals	13	60	212	441	818	1225	843	371

Scarlatina.—Only 49 deaths occurred from this disease, 27 males and 22 females, a much smaller number than during any previous year, the average during nine years, 1857-65, being 186 per year.

Croup.—Thirty-nine deaths, 21 males and 18 females, are recorded, as caused by Croup. In 1864, the number was 76, and 88 for 1863. The average annual number for nine years, 1857-65, is 66 deaths. Of the 39 deaths, 34 were under five years of age, and all under ten years. The most fatal months were February, March and October.

Typhoid Fever.—If, under this name be included those reported as Bilious, Nervous, Congestive, Camp and Typhus Fevers, the number of deaths is 535, or 11 per cent. of all deaths; 259 were males and 276 females. This number is

much larger than for any previous year recorded, except 1863, when the number was 559. The average number sanually for nine years, 1857-65, is 295, or 6.79 per cent of all deaths. In Connecticut, the percentage for the year 1865 was 7.79 of deaths from ascertained causes. The age at which fever most prevails is from 10 to 20 years, the number for this year being 123, or 23 per cent. Between the ages of 20 and 30, 106, or 19.81 per cent. Between the ages of 30 and 40, 61, or 11 per cent. During the next three decades the number is nearly equal, being slightly over 10 per cent. for each decade. Forty-two deaths are recorded as under the age of 5 years, and 15 as over 80 years of age. The most fatal months were October, September, August, November and July, while in the remaining seven months. only 100 cases occurred. More than one-half of all deaths took place during the three months first named.

Spotted Fever is given as the cause of 29 deaths against 149 last year.

Dysentery.—This disease has prevailed to an unusual extent, being nearly equally distributed among the different counties in the State. Five hundred and three deaths are recorded, of whom 236, or 46.91 per cent. were males, and 267, or 53.09 per cent. were females. This is a larger number than ever before recorded, being 11.55 per cent. of all deaths; 333 more than last year, and 403 more than the average for eight years previous to 1865. The average annual number for nine years, (1857-65) is 145 or 3.36 per cent. Two hundred and seventy-one, or 53.88 per cent. were under 5 years of age; 40, or 7.95 per cent. were between 5 and 10 years of age, 34, or 6.5 per cent. between 50 and 60 years of age, and the same number between 60 and 70 years. Only 41 deaths, 8 per cent., occurred between the ages of 10 and 40 years. Only 16 deaths took place in the first six months of the year; in July, 35, August 157. September, 191, October, 79, and in the last two months 25. Diarrhaa.—Eighty cases of death are recorded, or 26 of Diarrhaa, and 54 of Chronic Diarrhaa, of which 61 were males and 19 females. The excess of males show that many were returned soldiers. Cholera Infantum is said to have caused 72 deaths; 37 males and 35 females. Cholera Morbus 16 deaths, 10 males and 6 females. Besides these, 63 deaths, 39 males and 24 females are said to have been caused by "Disease of the Bowels," and 15 by "Gastritis," both of which causes should, doubtless, be included among zymotic diseases as diarrhaa or cholera morbus; though possibly some were local inflammation of abdominal viscera.

Erysipelas is recorded as the cause of deaths in 29 instances.

Measles was fatal in only two cases, Small Pox in 8, and Whooping Cough in 10 cases.

Seven persons are registered as having died of "Privation," 3 of them from "Starvation," and others from "Want of Care; 6 were males and one female. It is probable that they had returned from rebel prisons.

CLASS II.—Constitutional Diseases.—Of all deaths from specified causes, 1024, or 22.61 per cent. were from diseases of this class. In 1864 the number was 928, or 18.97 per cent. The average for nine years has been 1013, or 23.42 per cent.

The second order of this Class, Tubercular, including Consumption, Scrofula, Hydrocephalus and Tabes Mesenterica, embraces the principal fatal diseases of this class. The number of deaths from Consumption for this year was 766, of whom 313 were males, and 453 females, a percentage of all deaths of 16.92 per cent. Last year the number was 690, or 12.06 per cent.

The following table shows the number and percentage of deaths from *Tubercular Consumption* during nine years, (1857-65,) with the number of living to one death.

# Deaths from Consumption, with percentage and ratio of Living.

- 11	1857.	1958,	1859.	1860.	1801.	17472.	1863.	1864.	lmit	A versage
No. deaths Pr.ct. of all deaths. Living to 1 death	24.11	21.18	19.37	21.27	20,05	160.58	14.68	12,000	£6.92	18.70

The following table exhibits the fatality by counties of all Tubercular diseases, including Consumption, Scrofula. Hydrocephalus and Tabes Mesenterica, with numbers and percentages for the whole State, for nine years, (1857-65.) with total and annual average for each county.

Counties.	INTE	1858.	12000	1860.	ISSI.	1502.	1899	3804.	BHIGH.	INDIAM.	
										Total	As.
Addison	191	46,	Gar	66	16.5	65	71	12	55	500	30
Bennington	55	54	511	46	15	317	851	Li.	01/74	114	165
Caledonia	650	690	61	Tigh	160	(1)	802	51	67	376	114
Chittenden	103	6/8	37	164	1211	65	78	133	0.5.	371	414
Essex	199	188	12	41	12	8	- 1	- 1	11	81	Н
Franklin	(Mil)	5.1	10	7.4	70	- 11	1.0	15	54	4565	100
Grand Isle	7	fil.	10	bes,	2.1	- 6	15	3	-	501	16
Lamoille	15.0	31	- 41	112	15.	311	2.5	0.0	111	1873	100
Orange	51	7.3	191	1997	113	7.1	10	182	256.6	766	Ni
Orleans	12.5	4.17	120)	ak.i	18.0	21	15	161	rists	2574	77
Rutland	711.	N	211	[111]	a1	79	75	15.6	8854	The Long	41
Washington	6368	3.2	67	201	1.27	470	1511	FLE	80	10.00	18
Windham	585	501	110%	73	50	10%	121	18.5	591	25.810	197
Windsor	\$81	118	11.1	113	115	112	58%	]10%	100	167	LUF
Whole State	818	700	820	N (2)	835	THE	2547	7:83	801	7890	ell
Pr. ct. of all	25.80	22.78	22.21	20 71	92.00	17.15	15.80	14.98		41100	
Death to I living	370	307	351	;874	380		10715	420			

Very little difference is observed in the fatality of different seasons of the year. Up to the age of 10 years and over 70, the fatality is greatest of males. Between the ages of 10 and 40 the record is 193 females to 100 males. And between these ages occurred 47.39 per cent. of all deaths by consumption. It is seen that during nine years, (1857-65) all deaths from *Tubercular* causes amount to one to every 388 persons living, and to 18.82 per cent. of all deaths.

In Connecticut for the year 1865, deaths from consumption were 15.74 per cent. of all deaths, and one to every 415 persons living.

In Massachusetts for nine years, (1856-64) the average percentage of deaths from this cause was 19.79 per cent. of all deaths; one death to every 260.2 persons living.

Dropsy was the cause of death in 108 instances, 53 males and 55 females. Last year the number was 82.

Cancer is recorded as the cause of 84 deaths, 43 males and 41 females. Of these, 14 were of the stomach, 5 of the breast, 3 of the womb and 4 of the face. Last year the number was 68, and the average number for nine years is 63.

Class III .- Local Diseases. - The most fatal order of this class is the first, or Diseuses of the Nervous System. which is recorded as the case of death in 398 cases, or 8.79 per cent, of all deaths. An increase of 44 as compared with last year. Of these 128 are recorded as Disease of Brain, 19 Meningitis, and 7 Cephalitis, making 164 cases as probably due to inflammation in some form, within the cramain. Of these 92 were males and 72 females. Apoplexy s charged with 60 deaths, Paralysis with 87, making 147 deaths which may probably be properly named upoplexy, or nearly all of them. Convulsions, Epilepsy and Fits are found to have caused 71 deaths. Of the 16 by convulsions, 14 were under 5 years of age. Of the 43 said to have been caused by Fits, 25 were under 5 years, and should be included under Convulsions. Of these, 38 were males and 33 females.

Next in fatality is the order of Diseases of the Respiratory Organs, which includes 325 deaths, or 7.17 per cent. of all deaths. Of these 202 are called Pneumonia, 95 Congestion of the Lungs, and 12 Disease of the Lungs, and probably may properly all be called Pneumonia, making 309 deaths from this cause, 142 males and 167 females. Of these 67, or 21.68 per cent, were under 5 years of age, and 78, or 36.57 per cent, over 60 years of age, leaving 129, or 41.75 per cent, between the ages of 5 and 60 years. The largest number of deaths occurred in the months of March and February amounting to 101 deaths, or 32.68 per cent., and 57 per cent, of the deaths were during the first five months of the year.

The order of Disease of Organs of Circulation exhibits 165 deaths; 164 of the heart, and one of arteries. Of these 100 were males and 65 females, and 109, or 66 percent., were over 50 years of age.

CLASS IV.—Developmental Diseases.—The order of Diseases of Children gives 123 deaths, or 2.71 per cent. Of these 73 were still born, 39 males, 23 females, and 11 not stated. Infantile Diseases (?), 35 deaths, teething 12.

Diseases of Old People are registered as the cause of 256 deaths, or 5.65 per cent; 126 were males and 130 females. Only 5 were under 70 years of age.

CLASS V.—Violent Deaths.—It is computed that out of 2,713,240 persons in the United States who will be so seriously injured by accidents as to disable them for one or more weeks during the year, 17,000 will die. One hundred and twenty-one are registered as death by accidents during the year 1865, and at the above ratio there would have been 19,312 serious accidents, or persons injured by accidents. More than eighteen deaths by railroad accidents, all males; 25 were drowned, 23 males and 2 females, and 13 died from burns and scalds.

Suicide.—The number of deaths by this cause recorded is 18. Of these 4 were by cutting the throat, 7 by hanging, and 7 by means not specified. The whole number of suicides during nine years, (1857-65,) is 155, or an annual average of 17. Of these there have been 70 by hanging, 58 males and 12 females; 25 by poisoning; 17 by cutting the throat, 15 males and 2 females; 10 by drowning, 5 by gun shot wounds, 1 by strangulation. In the tables, the modes of committing suicide are included among accidents, and the sex can not be determined of each separately, but so far as ascertained, the summary is, males 103, females 35, which is probably less than the proper proportion of females. In Massachusetts, for five years the ratio is 309 males to 100 females. In France, for 23 years, 310 males. 100 females.

### APPENDIX.

#### CLASSIFICATION OF DISEASES.

The following classification of the Causes of Death has been adopted for the Vermont Registration Reports, in order that they may conform as nearly as possible with those of other countries, thereby securing to them much greater value for the comparison of facts, both at home and abroad. It is that recommended by William Farr, Esq., M. D., of England, with the sanction and approval of the most eminent medical men of Europe, and adopted in Massachusetts, and will probably be used by many other states, as well as upon the European continent.

#### CLASSES.

1.—ZYMOTIC DISEASES:—Zymotici. (Zume, leaven.)
Diseases that are either epidemic, endemic, or contagious; induced by some specific body, by want of proper nourishment, or by the bad quality of food.

II.—CONSTITUTIONAL DISEASES :—Cachetici. (Kachex-

ia, bad habit of body.)

Sporadic diseases; affecting several organs in which new morbid products are often deposited; sometimes hereditary.

III .- LOCAL DISEASES :- Monorganici. (Monos, alone,

without others : Organon, organ.)

Sporadic diseases, in which the functions of particular organs or systems are disturbed or obliterated, with, or without, inflammation; sometimes hereditary.

or without, inflammation; sometimes hereditary.

IV.—Developmental Diseases:—Metamorphici. (Metamorphasis, change of form.)

Special diseases, the incidental result of the formative, reproductive, and nutritive processes.

V.—VIOLENT DISEASES OR DEATHS:—Thanatici. (Tha > 2atoi, violent deaths.)

Diseases which are the evident and direct results of physical or chemical forces, acting either by the will of the sufferer, of other persons, or accidentally.

#### ORDERS.

Class I .- Order 1. Miasmic diseases :- Miasmatici. (Miusmu, stain, defilement.)

> 2. Enthetic diseases :- Enthetici. (Enthetos, put in; implanted.)

> 3. Dictic diseases:—Dictici. (Diaita. way of life; diet.

> 4. Parasitic diseases :- Parasitici. (Par-

usitos, parasite.) Class II.—Order 1. Diathetic diseases:—Diathetici. (Diathesis, condition; diathesis.)

2. Tubercular diseases :- Phthisici. (Phthisis, wasting away.)

Class III.—Order 1. Brain diseases:—Cephalici. hale, head.)

> 2. Heart diseases :- Cardiaci. (Kardia. heart.)

3. Lung diseases :- Pneumonici. (Pneumon, lung.)

4. Bowel diseases :- Enterici. (Enteron, intestine.)

5. Kidney diseases :- Nephritici. (Nephros, kidney.)

6. Gennetic diseases :-- Aidoici. (Aidoid: pudenda.)

7. Bone and Muscle diseases :- Myostici. (Mus, muscle; Osteon, bonc.)

8. Skin diseases :-- Chrotici. (Chros. skin.)

Class IV .- Order 1. Developmental diseases of children: Paidiaci. (Paidia, youth.)

2. Developmental diseases of women :-Gyniaci. (Gune, woman.)

3. Developmental diseases of old people:

—Geratici. (Geras, old age.)
4. Diseases of nutrition: —Atrophici. (Atrophia, atrophy.)

Class V.—Order 1. Accident:—Tychici. (Tuche, chance.)
2. Battle:—Polemici. (Polemos, bat-

- tle; fight.)

  3. Homicide:—Androphonici.
  man; Phoneuo, I kill.)
- (Aner,
- 4. Suicide: —Autophonici. (Autos, self; Phoneuo, I kill.)
  5. Execution:—Demiotici. (Demiotes,
- executioner.)

#### LAW OF THIS STATE

RELATING TO THE REGISTRY AND RETURNS OF BIRTHS, MAR-RIAGES AND DEATHS.


AN ACT RELATING TO THE REGISTRY AND RETURNS OF BIRTHS, MAR-RIAGES AND DEATHS.

SEC. 1. The clerks of the several towns of this State shall, annually, in the month of June, transmit to the Secretary of State a certified copy of their record of births. marriages and deaths, which have occurred in their respective towns during the year next preceding the first day of January. The births shall be numbered and recorded in the order in which they are received by the clerk. ord of births shall state in separate columns the date of the birth, the name of the child, (if it have any,) the sex of the child, the place of birth, name and surname of one or both the parents, residence of the parents, occupation of the father, and the time when the record was made. The marriages shall be numbered and recorded in the order in which they are received by the clerk. The record of marriages shall state in separate columns the date and place of marriage, the names and surnames of the groom and bride, the residence of each at the time of marriage, the age of each, occupation of the man, and time when the record was made. deaths shall be numbered and recorded in the order in which they are received by the clerk. 'The record of death shall state in separate columns the date of the death, the name and surname of the deceased, the sex, condition, (whether married or single,) age in years, months and days, the place of death, the disease or apparent cause of death, the occupation, if a male over fifteen years of age, the place of birth, the name of the parents, and the time when the record was made.

Sec. 2. The clerks in the several school districts in each town shall annually, in the month of February, ascertain, from actual inquiry or otherwise, all the births and deaths which have happened in their respective districts during the year next preceding the first day of January, together with such facts concerning the births and deaths as are required by the preceding section of this chapter, and shall make an werrate return thereof to the clerk of the town in which ach school district is situated, on or before the first day of March; and the district clerk or other person or persons authorized to perform his duties and make such returns, shall be entitled to receive from the treasury of such town five cents for each and every birth and death so returned. And if such person shall neglect or refuse to make the returns required by this section, he shall be liable to a fine of not less than five dollars for each neglect or refusal.

SEC. 3. Every justice of the peace or minister of the gospel shall make a record of each marriage solumnized before him, and every clerk or keeper of records of the meetings wherein any marriage among the people called Friends, or Quakers, shall be solumnized, shall make a record of such marriage, together with all the facts relating to marriages required by the first section of this chapter; and such justice, minister or clerk, shall annually, in the month of February, or from time to time, return a copy of the record for the year text preceding the first day of January, to the clerk of the fown in which the marriage was solumnized; and every such person who shall neglect or refuse to make the returns remired by this section, shall be liable to a fine of not less than en dollars for each neglect or refusal, to be recovered on the complaint of a grand juror of such town.

SEC. 4. The clerk of each town shall be entitled to reeive from the treasury of the town five cents for recording ach birth, death and marriage; provided, said clerk shall amply with the provisions of this chapter in all respects.



### TENTH REPORT

TO THE

# LEGISLATURE OF VERMONT,

RELATING TO THE

# REGISTRY AND RETURNS

OF

# Births, Marriages, and Deaths,

IN THIS STATE.

FOR THE

YEAR ENDING DECEMBER 31st, 1866.

PREPARED UNDER THE DIRECTION OF GEORGE NICHOLS, Secretary of State.

RUTLAND: TUTTLE & CO., PRINTERS. \( \) 1868.

IN SENATE, November 12th, 1867.

On motion of Mr. Bullard; The Annual Report of the Secretary of State, of the Births, Marriages, and Deaths, for the year ending December 31st, 1866, was

Ordered to lie; and the Secretary directed to procure the printing of one thousand copies for the use of the General Assembly.

HENRY CLARK,
Secretary.

#### REPORT.

#### STATE OF VERMONT.

OFFICE OF SECRETARY OF STATE, NORTHFIELD, Oct. 1st, 1867.

Io the Honorable, the General Assembly of the State of Vermont:

In compliance with the laws of this State, I have the honor to transmit herewith, the Tenth Annual Report, relating to the Registry and Returns of Births, Marriages, and Deaths, that have occurred in Vermont during the year ending December 31st, 1866.

The importance of accuracy and thoroughness in the present system of Registration has too often been alluded to, to need repetition. Much labor and great care have been employed, upon the part of the Compiler, to render the present volume all that its warmest friends can desire. Indeed, unless the work, both upon the part of the Recording Officer in making the original returns, and upon the tables and abstracts here compiled—be well done, it can possess little or no comparative value. Accordingly, any failure or neglect upon the part of Town Clerks to render full and complete returns is carefully noted, and a correction of the delinquency secured, so far as is practicable.

A great draw-back upon the accuracy of our present system of Registration lies in the want of authority, compelling full and accurate returns to be made to the Town Clerks, and by them transmitted to this office. Under the present system, facts pertaining to each branch of Registration are loosely and imperfectly collected, by reason of the inefficiency or neglect of District Clerks, and until this authority and obligation to compel perfect returns to be made, is delegated to the Town Clerks, who, it naturally seems, should be the proper persons for such duty, no way suggests itself for greater thoroughness and value than by a continuance of the steady, persistent efforts hitherto employed to that end.

Agreeably to an act of the Legislature, approved November 15th, 1866, requiring the tabulation and publication of all the Divorces granted in this State for the last five years, ending December 31st, 1866, blank sheets for Proper returns of such facts as might be of interest, were prepared and forwarded to the several County Clerks of the State, and the result of such returns and compilation is herein contained.

The summary of remarks deduced from the different tables and statistics embraced in this report, is from the pen of Oscar F. Fassett, M. D., of St. Albans, who, for the last few years, has ably performed that laborious duty without fee or reward, and to whom the gratitude of the State is eminently due.

Respectfully submitted,

GEORGE NICHOLS, Secretary of State.



# CONTENTS.

#### TABLES.

I.	GENERAL ABSTRACTS.—Population in 1860, Births, Marriages and Deaths, registered in each town, distinguising the sex and parentage of Births, the nativity of Marriages, the sex, aggregate and average ages, and the percentage of Deaths.	•
	Recapitulation of General Abstracts,	18-19
II.	BIRTHS,—showing the number of each sex, in the several counties, during each month,	20-21
	A. Supplement.—Plurality Births, by counties, by months and by sex,	22
	B. Supplement.—Illegitimate Births, by counties, by months, and by sex,	23
Ш.	MARRIAGES,—by counties and by months,	24
IV.	Persons Married,—By ages, and by conjugal conditions, .	25-27
₹.	DEATHS,—by counties, by months and by sex,	28-29
VI.	DEATHS ACCORDING TO AGE,—showing the number of each sex at different ages, in each town and county, with the population and percentage,	30–59 30–61
7ſ.		62-71
n.	CLASSIFICATOR OF THE CAUSES OF DEATH,—by counties, with the totals and percentage,	72–78
X.	OCCUPATIONS,—showing the number of those pursuing different avocations, the number of deaths in each, the ratio of the living, and the aggregate and average ages of those dying,	79— <b>80</b>
X.	EXHIBITING the number of Divorces granted by the Supreme Court, during the last five years, ending December 31st, 1866, with the causes thereof; also the number of marriages in each year, and the ratio of divorces to marriages,	81-87
KI.	RECAPITULATION OF DIVORCES, — grated during the five years ending December 31st, 1866,	86-87
П.	EXHIBITING the number of Divorces granted during the five years, ending December 31st, 1866, arranged by counties, with special reference to the Libelant in each case, and the causes therefor.	88-80

#### REMARKS.

Value of the Reports in relation to Science,
Negligence of medical mon in making proper returns,
Delinquent towns in 1836,
•
Comparison of Births, Marriages and deaths with previous years,
POPULATION.
Condition of the State in regard to its population,
Ratio of native and foreign population,
Effects of the war upon our population,
Births.
Whole number for 1866,
Table of births, aggregate for ten years, with the annual birth rate, mean
birth rate, and sex,
Increase of births in this State,
Sex; ratio of males to females, . ,
Table showing each sex by counties, and the ratio of males to females,
Season,
Plurality births,
Illegitimates,
Stillborn,
PARENTAGE.
Ratio of native to foreign parentage,
Table giving the number of births during the year, by counties, with
the number of inhabitants to one birth and the parentage,
Marriages.
Whole number in 1866,
Table giving comparison with former years, and the average for ten
years,
Social condition of parties marrying,
DEATHS.
Whole number in 1866,
Table showing the whole number for the last nine years, with the per- centage and the ratio of the living to the dead of 1866,
Average number of deaths annually,
Number of dead whose ages are given,
Average age of those dying,
Table showing the deaths for 1866, with ages, sex and rates,
Ratio of males to females dying,
Seasons,
<b>ST</b> 10.15
Percentage of deaths by quarters,
7
ř.

CAUSES OF DEATHS.	
Causes of death—General Remarks,	98
Table showing the fatality from all classes of disease, with a percentage of the whole during ten years,	99
ymotics.	00
Whole number for 1866,	99
Diphtheria, decrease of deaths from this cause, from preceeding years,	99
Scarlatina,	99
Croup,	99
Typhoid fever,	100
Dysentery,	100
Diarrhoa, Whooping Cough, Cholera Infantum, Erysipelas, and Puer- peral Fever.	100
Intemperance and Delirum Tremens,	100
Constitutional Diseases.	
Whole number of deaths from this class,	100
Fatal diseases of this class,	100
Dropsy and Cancer,	100
Consumption, its fatality,	101
Table showing the deaths from Tubercular Diseases, with percentage of	
all deaths, and rate to living,	101
Local Diseases.	
Diseases of Respiratory Organs,	101
Ratio of deaths from this class of diseases, to the whole number dying,	101
Nervous Diseases - their ratio of fatality,	101
Organs of Circulation,	101
Developmental Diseases.	
Diseases of Children	102
Diseases of Old People,	102
Violent Deaths.	
Whole number for 1865, and their percentage,	102
Suicide, whole number of deaths by	102
Appendix.	
	-104
•	-108
Laws of this State relative to the Registry and returns of Births,	
	-112
•	

# REGISTRATION

OF

BIRTHS, MARRIAGES AND DEATHS

ш

VERMONT,

FOR

THE YEAR ENDING DECEMBER 31, 1866.

### TABLE I.—BIRTHS,

## Returned to the Secretary's Office,

#### ADDISON

	1860.			B	RTH	s.		
Towns.	ion in 1	No.		Sex.		PAI	RENTA	GE.
	Population in 1860	Whole	M.	F.	Un.	Am.	For.	Unk.
Addison,	1000	14	5	9		9	- 5	
Bridport,	1298	35	12	17	1	22	12	1
Bristol,	1355	30	18	12		20	8	2
Cornwall,	977	29	16	13		14	14	1
Ferrisburgh,	1738	23	12	11		15	8	
Goshen,	394	16	8	8		14	2	
Granville,	720	16	11	5		12	4	
Hancock,	448	13	6	7		11	2	
Leicester,	737	18	7	11		8	9	1
Lincoln,	1070	30	16	13	1	21	. 7	2
Middlebury,	2879	46	28	18		80	12	
Monkton,	1123	20	12	8		16	4	l
New Haven,	1419	20	7	13		10	9	1
Orwell,	1341	32	22	10		18	11	3
Panton,	501	11	8	3	• • •	8	2	1
Ripton,	570	18	10	8		10	8	5
Salisbury	853	5	1	4		3	1	1
Shoreham,	1382	30	17	13		21	9	
Starksboro,	1437	41	23	18		27	13	1
Vergennes,	1286	6	5	1		1	5	
Waltham,	263	9	1	8		6	3	
Weybridge,	667	10	2	8		7	3	
Whiting,	542	8	6	2		6	2	
Totals,	24010	480	258	220	2	309	148	28

## L-338.

#### MARRIAGES AND DEATHS.

For the Year ending December 31st, 1866.

#### COUNTY.

М	ARR	IAGI	es.				DH	EATE	is.	*	
No.	N.	ATIVE	TY.	No.		Sex.		1	AGE.	age.	
Whole	Am.	For.	Un.	Whole	M.	F.	Un.	Ages given.	Agg'te.	Av'ge.	Регсепtаge.
4	4			7	3	4		7	402	57.42	.70
24	16	4	4	16	10	6 7 6		16	656	41.00	1.28
14	11	1	2 3	21	14	7		21	854	40.66	1.54
26	22	1	3	9	3			9	449	49.88	.95
80	25		5	14	4	10		14	667	47.64	.80
14		4		8	6	2 3		8	294	86.75	2.08
18			5	6	3	3		6	247	41,06	.88
8		1		6	8	3		6	144	24.00	1.38
8		2	1	9	5	4		9	496	55.11	1,25
10		1	1	18	10	8		17	576	33.88	1.68
80		18	15	41	23	18		39	1828	46.87	1.43
24				6	3	8		6	285	47.50	.51
26		1	2	8	4	4		8	389	46.12	.50
22	18	2	3	21	10	11		21	859	40.90	1.56
12	9		8	15	8	7		15	412	27.46	2.99
6	4		2	5	8 2 3	3		5	224	44.80	.87
24	9	1	14	6	8	3		6	279	46.50	.70
8	8			11	6	5		11	378	34.36	.79
12	10		2	17	12	5		17	251	14.76	1.18
10	7		3	2	2				36	18.00	.16
2			3 2	4	12 2 2 2	2		2 4 5	308	77.00	1.59
8	1		7	4 5	2	3			332	66.40	.74
				2	2			2	140	70.00	.30
90	286	31	73	257	140	117		254	11386	44.65	

#### TABLE I.—CONTINUED. BENNINGTON

	1860.			В	RTH	s.		
Towns.	.g	No.		Sex.		PAI	BENTA	GE.
	Population	Whole	М.	F.	Un.	Am.	For.	Un.
Arlington,	1146	33	16	17		25	7	1
Bennington,	4389	119	68	51		71	40	8
Dorset,	2090	64	36	27	1	29	33	2
Glastenbury,	47	3	3			2	1	
Landgrove,	320	8	1	7		8		
Mauchester,	1688	45	26	19		33	11	1
Peru,	543	13	6	6	1	12		1
Pownal,	1731	37	18	19	3.4.5.4	27	6	4
Readsboro,	930	17 31	8 15	9		17 26		
Rupert, Sandgate,	805	13	8	5	* 1	7	3	3
Searsburgh,	262	6	3	9		5	1	3
Shaftsbury,	1936	28	14	14		20	7	1
Stamford,	759	15	10	5		12	3	
Sunderland,	567	8	5	3		7	1	
Winhall,	741	22	15	7		19	3	
Woodford,	379	4		4		4		
Totals,	19436	466	252	212	2	324	120	22
	CA	LEDO	NIA					
Barnet,	1994	11	6	5		7	4	
Burke,	1138	23	9	13	1	15	5	3
Danville,	2544	43	24	17	2	31	9	3
Groton,	939	28	18	10		27	1	4.4.4
Hardwick,	1369	18	9	9		13	1	4
Kirby,	473	12	6	6		10		2
Lyndon	1695	27	7	19	1	21	6	1.01
Newark,	567	11	5	6	1.11	10		
Peacham,	1247	23	11	9	3	19	2	2
Ryegate,	1098	22	11	11		19	3	
Sheffield,	836	28	13	15		23	4	1
St. Johnsbury,	3469	119	58	60	-1	78	24	17
Sutton,	987 1099	18 25	7	11 11		15 18	3	
Walden,	1171	21	10	11		18	1	2
Wheelock,	832	24	12	12		17	6	1
								-
Totals,	21458	453	220	225	8	341	73	39

# TABLE I.—Continued. COUNTY.

MA	RR	IAGI	es.				DE	CATH	IS.		
No.	N	ATIV1	ry.	No.		Sex.			Age,		nge.
Whole	Am.	For.	Un.	Whole	М.	F.	Un.	Ages given.	Agg'te.	Av'ge.	Percentage.
20	16	4		15	10	5		15	825	55,00	1.30
88	24	14	50	76	39	37		75	2335	31.40	1.73
28	10	6	12	38	21	17		37	1366	36.91	1.8
	en.			2	2			2	29	14.50	4.2
4	8		1	9	5	4		9	407	.45 22	2.8
56	31	5	20	21	15	- 6		20	643	32.15	
18	14		4	1	1			1	28	28,00	.1.
42				30	15	15		30	1076	35.86	1.7
2				9	5	4		9	301	33.44	.9
10				7	5	2	1 4 4	7	213	30,42	, G
10	8		2	8	4	4		8		36.87	.9
6			2	~			1 1 1	0	=v1	00.01	. 47
22		1	3	17	6	11		17	746	43.88	.8
30		3	2	10	7	3	4 4 4 1	10	116	11.60	1.3
14	8	6	-		i	1		1	20	20.0	.3
20		1	7	6	3	3	P 4	6	246	41.00	.8.
6		, -	•	O	a	+3	1	0	290	41.00	,0
-		-	* * *		111		* * *			4.1	
376	233	40	103	251	189	UNT:		247	8648	35,01	1.2
14	13	1	1	9	- 60	9	1.	8	277	20 (1)	
12		1	• •		10	3	1	14	551	38 62	$\frac{1.4}{1.2}$
20		2	5	14 18	12		- 1			39.35	
16		Z	9	_	9	6	• •	16	699	43.68	.7
46		1	30	14		5	• • •	12	418	34.83	1.4
2		1	30	10	5	5	• •	9	554	61.55	.7
28		• • •		7	1	6	•	7	280	40.00	1.4
2	18		10	26	9	17	•	24	1069	44.54	1.5
10			1	2	1	1	• • •	2	130	65.00	.3
18	1	• • • •	2	12	3	9		12	684	57.00	.9
	16	2	• • •	16	9	7		15	463	30.86	1.4
	•••	• • •	$ \cdots  $	12	5	7	• •	12	231	19.25	1.4
	- "	• • •	58	82	40	42	• •	81	2409	29.74	2.3
68			10	13	.10	3		12	461	38.41	1.3
68 26	16				5	4		9	304	33.77	.8
68 26 16	14	2		9			• • •	ı		0.0.0.0	
68 26 16 2	14 2			11	5	6		11	365	33.18	.9
68 26 16	14	2	1					ı		33.18 50.35	.9 2.4

# TABLE I.—CONTINUED.

#### CHITTENDEN

	in 1866.			В	RTH	is.		
Towns.	l ni goi	No.		Sex.		PAI	RENTA	GE.
	Population	Whole ]	M.	F.	Un.	Am.	For.	Un.
South Burlington,		18	4	18		6	7	
Bolton,	645	3	2	1	4 ,	3		
Burlington,	7713	137	69	62	6	46	65	26
Charlotte,	1589	17	9	8		9	6	2
Colchester,	3041	112	63	49		39	67	6
Essex,	1906	60	24	36		33	26	1
Hinesburgh,	1702	46	26	20		26	17	3
Huntington,	862	12	7	5.		7	3	2
Jericho,	1669	50	26	24		34	13	3
Milton,	1963	51	34	17		25	26	
Richmond,	1400	10	4	6		7	3	,
Shelburne,	1178	25	16	9		12	12	1
St. George,	121	3	2	1		2	1	
Underhill,	1637	42	23	19		25	17	
Westford,	1231	32	16	16		19	5	8
Williston,	1479	44	25	19		25	19	
Totals,	28136	662	350	305	7	318	287	57
		ESSE	Y.					
Averill	12							
Bloomfield,	320	3	2		1	3		
Brighton,	945							1 4
Brunswick,	212	3	3			3		
Canaan,	498	6	5		1	- 6		
Concord,	1291	25	13	12		21	1	3
East Haven	136				4.7			
Granby,	132	2		2		2		
Guildhall,	552							1555
Lemington,	207	6	3	3		6		***
Lunenburgh,	1034							
Maidstone,	259	1		1		1		
Vietory	212	5	3	2		5		
Totals	5586	45	24	20	1	41.	1	3
	FR	ANKI	LIN					
Bakersfield,	1451	34	19	15		20)	11	3
Berkshire,	1890	26	8	18		15	9	2
Enesburgh	2066	21	10	11		8	8	5

## TABLE I.—Continued.

#### COUNTY.

M	ARR	LAGE	es.				DE	ATH	s.		
No.	N.	ATIVI	ry.	No.		Sex.			AGE.		age.
Whole No.	Am.	For.	Un.	Whole No.	M.	F.	Un.	Ages given.	Agg'te.	Av'ge.	Percentage.
2	2	<del></del>		- 8	3	5		$-\frac{1}{8}$	393	49.12	
4	3	,	1	4	3	1		4	109	27.25	.62
174	68	97	9	56	27	24	5	56	1042		.73
18	15	3		13	5	8	• • • •	13	397		.81
98	49	9		38	27	11		38	1155	30.39	1.24
34	17	6	11	25	10	15	• • • •	24	655	27.29	1.31
28	23	1	4	31	19		1	30		30.86	1.76
••••			···:	6	2	4	•••	6			.69
46	26	4	16	16	8	8		16		40.18	
46	35 05	10 3	1	29	9	20	• • • •	28 7	1156 386		
28 18	25 2	9		10 13	3 6	7 6	•••	13	483		.71 1.10
	2 2	••••	16	10		ס	1		1	37.13	.82
2 14	11	1	2	24	1 12	12	•••	24	497	20.70	
34	16	i	17	8	3	4	i	- <del>2</del> 5	300		.64
46	31	8	7	19	13	6	^	18		33.16	
				i		l	<u></u> 8				
592	324	143	124	301	151			293	8888	30.33	1.06
					CO	UNT	¥.				<del></del>
••••		•••		9	6	2	. 1	9	147	16.33	2.81
• • • •	• '	• • •	• • •	1	1	•••	• • • •		•••••	•••	
• • •			••••	10	7	2	1	9	147	16 33	.47 2.45
46			46	18	9	9		18	509	28.27	1.39
• • • •				ļ ļ			• • • •			  ••••••	
40	· · · ;	. ••		2	• • • •	2			80	40.00	1.51
12 4	3	1	8	3	• • • •	3	• • • •	3	76	25.33	1.44
• • • •	• • • •	• • • •			• • • •	• • • •	• • • •	• • • •			
<sub>pr</sub>	• • • • •			1	1		•••	1	50		.38
4	4			$-\frac{1}{2}$		1		1	58	1	
66	11	1	54	35		<u> </u>		32	920	28.75	.60
						UNT					
24	17	3	4	17	7	10		13			
26	3 3	1		12	7	5		11			
34	32	2	1	6	2	4	1	6	188	19.66	.29

#### TABLE I.—CONTINUED.

#### FRANKLIN (Continued)

	1860.	-		В	RTH	s.		
Towns.	Population in 1860.	No.		Sex.		Pai	RENTA	GE.
	Popula	Whole	M.	F.	Un.	Am.	For.	Un.
Fairfax,	1987	21	12	9		17	3	1
Fairfield,,	2497	48	25	23		23	24	1
Fletcher,	716	22	13	13		19	3	
Franklin	1781	. 8	7		1	ā	2	1
Georgia,	1547	22	12	1(	1 6 14	1.7	4	1
Highgate,	2526	41	15	26	1	24	12	5
Montgomery,	1262	52	25	27	181	33	18	1
Richford,	1338	30	15	15		16	12	2
Sheldon,	1655	31	9	2	1	21	G	4
St. Albans	3637	148	77	71		55	90	3
Swanton	2678	71	35	36		33	32	6
Totals,	27231	575	282	291	2	306	234	35
	GR.	AND I	SLE					
Alburgh,	1793	43	22	21		17	15	11
Grand Isle,	708	21	11	9	1	12	á	4
Isle La Mott,	564	15	4	11		6	1	8
North Hero,	594	10	4	6		4	5	1
South Hero,	617	16	7	9		8	8	
Totals,	4276	105	48	56	1	47	34	24
a second city control		-			-			
72 1 2 1		MOIL		. al	- 1	101	431	
Belvidere,	366	17	11	6	* 1 1 4	15	2	
Cambridge	1784	15	11	3	1	14	1	
Eden,	919	30	9 5	21		23 7	4 2	3 2
Elmore,	602.	11	17			30	1	- 2
Hydepark,	1409	40	15	16 25	-	31	4	5
Johnson,	1526 1751	32	17	15		28	1	3
Morristowa,	2046	47	28	19		40	6	1
Stowe,	747	14	7	7		14	0	1
Wolcott,	1161	28	15	13		25		3
Totals,	12311	267	135	131	1	227	21	19
	0	RANG	E					
Bradford,	1689	40	19	21)		33	6	1
Braintree,	1225	27	14	12	1	20	5	2
Brookfield,	1521	32	17	14	1	24	5	3
T-0-1				-				- Comments

# 66.]

### TABLE I.—CONTINUED.

#### COUNTY.

MA	ARR	IAGE	s.				DI	EATH	IS.		
No.	N	ATIVI'	ry.	No.		Sex.			AGE.		lage.
Whole No.	Am.	For.	Un.	Whole No.	М.	F.	Un.	Ages given.	Agg'te.	Av'ge.	Percentage.
32	19	1	12	17	9	. 8		17	831	48.88	.85
58	. 33	24	1	32	18	14		30	1340	44.66	1.28
6	3		3	17	7	10		17	632	37.17	2.37
28			28								
32	10	1	21	14	11	3		13	316	24.30	.90
6		1		19	11	8		19	581	80.57	.75
10	8		2	11	4	6	1	11	236	21.45	.87
32		3	16	13	8	5		13	308	23.69	.97
26	13	2	11	15	7	8		12	578	48.16	.90
144	18	9	117	58	23	35		55	1754	31.89	1,59
62	29	25	8	39	25	13	1	38	1179	31.02	1.45
520	203	$-\frac{1}{72}$	245	$\frac{1}{270}$	139	129	2	255	8928	35.01	.99
-						UNT	v				
16	13	3		14		7	I.	10	290	1 90 00	. =0
4	2.0	-			7	6	- 4			29.00	.78
. "	0	1	* * * *	9	3 2	8		9	509	56.55	1.27
. 2	2		- 4	5	1	0	1	1	15 71	15.00	.84
	4			6	4	2		5	152	71.00	.16
22	18									30.40	.97
	10	4		35 <sub>1</sub>	17	18		26	1037	39.88	.82
10	0		411			UNT	Y				
36			1	4	2	2	1 4 4	4	175	43.75	1.09
6		1	12	17	4	13		17	503	29.52	.95
2	1 40	1	3	11	6	5		11	341	30.00	1.19
28	- 40			6	5	1		6	244	40.66	.99
58			3	8	5	3		8	309	38.62	.50
66	10	2	16	23	11	12		22	694	31.55	1.50
54	14.4		66	22	14	8		22	656	29.81	1.25
10		1	12	27	12	15		27	1180	43.70	1.31
14	13	1	8	9 16	5	10		16	418 623	46.44	1.20
284		6	221	143	70	73	* * * 4	142	5143	39.12 36.21	1.37
-	101	O.	221	140			****	142	0140	50.21	1.16
50	401	<b>P</b> 1	_	011		UNT	Υ.		0.1-	1000	
12	40	5 2	5	21	14	7		21	841	40.04	1.24
20	9 15	Z	1 5	15 23	7	8	••••	15	479	31.93	1.22
ZUI	191	••••	511	23	12	11	• • • •	23	1384	60.17	1.5

#### TABLE I.—CONTINUED.

ORANGE (Continued)

	1866.			В	RTH	IS.		
Towns.	12	No.		Sex.		Pai	RENTA	GE.
*	Population	Whole	M.	F.	Un.	Am.	For	Un.
Chelsea,	1757	24	9	15		23	1	
Corinth,	1627	16	10	5	1	16		
Fairlee,	549	11	4	7	1 5 5	10		I.
Newbury	2549	42	24	18		34	7	1
Orange	936	16	5	11		16		
Randelph	2502	47	24	22	1	40	3	4
Strafford,	1506	29	17	12	1.0	27	1	1
Thetford,	1876	25	16	9		21	1	3
Topsham,	1662	30	16	14		28	2	10 4
Tunbridge,	1546	31	17	14	P	30		1
Vershire,	1054	10	5	5		6	4	100.4
Washington,	1249	55	12	10	1 ×1	20	2	
West Fairlee,	830	11	4	6	1	10	** *	1
Williamstown,	1377	23	12	11	* A P	22		1
Totals,	25455	436	225	206	5	380	87	19
	O1	RLEA	RZ					
Albany,	1224	22	14	8		17	4	+ 1
Barton,	1590	10	9	1		6		4
Brownington,	757	15	7	8		13	1	1
Charleston,	1160	19	10	9	!	14	4	1
Coventry,	914	30	14	16		21	9	
Craftsbury,	1413	32	13	19		2.2	2	8
Derby,	1910	36	14	22		18	18	
Glover,	1244	29	13	16		18	11	
Greensboro,	1065	23	11	12		18	3	2
Holland,	748	21	11	10		13	7	1
Irasburgh,	1131	28	14	14	1	17	10	1
Jay,	474	15	6	9		11	4	
Lowell,	813	27	15	11	1	20	7	
Morgan,	548	16	7	9		15	1	4.16
Newport,	1197	15	10	5		10	1	4
Salem,	603	3	2	1		1	2	
Troy,	1248	8	4	4	** .	5	2	I
Westfield,	618	27	17	10		12	12	3
Westmore,	324	8	5	3		3		5
Totals,	18981	384	196	187	1	254	98	32

#### TABLE I.—CONTINUED.

#### COUNTY.

M	ARR	IAGI	es.				DE	EATE	ıs.		
No.	N.	ATIVI:	ry.	No.		Sex.			AGE.		90.0
Whole No.	Am.	For.	Un.	Whole No.	м.	F.	Un.	Ages given.	Agg'te.	Av'ge.	Percentege
34	7	1	26	22	8	14		22	756	34.36	1.
20	20			16	5	11		16	794	49.62	
8	6		2	8	4	4		8	341	42.62	1.
74	<b>5</b> 6	4	14	28	14	14		28	1501	53.60	1.0
10	. 9	1		13	6.	7		13	481	37.00	1.
68	54	4	10	54	23	31		54	2259	41.64	2.
50	48	2	ا ا	18	12	6	. <b></b>	18	786	43.66	1.
54	36		18	24	13	11		24	948	39.50	1.
14	9		5	18	10	8		18	637	<b>35.3</b> 8	1.0
46			46	27	11	16		26	1231	47.34	1.
12	5	1	6	7.	5	2		7	159	22.7	
4	2		2	15	9	5	1	15	542	36.13	1.
14	8	2	4	8	3	5		8	375	46.87	
34	17		17	14	6	8		14	557	39.78	1.0
524	341	22	161	331	162	168	1	330	14071	42.63	
					co	UNT	Y.				
38	32	3	3	9	5	4		9	388	43.11	
36	6	3	27	7	3	4		$\tilde{6}$	271	45.16	
8	6	1	1	11	4	6	1	11	345	31.36	1.4
44	10	1	33	25	9	16		23	641	27.86	2.
20	12	3	5	12	4	8		12	552	45.83	1.8
24	14	3	7	ii	5	6		11	254	23.10	
64	19	10	35	22	12	10		22	754	34.27	1.1
22		22		14	7	7		14	524	37.42	1.1
22	18	3	1	18	5	13		18	696	38.66	1.6
20	10	10	•	13	10	3	•••	13	658	50.61	1.3
16	14	10	2	13	6	7	••••	13	558	42.92	1.1
4	1	3	-	3	2	i	••••	3	140	46.66	1
12	12	"		6	2	4	• • • •	4	141	35.25	
4	3	1	•••	7	3	4		6	292	48.66	1.5
14	11	1	2	13	7	6	••••	12	394	32.83	1.0
6	5	1	Z	2	1	1	••	2	14	7.00	3,1
22	17	3	2	10	2	8	••••	10	212	21.20	
24	16	5	3	6	3	3	• • • •	6	47	7.83	
4	4	Ü	o	4	2	2	••••	4	172	43.00	1.5
			••••								
404	210	73	121	l 206l	92	113	1	199	6753	33.93	1.0

### TABLE I.-CONTINUED.

#### RUTLAND

	1860.			BI	втн	s.		
Towns.	Population in 1860	No.		Sex.		PAR	RENTA	GE.
	Popula	Whole	M.	F.	Un.	Am.	For.	Un.
Benson,	1256	32	13	19		19	13	
Brandon,	3077	80	42	37	1	38	37	5
Castleton,	2852	51	33	18		27	21	3
Clarendon,	1237	34	16	18		22	10	2
Chittenden,	763	12	6	6		9		3
Danby,	1419	34	21	13		22	9	3
Fairhaven,	1378							
Hubbardton,	606	16	7	9		12	2	2
Ira,	422	15	7	7	1	11	2	2
Mendon,	633	20	10	10		10	10	
Middletowa,	712	12	7	. 5		12		
Mount Holly,	1522	42	22	20		28	12	2
Mount Tabor,	358	10	5	5	0 X 8	3	2	5
Pawlet,	1539	34	17	17		25	.5	4
Pittsfield,	493	9.	7	2		8		1
Pittsford,	1839	40	20	20		18	22	4 801
Poultney,	2278	44	26	10		15	23	6
Rutland,	7577	320	181	137	2	73	240	7
Sherburne,	525	15	7	8	9.5	15		
Shrewsbury,	1175	32	16	16		26	6	
Sudbury,	696	10	7	3		6	4	4
Tinmouth,	620	4	2	2		4		
Wallingford,	1747	38	19	19		26	10	2
Wells,	642	15	6	9		11	4	
West Haven,	580	9	6	3		7	2	100
Totals,	35946	928	503	421	4	447	434	47
		SHIN						
Barre,	1839	30	13			28	2	
Berlin,	1545	22	12	10		19	1	2
Cabot,	1318	33	16	17		30	2	1
Calais,	1409	21	13	8		19	1	1
Duxbury,	1000	26	16	10		16	9	1
East Montpelier,	1328	18	8	10		15	2	1
Fayston,	800	29	14	15		17	11	1
Marshfield,	1160	22	12	10	* * *	20	1	1
Middlsex,	1254	20	13	7		14	4	2

# TABLE I.—Continued.

					CO	UNT	Y.	•			
M.	ARR	IAGE	es.				DE	EATE	is.		
No.	N	ATIVI	ry.	No.		Sex.			Age.		36.
Whole	Am.	For.	Un.	Whole	М.	F.	Un.	Ages given.	Agg'te.	Av'ge.	Percentage.
16	13	2	1	9	4	5		9	398	44.22	.71
48	35	6	7	45	26	19		45	1421	31.57	1.46
50	28	10	17	26	16	10		26	1015	39.03	.91
10	6	1	3	11	4	7		11	487	44.27	.88
12	10	1	1	8	3	5		8	164	20.50	1.04
26	17	1	8	29	19	10		29	985	33.96	2.04
10	9		1	10	3	7		10	401	40.10	1.65
6	6			3	2	1		3	80	26,66	.71
8	4	1	3	9	3	6		8		60.12	1.42
4	3	1		9	2	7		8		67.24	1.26
36	14		22	21	11	10	***	20			1.37
6	6			8	3	4	1	8			2.23
34	27	2	5	24	7	17		24	925	38,54	
2	26 26	4	* * * *	8	3	5		8		59.00	1.62
34 34	20	2	4	26	15	11		26		38.30	1.41
234	49	74	12 111	17 105	7 52	10 53	4 + 4 4	99	471	27.70	.74
204	2	1-2	2	5	5	939		5	2382	24.06	1.38
28	24	1	3	25	13	12	1.41	24	194 1178	38,80 49.08	.95
6	6	- 1		7	2	5		7	386	55.14	2.12
6	5		1	3	2	1		3		57.00	1.00
30	23	3	• 4	22	9	13		22	451	20.50	$\frac{.48}{1.25}$
12	12		*	1	1	110		1	17	17.00	.15
8	6	2		10	4	6		10	873	37.30	1.72
660	348	111	205	441	216	224	1		15204		
						UNTY				55720	
62	58	2	2	24	13	11		24	1138	47 44	1 00
16	11	4	ī	15	6	9		15		47.41	1.30
30		.4	30	24	14	10	1	24	985		.97
22	11	2 4 4 7	11	18	8	11	- 4	18	691	41.04 38.38	1.89
				13	9	4		13	557	42.84	1.34
24	17		7	13	8	5		13	714	54.92	.97
6	4	2		9	3	6		9	805	33.88	1.25
12	10	-	2	14	9	5		12	597	49.75	
6			. 414	12	4	8		11	464	42.18	
01			+ 0'0 A	141	16.1	(3)		1 11	1 203	42.10	.99

# TABLE I.—CONTINUED. WASHINGTON (Continued)

	1860.			В	RTH	īS.		
Towns.	.≘	No.		Sex.		PAI	RENTA	GE,
	Population	Whole	M.	F.	Un.	Am.	For.	Un.
Montpelier,	2411		22	18	1	16	16	8
Moretown,	1410	29	13	16		11	10	8
Northfield,	4329	74	38	34	2	42	28	4
Plainfield,	822	24	12	12		23	1	
Roxbury,	1060	31	18	13		26	4	1
Waitsfield,	1005	22	10	12		15	4	3
Warren,	1041	19	18	6		19		
Waterbury,	2198	43	23	20		26	13	4
Woodbury,	999	18	5	13		16		2
Worcester,	684	25	10	14	1	18	1	6
Totals,	27612	547	281	262	4	390	110	47
	W	INDH	AM					
Athens,	382	5	3	2		51		<del></del>
Brattleboro,	3855	53	32	21		45	7	1
Brookline,	243	4	4			4		
Dover,	650	12	3	9		10		2
Dummerston,	1021	18	10	8		14	3	1
Grafton,	1154	15	7	8	.	15		
Guilford,	1291	19	15	4		18		1
Halifax,	1126	36	16	20		32	4	
Jamaica,	1541	39	12	27	]	. 34		5
Londonderry,	1367	20	12	8		20		
Marlboro,	741	13	6	7		13	i	
Newfane,	1192	20	13	7		19		1
Putney,	1163	20	9	11		17	1	2
Rockingham,	2904	2.7	12	14	2	13	13	2
Somerset,	195	2		2	• • •	1	• • •	1
Stratton,	366	10	6	4		10		
$\mathbf{Townshend,}\dots \cdots  $	1376	23	9	14	• • • •	23	• • •	
Vernon,	725	19	9	10	• • •	18	1	
Wardsboro,	1004	16	7	9	• • •	13		3
Westminster,	1300	23	8	15	• • • •	19	1	3
Whitingham,	1372	30	13	17	••••	29	••••	1
Wilmington,	1424	24	11	13		22		<b>2</b>
Windham,	680	9	6	3		9		• • • •
Totals,	26992	458	223	233	-2	403	30	25

## TABLE I.—CONTINUED.

#### COUNTY

MA	RRI	AGE	s.				DF	ATE	is.		
No.	N	TIVI	r¥.	No.		Sex.			AGE.		age.
9	Am.	For.	Un.	Whole	M.	F.	Un.	Ages given.	Agg'te.	Av'ge.	Percentage.
20			20	29	13	16		25	854	34.16	1.2
24	20	1	311	16	7	9		16	552	34.50	1.13
76!	6		70	42	18	24		41	1302	31.75	.9
28	5		23	18	8	10		18	710	39.44	2.1
20	17		3	14	5	9		13	290	22,30	1.3
24	17	1	6	14	8	6		14	739	52,78	1.3
12	11		1	10	5	5		10	509	56.90	.9
28			28	20	14	6		20	733	36,65	.9
6	5		1	10	6	4		10		43,40	1.0
8	4	1	3	7	3	4		7	252	36 00	1.0
							4	313	12825	40.97	1.1
424	202	11	211	324	161	162	1	010	12020	40.37	1.1
2	- 0		4.1	44		UNT		4	207	51.75	1.0
190	2			41	33	26	1	59	2823	47.84	1.5
	188	4	4	60			_	8	528	66,00	3.2
2	2	* * *		8	4	4		10	417	41.70	1.5
	4			10	6	4	* * *	17	525	30.88	1.6
12	9	1	2	17	12	5			869	54.31	1.3
14	11		3	16	8	8		16			
16	15		1	20	8	12		20	1060	53.00	1.5
36	11!	0 1 1	25	15	4	11	# h	15	625	41.66	1.3
34	25		9	23	8	15	200.00	21	720	34.28	1.4
24	24		10 1	16	9	7		16	800	50.00	1.1
4	3		1	2	1	1		2	40	20 00	.2
16	16,			17	9	8		17	909	53.47	13
26	1111		26	20	10	10		18	969	53.83	1.7
60	51	2	7	22	13	8	1	17	628	36.58	.7
				1	4 5 9	1		1	55	55.00	. 9
12	9		3	3	1.	2		3	176	58.66	.8
18	17	1.1	1	13	6	7		12	571	47.58	.9
40;	39		1	15	4	11		15	538	35.58	2.0
26	20		6	15	5	10	1 1 1 4	15	883	55.53	1.4
32	24		8	14	3	11		14	832	59.42	1.0
28	14		14	23	10	13		23	790	84.34	1.6
22	19		3	13	7	6		12	689	57.41	.9
4	4			9	4	5		9	289	32.11	1.3
628	507	7	114	356	165	189	2	344	15882	46.11	* 0

#### TABLE I.—Continued.

#### WINDSOR

	W	INDSC	R					
	860.			ВІ	RTH	s.		
Towns.	ion in 1	No.		Sex.		Pai	RENTA	GE.
	Population in 1860	Whole	М.	F.	Un.	Am.	For.	Un.
Andover,	671		11	5		$-\frac{1}{13}$	$\overline{1}$	2
Baltimore,	145	1	1				1	
Barnard,	1487	28	13	15		23	3	2
Bethel,	1803	32	16	16		26	2	4
Bridgewater,	1292	17	12	5		10	1	6
Cavendish,	1509	40	19	21		24	1-6	
Chester,	2126	. 42	18	24		37	4	1
Hartford	2396	60	28	. 32		41	13	6
Hartland,	1748	46	24	22		39	7	
Ludlow,	1568	29	13	16		19	9	1
Norwich,	1759	35	19	16		33	1	1
Plymouth,	1252	23	14	9		18	2	3
Pomfret,	1376	23	8	15		21	2	
Reading,	1159	26	12	14		24	1	1
Rochester,	1507	19	8	11		18	1	
Royalton,	1739	30	16	14		27	3	
Sharon,	1111	27	14	13		19	3	5
Springfield,	2958	54	36	18		48	5	1
Stockbridge,	1264	24	7	17		22	1	1
Weathersfield,	1765	23	12	10	1	20	1	2
Weston,	932	21	11	10		19	2	
West Windsor,	924	23	14	9		21	1	1
Windsor,	1669	38	30	7	1	<b>2</b> 6	9	3
Woodstock,	3062	49	23	25	1	40	8	1
Totals,	37193	726	379	344	3	588	97	41

#### TABLE I.—CONTINUED.

#### COUNTY.

M	ARRJ	AGE	s.				DE	ATH	8.		
No.	N	ATIVIT	r¥.	No.		Sex.			Age.		age.
Whole No.	Am.	For.	Un.	Whole	M.	F.	Un.	Ages given.	Agg'te.	Av'ge.	Percentage.
4	2		2	12	5	7		12	649	54.08	1.78
2	2			2	1	1	,	2	68	34.00	1.37
10	2		8	81	<b>2</b> 0	11		30	835	27.83	2.08
56	41	4	11	26	16	10		26	735	28.26	1.44
14	11		3	16	. 7	8	1	15	342	22.80	1.23
76		12	15	23	8	15		22	878	39.90	1.52
64			2	32	17	. 14	1	32	1235	38.59	1.50
40	16		24	44	21	23	• • •	44	1543	35.06	1.8
14	14		• • • •	16	5	11		16		52.18	.91
42		• • •	15	30	. 11	19		30		42.16	1.93
34			16	30	11	19	• •	30		43.76	1.7
10	2		8	15	10	5		15	928		
8	8			16	8	5 8 8	• • •	16	779		1.1
18	15		3	14	6	8		14			
38			38	21	13	8		21	1167		1.3
36	14	• • • •	22	32	10	22		32	1098		1.8
16	15		1	18	7	11		18	926	51.44	1.6
68	41	••••	27	67	32	35		67			2.2
28	17		11	39	14	25		39			3.0
84	18		14	17	12	5 3		17			.9
22	21	1		. 8	5	3		8	444	55.50	.8
	••••	•••		15	8	6	1				1.6
66			42	22	15			21	825	39.28	1.3
100	) ·	•••	100	37	18	17	1	1 -	I		
800	419	19	362	583	280	298	5	579	22680	39.17	1.5

[188k]

### TABLE I.-RECAPITULATION OF BIRTHS,

	1860.			BI	RTH	s.		
COUNTIES.	ion in l	No.		Sex.		PAT	RENTAG	E.
	Population in 1860.	Whole	M.	F.	Un.	Am.	For.	Ua.
Addison,	24010	480	258	220	2	309	148	23
Bennington,	19436	466	252	212	2	324	120	21
Caledonia,	21458	458	220	225	8	341	78	59
Chittenden,	28136	662	350	805	7	318	287	67
Essex,	5786	45	24	20	1	41	1	8
Franklin,	27231	575	282	291	2	306	234	38
Grand Isle,	4276	105	48	56	1	45	31	9
Lamoille,	12311	267	135	131	1	227	21	1
Orauge,	25455	436	225	206	5	880	87	1
Orleans,	18981	384	196	187	1	254	98	1
Rutland,	35946	928	503	421	4	447	434	
Washington,	27612	547	281	262	4	390	110	
Windham,	26982	458	228	233	2	403	30	
Windsor,	87198	726	879	344	8	588	97	
Vt. Asylum,								
Whole State,	315116	6532	3376	3113	43	4873	172	1

M	ARR	AGE	s.				DE	ATH	S.	•	
No.	N.	ATIVI	ry.	No.		Sex.			AGE.		tage.
Whole No.	Am.	For.	Un.	Whole No.	М.	F.	Un.	Ages given.	Agg'te.	Av'ge.	Percentage.
890	286	81	73	257	140	117		254	11386	44.65	1.07
876	233	40	103	251	139	112	• •	247	8648	85.01	1.29
808	182	9	117	275	131	143	1	264	9902	37.50	1.28
592	825	148	124	801	151	142	8	293	8888	30.33	1.06
66	11	1	54	85	17	17	1	32	920	28.75	.60
526	208	72	245	270	139	129	2	255	8928	85.01	.99
22	18	4		35	17	18	• • •	26	1037	39.88	.79
284	157	6	121	143	70	73		.142	5143	86.21	1.16
524	841	22	161	331	162	168	1	330	14071	42,63	1.80
404	210	78	121	206	92	113	1	199	6758	83.98	1.08
664	848	111	205	441	216	224	1	431	15204	85.19	1.22
424	202	11	211	324	161	162	1	813	12825	40.97	1.17
628	507	. 7	114	856	165	189	2	344	15882	46.11	1.81
800	419	19	862	583	280	298	5	579	22680	89.17	1.56
	• • •			33	17	16		83	1658		
6002	8442	549	2011	3841	1897	1921	28	3742	143925	88.48	1.21

#### TABLE II.-BIRTHS.

Exhibiting the number of each Sex born in the several Counties during each month in the year.

			- 1	· ·		· t		-	-	L		- 1	- 1	-		-
Months.	Sex.	Whole Number.	A ddison.	Bennington.	Caledonia.	('hittenden.	FESHE.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Jan.	Male. Female. Unkno'n.	194 182 1	13 13	16 10	12	26 16	2 2	16 19	3	7 6	15 15	10 11	33	16 16	10 14	16 24
Feb.	Male. Female. Unkno'n.	214 177 2	16 11	19 14	13 14 2	27	2 1	15 13	3 2	10 	13 15	15 15	33 25	11 19	17 13	26 18
March.	Male. Femsle. Unkno'n	249 230 3	17 10	25 21	20 25 1	31 23	3	14 21 1	1	7 12	15 9 1	19 12	41 33	25 18	15 18	19 25
April.	Male. Female. Unkno'n.	265 239 6	21 13	24 22	18 17 1	26 17 2	2	20 17	4 5	8 6 1	17 19 1	15 14		23 22	13	32 24 1
May.	Male. Female. Unkno'n.	311 287 5	22 19 1	24 21	23 20 1	31 31	3 2	24 21	2 10	7 13	20 24 1	28 13	49 41 1	24 19	15 20 1	39
June.	Male. Female. Unkno'n.	252 249 2	22 25	13 17	13 23	16 24	2	22 29	6 5	10 6	19 18	14 23	42 25 1	24 15 1	21 20	30 26
July.	Male. Female. Unkno'n.	300 282 1		18 18	18 24	31 18	3 1	28 38	4	12 14	19 18 1	18 25		22 29	20 26	43 18
Aug.	Male. Female. Unkno's	308 305 2	25 21	19 22 1	17 19	36 35	2	30 28	3 4	13:	18 12		50 47	23 26	21 21	34 31 1
Sept.	Male. Female. Unkno'n.	339 305 1	32		27 19	32 36 1		31 25	8 2		24 22	17 16	42 29	28 30	22 24	28 34

## TABLE II .-- CONTINUED.

Months.	Fex.	Whole Number,	Addison.	Bennington.	Caledonia.	Chittenden.	Esser.	Franklin.	Grand Isle.	Lamoille.	Otange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
Ost.	Male. Female. Unkno'n.	316 274 5	25 16 1	23 18	31 23 1	32 30	5 2	23 27	11	14 6	25 17	14				_
Nov.	Male, Female. Unkno'n.	309 288 2	21 21	19 13	15 14 1	37 34	1 3 1	29 26	3	16 14	22 23	18 12				
Dec.	Male. Female. Unkno'n.	299 269 7	18 19	26 15	12 14	21 28 4	1	30 34	6	18 8	14	10 12		42 23		35 39
Chak'n.	Male. Female. Unkno'n.	24 22 6	2	3 2 1	i	6		2	1 1	2	4 i	1 1 1	1	1	1	5
Aggregate.	Male. Female. Unkno'n	337F 3113 43 6532	220 2	212	220 225 8 453	350 305 7	20	282 291 2 575	56 1	135 131 1 267	206 5	187 1	4	262 4	2	344
_	Americ'n	4376	<u></u>	_			-			227	_	254	_	_		
Parentage.	Foreign. Unkno'n.	1724			73 39	287 57	1		34		37 19			110		



#### SUPPLEMENT A .- TABLE II.

Births- Exhibiting the number of plurality cases.

(Included in Tables I and II.)

Months.	Fex.	Whole Number	Addison.	Bennington	Unledonia.	Chittenden.	F.SEEX.	Franklin.	Grund Isie.	Lamonile	Огипде,	Orleans.	Hutland.	Washington.	Windham.	W. Redmor.
January,	Males, Females,	3			9					1	2			-		44
February,		9 5			2	2		٠.	1		1			1		a dia
March,		6		2	* *	1		* 1			24	2	1	12		0 4
April,		6				2								41		
Мау,		6 7			2	2			1	-						90
June,		4									2					
July,		7 3								- 70		2	2		2	
August,		6	2							• •		1	3 2			
September,		4						2			2			1 4	2.7	2 00
October,	Males, Females,	5		2	2	1									4.0	1
November,		13	2			1		1			1		51 04	2	4.4	4
December,		9 5		2		2			# T					4 0		4
Totals,		132	- 8	12	8	14		- 6	2	6	_ 14	-8	_ 16	10	10	16

<sup>\*</sup>Mate, stillborn.

#### SUPPLEMENT B.—TABLE II.

## Exhibiting the number of Illegitimate Births.

(Included in Tables I and II.)

Months.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia.	Chattenden.	MRSEK.	Franklia,	tyrand tale.	Lamolle.	thrange.	Orleans.	Kutland.	Washington.	Windbam.	Windsor.
January,	Males,	1		1										. ,		
February,	Males,	1			1	4 1		1		1 0				i		* *
March,	Females, Males.	1 2 2								1 0	1			4 1	1	
April,	Females,	3		1			- *					1				2
Мау,	Females, Males,	4	i	5 B		1				2					1 2	1
Jane,	Females, Males,	2		2 v		1		12		1 1					+ 6 n +	]
July		3				i		1		* *	1	* *	]			11 4
August,		3 3 9	i	i	1			1			]					
September,	Females, Males,	1		1				1		j						
October,	Females, Males,	1			3 4	i										
November,	Females, Males,	2	1						b 11				4 1			
December,	Females, Males, Females,	2					- 4	ì				4 .		1 1		j
Unknown,	Males, Females,	i								i			- 1			
	Unkno'n.	1		-:	4 1	-	-		a ,	-	1			-	-	-
Totals,		40	3	4	2	4		6		4	5	2	1	3	1	1

#### TABLE III.-MARRIAGES.

Exhibiting the number contracted in the several Counties during each month of the year.

Months.	Whole Number	Addison.	Bennington.	i aledonia.	Chittenden.	Kaser.	Franklin.	Grand Isle,	Lameille.	Orange.	i rleans.	Rutland.	Washington.	Windham.	Windsor.
January,	311	23	15	17	29	4	41	1	10	31	14	33	18	28	47
February,	225	14	13	11	27	3	15		19	16	16	23	20	21	23
March,	248	11	15	12	20	3	12	4.1	13	37	19	21	24	20	41
April,	202	7	18	10	23	1	20		11	26	11	23	7	26	19
May,	213	16	6	9	24	2	22	2	10	18	7	17	13	26	41
Jane,	191	20	17	10	15	3	16	1	12	8	10	21	20	22	16
July,	181	14	9	9	13	1	21		4	11	13	20	10	23	32
August,	172	9	8	10	24	2	13	1	9	10	15	18	10	17	26
September,	287	17	24	17	24	3	25	2	17	14	20	33	25	36	30
October, ,	323	20	18	16	31	5	33	3	14	25	38	43	21	24	32
November,	345	23	17	20	34	5	18		11	44	18	46	25	38	46
December,	265	18	24	12	25	1	24	1	10	19	19	30	16	25	41
Unknown,	38	3	5	1	5			- 1	2	2	2	4	1	8	5
Totals,	3001	195	188	-		33	260	11	142	262	202	332	212	314	400

#### TABLE IV.—PERSONS MARRIED.

Distinguishing by Ages the number of persons, of different social conditions, who were married during the year.

### (A.) Aggregate.

	ber.				Agr	18 01	r V	Vo	ME	M.				
Aces of Men.	Whole Number.	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	d5 to 70.	tiver 70.	Unknown
Whole number	3001	765	967	410	173	92	62	42	17	16	7	9	4	43
Under 20	85	62	21				* *							
20 to 25	1007	444	456	77	S)		1							9
25 to 30	722	192	306	165	29	6	2	1						2
30 to 35	258	47	106	56	38	2	3	1						
35 to 40	178	8	50	57	37	18	4	1						
10 to 45	90	4	11	24	27	15	7	1						
15 to 50	83	2	4	15	22	21	8	5	3		1			
50 to 55	61	2	3	8	7	15	15	8	2		1			
55 to 60	33		1	1	1	3	10	8 8	3	6				
60 to 65	36	2		2		6	7	8	3 6	4	1			
65 to 70	30	4		2	1	3	5	9	9	5	1	1	1	
Over 70	17		1						1	1	3	8	3	
Unknown	401	9	8	3	2	3							-	38

#### (B.) First marriage of both parties.

Whole number	1636	567	048	206	39	5	1	1	1	1.	. 1 :	2 .		 166
Cader 20	63	47	15											 1
20 to 25	756	351	343	48	5									 8
25 to 30	462	135	204	100			1	1						 15
30 to 35	128			20	15									 
35 to 40.	55	4	21	19	7	3				l.,				
40 to 45	9	1	1	4	3									 
\$ to 50	5		1	3		1				1.		I.		 
50 to 55	5		1	1							. 1			
										1			Ť	
50 to 65												11.		 
55 to 70	1			1						١.				 
Ner 70	1									1.0				 
Jaknown	151			1				, .						 148

## TABLE IV .- CONTINUED.

(C.) First of men, but subsequent of women.

	er.				Δe	ES	OF	W	O.M.	EN.				
Ages of Men.	Whole number.	Under 20.	20 to 25.	25 to 30.	30 to 35.		9	2	2	55 to 60.	2	3	1 ver 70.	Dukbeer.
Whole number,	118	5	31	38	13	7	9	2		-				1
Under 20,	3	1 3	2 15										- 1	9.81
20 to 25,	33	3	15	9			1					-		
25 to 30,	35	1	8 5 1	19	3	3 1 2	1							4.7
30 to 35	16		5	4	4	1	1	1					. 0	1,0
35 to 40	10		1	2	2	2	3							
40 to 45	5			2	1		2						4.5	2.0
45 to 50						1		1					4.8	
50 to 55	1						1							
55 to 60					4 4.5									
60 to 65														
65 to 70														
Over 70														Pe
Unknown	11												9.10	1

## (D.) Subsequent of men, but first of women.

Whole number	277	34	59	46	47	25	17	11	8	7	2			믜
Under 20									4 .	- 4				
20 to 25	8	3	5								4.4			
25 to 30	35	14	16	2	3									14
30 to 35	37	5	15	10	7							4 .		2 27
35 to 40	48	3	15	17	9	2		1						Εï
10 to 45	26	2	4	7	9	3	1							
15 to 50	32	2	2	3	14	7 8	2		2					
50 to 55	28	2	1	3	2	8	5	6					Ш.	1.
55 to 60	15				3	2	5	6 2 1	2	3	1		M.	1.
50 to 65	12	2		2			3	1	2	2				
35 to 70	8			1	1	1	1	i	ī	1	1			
Over 70	2		1				. 1			i	1			
Unknown	25	i		1	1	2								

#### TABLE IV .- CONTINUED.

### (E.) Subsequent marriage of both parties.

	er.				A	CO TEXT	OF	W	ом	EH.	,			
Ages of Men.	Whole number.	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50,	50 to 55.	55 to 60.	60 to 65.	65 to 70.	Uver 70.	Unknown.
Whole number	178	1.	8	25	26	25	23	32	4	5	2	8	3	20
Under 20.														
10 to 25	2			2			0.0	0.6						
25 to 30	13	1	4	4	1	3								
30 to 35	10		1	5 3 4	4 5	I						4 0	- 4	
35 to 40	15		2	5	5	2 7 8 3	4.6	A 9						
90 to 45	19		1	3	5	7	1	1					0 V	
45 to 50	25			4	5	8	4	2						
50 to 55	16			2	4	3	6	1						
55 to 60	12			1		4 9 0	6	5	1	1				- 0
60 to 65	15					1	4	1 5 6	1 2	1	1			
65 to 70	16						4	7		3		1	1	
Over 70	11								Í		1	7	2	
Unkupwn.					1							-	-	2

### (F.) Condition of parties not stated.

Whole number	792	158	221	95	48	30	12	6	4	4	1	1	1	21
Usder 20	19	14	4											
20 to 25	208	87	93	18	- 1		9.0							
25 to 30	177	41	74	40	13									1
30 to 35	67	14	29	9	- 8		2							
15 to 40	• 50	1	11	14	14	9	1				1			
0 to 45.,	31	1	5	8	- 8	9 5, 4 3	3							
15 to 50	17		1	8 3 2	8	4	2	2	1	1	1			
0 to 55	11		1	2	1	3	3 2 3 1	1						
5 to 60	6		1			1	1	1		2				
0 to 65	9					5		1.	2	1	I			
5 to 70	5					2		1	1	1	١.,		1	
ver 70	2											1	1	
oknown	190		2	î		I								18

### TABLE V.—DEATHS.

Exhibiting the number of each Sex in the several Counties, dwing each month in the year.

Months.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Jele.	Lamoille,	Orange.	Orleans.	Rutland.	Washington.	Wandham.	Windson.	
Jan.	Male, Female, Unkno'n	162 157 2	15		9 11	15 10 1		18	1	7 9	14				19	16 28 1	
Feb.	Male. Female. Unkno'n.	135 137	14 5	7 9	8 14	11 7	1 2	17 8		1 8	15 14	5 4	16 19	12		10 27	
March.	Male. Female. Unkno'n	189 184 2	17 12	15 10	11 7	14 16 1	1	16 15	i	3 2	17 13 1	8	14 29	23 17		99 30	
April.	Male. Female. Unkno'n.	171 156 4	18 12	11 12	11 13 1	19 7 1		12 12 1	1	6	13	9 10	20 13	14	13	30 30	S. Address of the last
May.	Male. Female. Unkno'n.	135 150 1	6	8 10	12 14	13	1 2	9 12	1	2 4 	9 11	8 7	17 9	12 14	19 13 1	35 	
June.	Male. Female. Unkno'n.	137 148 1	8 7	11 11	7 12	9 11 1	1 2	11 14		8	12 17	8 5	13 15	11 9	14		
July.	Male. Female. Unkno'n.	139 127 3	11 6	11 10	9 7	14 9	1	9 12 1	1 3	6	16 10	7 7	15 10	7 13	12 17	51 19 1	
Ang.	Male. Female. Unkno'n.	185 199 1	9 13	6 13	18 12	12 16 1	4	6 9	3	12 7	9 21	12	31 23	19 17	24 27	28 24	
Sept.	Male. Female. Unkno <sup>3</sup> n.	173 181	12	15 11	17 13	10 17	6	12 12	3	13 10	11 16	12 11	25 26	11 15	8 188	19 20	

#### TABLE V.--CONTINUED.

Months.	Bez.	Whole Number.	Addison,	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin,	Grand Isle.	Lamoille.	Orange.	Orleans,	Rudand.	Washington.	Windham.	Windeor.
0et.	Male. Female. Unkno'n.	163 153			10	12	1 2	9 11	3	4						23 20
Nov.	Male. Female. Unkno'n.	149 150 3	9		13 14	11 9 1	1	11 7	1	8	13 14		11	16 20		
Dec.	Male. Female. Unkno'n.	139 158 1	8 13		5 15	13		10	3 5	3 7	24 13			11 15		
Unk'n.	Male. Female. Unkno'n.	20 21 5		1	1	2 4 2	`i	2	1			3	1 2	1	1	5 2
Aggregate.	Male. Female. Unkno'n	1897 1921 23	140 137	139 112			17 17 1	139 129 2	17 18	70 73	162 168 1					280 298 5
Age	Totals.	3841	257	251	275	301	35	270	35	143	331	206	441	324	389	583
Parentage.	Americ's	3172 298		}	219	233	31	208	24	127	303	164 21	333		299 13	533
Paren	Unkno'n.								5				38			

Note.—The Windham County Total, of 889, includes 33 deaths in the Insane Asylum.

## TABLE VI.—DEATHS,

## Exhibiting the number of each Sex, at different ages,

	1	POPULATIO	K.	-						1	2		-
Towns.	Whole No.	SE	τ.	Under 1	2	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15	15 to 20	St. to 25.	3
Addison.	1000	Males,	512							-			-
Bridport,	1298	Females, Males, Females,	488 618 680					8 F.	• •			0.1	. 0
Bristol,	1355	Males, Females,	660 695		•			1	Ī			1	1
Cornwall,	977	Males, Females,	484 493							11 4	1 .		1
Ferrisburgh,	1738	Males, Females,	869 869						i				- 44
Goshen,	394	Males, Females,	208 186	1								1.1	1
Granville,	720	Wales, Females,	384 336	* 4		1				ï			
flancock,		Males, Females,	235 213	i	3								11
Leicester,	737	Males, Females,	382 355			1			1		1		6.1
incoln,		Males, Females,	546 524	1	1	i	2.1			1	1		
Middlebebury,		Males, Females,	1366 1513	2	-				2	i	2		1
Monkton,		Males, Females,	568 555	1	- 1	-	. 1						• •
New Haven,		Males, Females,	712 707	1			_			1	i		
)rwell,		Males, Females,	692 649	2					1	i		3	. 1
anton,		Males, Females,	257 254	1	1		1	i	2		• •		ì
Ripton,		Males, Females,	303 267						i		i		

ACCORDING TO AGE.

## the several Towns and Counties, during the year.

3 3	5.		5.	<u>.</u>	Š		vi.	and over.	VD.		To	TAL.		
50 to 55.   55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	1 80 to 85.	85 to 90,	1 90 to 95.	95 and	Unknown.	Males.	Fem.	Unk.	Total.	Percentage
2 1 1 1 1 2 1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 3 2 1 1 1	111111111111111111111111111111111111111	1 1 2 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	1	3 10 14 3 3 3 5 10 23 3 10 8	4 6 7 7 6 10 2 3 3 3 4 8 8 3 4 11 7 7		7 16 21 9 14 8 6 6 9 18 41 6 8	

## TABLE VI.-CONTINUED.

	P	OPULATIO	M.										
Towns.	Whole No.	SE	٤.	Under 1.	I to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20,	100	BAS
Addison Continued. Salisbury,	853	Males,	438 413							1		-	-
Shoreham,	1382	Females, Males,	694 688	2	i						1		4 0
Starksboro,	1437	Females, Males, Females,	733	5		2	'n	1 0	2			**	- 1
Vergennes,	1286	Males,	592 694			i							4
Waltham,	263	Females,	134 120			9 t				4 *		**	4
Weybridge,	667	Females,	320 338								2 0		4
Whiting,	542	Females, Males, Females,	268 274			• •							1 0
Aggregate,		Males, Females,	11984 12026	25 11	9	4 3	2	i	9 2	26	91 00	1	-
Totals,			24010	36	9	7	3	1	11	8	10	6	1
Bennington. Arlington,	1146	Males,	550	1					1			1	
Bennington,		Females,	596 2102		1						3	3	ш
	-	Females,	2287 1092	8 2	200 000		1	i					
Dorset,		Females, Males,	998	2	2			1	2	i		1	
Glastenbury,		Females.	19	1				• •					0
Landgrove		Males, Females,	175 145	2		• •	0.7				1 4	1	
Manchester,		Males, Females,	818	6			1		2			2	
Peru,		Males, Females,	294 249	- 4									
Pownal,		Males, Pemales,	880 842	1 4				ì	i		24 02	1	
Readsboro,		Males, Females,	487 443	3							1	1	
Rupert,	1103	Males, Females,	564 539			1					2	4 .	
Sandgate,	805	Males, Females,	417 388	2	. ,			4.4				. 4	
Searsburgh,		Malea, Females,	140 122										1

#### TABLE VI.—CONTINUED.

			7.	9.	7,				4		),		over.	۲n-		To	TAL.		90
OO 10 00	35 to 40.	40 to 45.	1 45 to 50.	50 to 55.	1 55 to 60.	60 to 65.	1 65 to 70.	1 70 to 75.	1 75 10 844.	80 to 85.	85 to 90,	1 90 10 95.	1 95 and over.	Unknown.	Males,	Fem.	Unk.	Total.	Percentage,
	- 0		. ,						1			·i			3				.6
		1				1	i	1 7				1			6	3		6	.7
•	ï		1		* *		- 1	1		i						5		11	.7
			1		1										12	5			1.6
1		- 4		i														17	.7
1	- •		B -6						٠,						2			2	.3
			* *		* *					i				* *	2			4 7 1 1 4 1	14
								2								2		4	1.5
						1	1								2				.6
-						1		1	1						2	3		5	.8
-													4.0					2	
-			-		- 1	_	-		* *		-			-	-			_	
7 70	6	2 4	4	3	0	5	10	10	10	9	5	4		1	140				1.1
8	6	4	6	3	3	10	3	10	6	5	4	3	1	2		117			.9
5	12	6	10	6	9	15	13	20	16	14	9	7	1	3				257	1,0
				1		1		4)	0						10				1.8
							1	1		1		1				5		15	.8
23	2	i		3	4 4		1		2	1	1			4 .	39				1.8
3		1	1	1	2	3				2	2	1		1		37		76	1.6
1			1	3		3	4	1	i	1		1		1	21	37 17		383	$\frac{1.9}{1.7}$
1		b 2				0	* 1				2			* *	2	47		11117	7.1
																		2	17
		2 44			1		1		2	1				4 5	5				2.8
							i	i						1	15	4		9	27
-			1 4		.:	1	1	1	2 0	4					10	6		21	1.8
	* * *	* *		- 1	1	*	4 6	4 4	*				* * .		i	0		7 - 1 - 1 - 1	.2
																		1	
1	1			1	2	3	1		2 4	1		4.4		4 1	15			30	1.6
	2	1	٠.	1			3	- 4.	- 4					4 +	5	15	,	30	1.7
1			• •			• •	1	1				1			5	4		9	1.0
1			i							1	* *	1 0			5			-	.8
i			i													2		7	.3
	1	1	-				i								4				.9
1					- 1			1		• 1						4		8	1.0
4							- 1												

5

i.

## TABLE VI.-CONTINUED.

	I	OPULATIO	N.										
Towns.	Whole No.	SEI	ζ.	Under L	1 10 2.	2 to 3,	3 10 4.	4 to 5,	5 to 10.	10 to 15.	2	20 101 26	1
Bennington Contin'd	1090	VF. Y	7.002				-			-			-
haftsbury,	1936		1001		1				1				ļ
Stamford,	750	Yemales, Males,	935 414							1		1	
Seemiord,	100	Females.	345			1	• =		2 0			4.0	þ
Sunderland,	5.67	Males,	284						_			1 *	
	001	Females.	283			V 20					* 1	1	
Winhall,	741	Males,	3.9	1	i					* *		*	ľ
•		Females.	352					- 1			11	4 1	
Woodford,	379	Males,	201										1
,		Females,	178									1 4	4
			-	-	-	-	-	-	-	-	-	-	
Aggregate,		Males,	9545		6	4	_		7		8	1	
		Females,	9591	2.3	6		1	3	11	3	3	3	I
Totals,			19436	13	12	4	3	4	18	3	īī	13	i
CALEDONIA.													
Barnet,	1994	Males,	986										Į,
		Females,	100%	1			1		v -		2	1	ļ,
Burke,	1138	Males,	560						. 1			1	
		l'emales,	578									1	ŀ
F) 111		Unkno'n.	1.000	1			4 4			4 5			ŀ
Danville,	2544	Viales,	1232	1					1	I		1	ı
C	020	Females, Males,	1312	2			h 4			4 4	2.4	1	4
Groton,	205		478 461		2					1	4 4	4 .	l
Hardwick,	1260	Females, Males,	674									1.4	l
	1003	Females.	695				* *	* *	- 1	* *			ľ
Kirby,	473	Males,	234								3 4	-	ľ
		Females,	239		1			* *	i				ľ
Lyndon,	1695	Males,	868						2			8	ĺ
	1	Females.	827						T			3	ļ
Newark,	567	Males,	304						5 4			- 6	ļ
		Females,	263						4 4			4=4	ŀ
Peacham,	1247	Males,	597								4 5		ŀ
Danasta	1000	Females.	650						v	, .	- 1		l
Ryegate,	1098	Males,	553	2					1		1	i	
Sheffield	020	Females, Males,	545 420	2	· ;	- 4			1	1	1	1	ŀ
Sperment and the contract of	000	Females.	420.		1				1 2	1	4 7		ľ
St. Johnsbury,	3469	Males,	1705.		3	2			_	1	i	1	I
Or OARDBING STATES	1.400	f'emales.	1764	5		1	1		i	1			1
Sutton,	987	Males,	525.	1		. "	. ^		*	1	li		٦
	001	Females,	The said of		0.5		4 .	9 8		0.0	1 4	10.4	刂

#### TABLE VI.—CONTINUED.

4	-	2	٠										wer.	n,		Te	TAL.		ege.
80 to 35.	30 10 40	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	1 70 to 75.	1 75 to 80.	80 to 85.	85 10 90.	1 500 to 95.	1 95 and c	1 Unknown,	Males,	Fem.	Unk.	Total.	Percentage.
5	ì	1 3 3	2	**	0.4 2.3	1			133					5	7 7 1 3 129	11 3	* * * * * * * * * * * * * * * * * * * *	17 10 2 6	1.1 1.6 .8 .3 .3 .7 .8 1.3
4	9	6	6	10	6	13	18	9	_ 16	11	5	- 32		- 4	,			251	1.2
1		1	1	1		1 i	i	2 3	2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1		i i l 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10 12 9 5 1 1 3 3 40	3	1	9 14 18 14 10 7 26 12 16 12	.8 1.7 .5 .9 .4 1.8 1.0 .7 .7 .7 .4 .2 .5 1.0 2.0 .3 .3 .5 .1 .1 1.1 1.1 1.1 1.1 1.2 1.2 1.1 1.1 1

#### TABLE VI.-CONTINUED.

	P	OPULATIO	N.										
Towns.	Whole No.	SEX	<b>C</b> •	Under I.	1 to 2	2 to 3.	3 to 4.	4 10 5.	5 to 10.	10 to 15.	2	20 to 25.	10
Caledonia—Con. Walden, Waterford, Wheelock, Aggregate,	832	Males, Females, Males, Females, Males, Females, Males, Females, Unkno'n.	576 528 592 579 439 393 10743 10715	1 1  28 12 1		1   2 3	1 23			1 1 6 5	1 . 1 . 5 7	1 1 6 11	7
CHITTENDEN. Bolton,	645	Males,	322	112 -			1			1.0	1		
Barlington,	7713	Females, Males, Females,	323 3779 3934	4	6	1	i		3	1		2	
Charlotte,		Unkno'n. Males, Females,	777 812	3		1	i	1	i	2		1	1
Colchester,	3041 1906	Females,	1520 1515 929	3			1	1	1		1	i	
Essex,		Males, Females, Males, Females,	929 977 874 828	6 1	2	1	i		3	2	1	2	2
Huntington,	862		437 425	1 2 1					1				**
Jericho,	1069	Females, Males, Females,	827 842	1					1		]	1.4	i
Milton,	1963	Males, Females,	973 990		1	i				i	1	1	3
Richmond,	1400	Females,									9		9 P
Shelburne,	1178	Males, Females, Unkno'n	617 561	1						1	9.3	9.0	
South Burlington,		Malea, Females,				1				1			

#### TABLE VI .-- CONTINUED.

								7				PF.	FD.		To	TAL,		196.
35 to 40.	40 to 45.	45 to 50.	1 50 to 55.	55 to 60.	(60 to 65,	, 65 to 70.	1 70 to 75.	75 to 80.	80 to 85.	85 to 90	90 to 95.	195 & over.	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
2.	3	i	1 6 2	33	1 3 8 5	2		7 5	5 6 15	4 2	21		4 8	5 7  131	6			1.00 1.50 3.30 1.20 1.20
1.	1.2.		1	11111		3 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1	i		1		3 27 5 27 10 19  8  9	1 24 8 11 15 11 4 8	1	56 13 38 25 31 6	.94 .30 .77 .66 .99 1.76 .73 1.03 1.33 2.11 1.33 .94 .94 .99 .99 .99 .99

#### TABLE VI.-CONTINUED.

	P	OPULATIO:	۲,			N						4	-
Towns.	Whole No.	Sex		Under I	1 to 2	20 20 20 20 20 20 20 20 20 20 20 20 20 2	8 to 4.	4 to 5.	\$ to 10.	10 to 15	15 to 26	20 to 26	Sh to do
Chittenden-Con.									17		I		Ì
Ft. George,	121	Males, Females,	61 60								2		
Underhill,	1637		821 816	1	1	i	1 2	1	2	2		1;	2
Westford,	1231	Males, Females,	618 613				·i		_		- 1		4 6
Williston,	1479	Unkno'n. Males, Feasiles,	726 753	1		i		i			1	- P. C.	- 00
Aggregate,		Males, Females, Unkno'n,	13983 14153				4 6		12	6	8 6	â 10	60
Totals,	,	Curio b,	28136		-	_			18	12	14	15.	15
Essex.													
Averill,	12	Males, Females,	5			* *	11						10
Bloomfield,	320	Males, Feme es,	180 140						1	. 10.		0 1	-1
Brighton,	915	Unkno'n. Males, Females,	490 455	1								4.0	. 4
Branswick,	212	Males, Females,	123								4 4	1 0	9.5
Canaan,	408	Males, Females,	236 172								1	3 4	p. 4
Concord,	1291	Males, Females.	687 604		i	1		1	20				ï
East Haven,	136	Males, Females,	75 61									4 4	2 4
Ferdinand,	34	Males, Females,	29						4 -			. 1	
Granby,	132	Males, Females.	66 66		7 -								
Guildhall;	552	Males,	281 271						1 0			2.9	
Lemington,	207	Females, Males, Females,	99					- 1				, .	

### TABLE VI.-CONTINUED.

1       3       4       1				~:		1.		-3						OVER.	70.		To	TAL.		98
1       1	30 to 36	35 10 40	40 to 40	45 to 50	50 to 55	1 55 to 60	60 to 65	0.0 0.0 7.0	1 70 to 75	75 to 80	80 to 85	1 85 to 90	90 to 95	1 95 and	Unknow	Males.	Fem.	Unk.	Total.	Percents
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2 3	34	54	1	1 5 6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4 5	1118	2 1 5 7	5 5	1 6 5	3	1	1	1 5 2	12 3 13 151	12 4  6	8	8 19	1.63 1.46 1.47 .48 .66 1.79 .79
1 1 2 1 9 1 18 1.4 1 2 1 9 18 1.4 1 2 2 3.6	i					1										6	2	····	9	3.3
						1	1		2		1				1	9	9		18	8

#### TABLE VL-Continued.

	P	OPULATION	r.	Π						Ī		IL
Towns.	Whole No.	Sex		Under 1.	10 %	2 to 3.	3 to 4.	4 10 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25,
Essex.—Continued. Lunenburgh,  Maidstone,  Norton,  Victory,  Aggregate,  Totals,	. 259 . 32 . 212	Males, Females, Males, Females, Males, Females, Males, Females, Unkno'n,	534 500 145 114 25 7 113 93 31.88 2098	3 1 4	1	1	- :::::::::::::::::::::::::::::::::::::	1	4	11	3	
FRANKLIN.												П
Bakersfield,	. 1451	Males, Females,	745 706	1 2					 1			
Berkshire,	. 1890		955 985	2		i		h =		i	i	
Enosburgh,	. 2066	Males, Females,	1022 1044	1 1 2							2 1 4	
Fairfax,	. 1987		961 1026			i					i	1
Fairfield,	. 2497	Males, Females,	1235 $1262$	3	i	1	i	i	i			
Fletcher,	. 916	Males, Females,	452 464	2		i						
Franklin,	. 1781	Males, Females,	904			* *						
Georgia,	. 1547	Males,	877 770		i						1	
Highgate,	. 2520	Females, Males,	777 1282	1 4	* *	1				i		0
Montgomery,	. 1262	Hemales, Males, Females,	1244 645 617	1			1			ì	4 4	i
Richford,	. 1338	Unkno'n, Males,	672		i			i		1	1	i
Sheldon,		Females, Males, Females,	854 801	2	1				1			

TABLE VI.—CONTINUED.

				1,	-		2	over.	rn.		Te	TAL.		69
1 99 to 60.	1 60 to 65.	1 65 to 70.	1 TO to 75.	1 75 to 80.	80 to 89.	1 85 to 90.	1 90 to 95.	95 and over.	Unknown.	Males.	Fem.	Unk.	Total.	Percentage,
									* * * * *	1		****	1	.68
-				* 1					- 4		1		1	1.01
3	1		2		1				1	17	17	· · · · · i		.55
4	1		2		2				1	17	17	1,	35	.60
1		2	1 2		1 2		1		3	7	5	****	17	.93 1.41 .73 .53
i	i	1 1 2	2	1 3	3 1	i			· · · · · · · · · · · · · · · · · · ·	9 18	8		6 17 32	.38 .93 .77 1.45 1.10
	1	1 k			i	1				7	10		17	1.54 2.15
			i	ì	2					11	3		14	1,21 .34
1	1	1 1			* *					4	6	i	19	.64 .62 .97
	1	i	1	1	1	1 1		1	1 2	·····	5	1 4 4 4, 1 4 4 4 1 (1 1 1 4 )	13	.76

# TABLE VI.—CONTINUED.

	F	OPULATIO	N.										
Towns.	Whole No.	Bxx	K.	Under I.	1 to 2.	2 10 3.	3 10 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	25 to 30,
Franklin—Con. St. Albans,	3637 2678	Males, Females, Males, Females, Unkno'n.	1827 1810 1362 1316	8 2	1 3 1	2 1 2 1	2	i	1 2 1 1	1	1 1 2	2	
Aggregate,		Males, Females, Unkno'n.	13686 13545		5	8 3	3						
Totals,			27231	53	13	ñ	6	4	8	ti	13	12	1
GRAND ISLE. Alburgh,		Males, Females,	908 885		4							1	
Crand Isle,	708	Males, Females,	352 356						4 5	::		ï	-
Isle LaMott,		Males, Females,	296 268						4 6	: :	1		
North Hero,		Males, Females,	302 292								4 1		4
South Hero,	617	Males, Females,	320 297	1		1			1				
Aggregate,		Males, Females,	2178 2098		4	1			]		1	1	-
Totals,			427t	2	4	1			-1		1	2	
LAMOILLE. Belvidere,	366	Males, Females,	191 175		1								
Cambridge,	1784	Males, Females,	892 892	2		1		2			i	1	
Eden,	919	Males, Females,	483 436	1				1			i	i	
Elmore,	602	Males, Females,	306 206	1									4
Hyde Park,	1490	Males, Females,	720 689	1								1	
Johnson,	1526	Males, Females.	772 754	2	i		1		2		2		1
Morristown,		Males, Females,	877 874	0	1	2						1	

#### TABLE VI.—CONTINUED.

	2.1											Wer.	D.		To	TAL.	,	5
35 to 40.	40 10 45.	45 to 50.	1 50 to 55.	55 to 60.	00 to 65.	65 to 70.	70 to 75.	1 75 to 80.	80 to 85.	1 85 to 90.	1 90 to 95.	1 95 and over.	i Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
1	1 1 2		1	2	1	2 4	23 21	2 4 1	i	 1 1	1	1	1 2 1	23 25	35		58 39	1.25 1.93 1.83
4 5	333	5	1 2 4	43	6	7 11	9	8 7	87	5 3	2	1 1	6 9	139	129			1.01
9	6	4	7	7	7	18	13	15	15	8	2	2	15	139	129	2	270	.99
	1 - 1		1		1 - 1	1	1	1	-1		4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1	1 3 2 2 2 3 5	7 2 1 4 —————————————————————————————————	7 6 3		14 9 	.77 .79 .85 1.68 .67 1.11 .33 1.25 .67
	2		2	-	1	- ca	2	1	2			1	-8	17	18		35	.81
1		1	1		1 1 2 2 1	1 1 1 1		1 2	1	1			***	2 4 6 5 11	2 13 5 1		4 17 11 6 8	1.04 1.14 1.44 1.44 1.63 .33 .69 .43 1.49 1.59

## TABLE VI.-CONTINUED.

	F	OPULATIO	R.	I.		Н						
Towns.	Whole No.	8**	ř.	Uniter I.	I to 2.	£ 10 3.	S to 4.	€ 10 B	5 to 10.	10 to 15.	0	20 to 26.
Lamoille-Con.				-	-	-	-	-		-	-	-
Stowe,	2047		1010		1					1	1	
997 . *11		l'emales,	1036	1								1
Waterville,	747		348		1						1 1	
Wolcott,	1161	Females, Males,	399 602	i			i	.:	40 10	1	2 4	* 0
11 010000, 1 0,1 1 1 1 1 1 1	110.	Females,	559									ï.
Aggregate,		Males,	6201	18	5	-	2	2	2	-	-3	3
		Females,	6110	6		3		9				3
Totals,			12311	24	6	3	2	4	5	2	- 0 6	8.
ORANGE.				П					П			
Bradford,	1689	Males,	816	1	3			١.,	1			
		Females.	873	2								
Braintree,	. 1225	Males,	626		2					1		201
D> 6 22	1 1501	Females,	599	1		1			1		1	9.2
Brook field,	1521	Males, Females.	751 770	1		9-4			1:		1	i
Chelsea.	. 1757		842	1		• •			3	. ;		
Carried Training	1	Females,	915		3				2			1
Corinth,	. 1627	Males,	824	1						1		1 11
	1	Females,	803								1	1
Fairlee,	. 540		282	2								0.5
Newbury,	2549	Females, Males,	267 1221	2		٠.						
rewouly,	2010	Females,	1328	1	• •			::	2	1		i
Orange,	936	Males,	488		i	i			1.	1 -	100	
	11	Females.	448	2	1						1.	
Randolph,	.]] 2502	Males,	1255	4						1	l	. 1
C. 65 1	1500	Females,	1247	3	-	1				1	1	1
Stafford,	1506	Maler, Females,	768 738	3		i					Ľ	4
Thetford,	1876	Males,	935	2	i		i	i		* *		1"
amonorus arranantaria	1010	Females,	941			i		-	i		13	2
Topsham,	. 1662	Males,	833	2	1				i	i		
	1	Females,	829	2								
Tunbridge,	. 1546	Males,	814					8	- :		1	].
Varahina	1084	Females, Males,	732 565	2 2	7 .	• •			1	2	1	0,
Vershire,	1034	Females,	489	12	1	::					1	i.
Washington,	1249		634	* "	i	i		1			1	
		Females,	615	2							1	i.
		Unkno'n.		1				1		١.,	1.	

#### TABLE VI .-- CONTINUED.

بر ا د								ا	تين	-		er.	.D.			66.		
35 to 35.	1 40 to 45.	45 to 50.	6 50 to 55.	55 to 60.	60 to 65.	, 65 to 70.	1 70 to 75	i 75 to 80.	80 to 85.	1 85 to 90.	1 90 to 95.	1 95 & over.	Caknown.	Males.	Геш.	Ubk.	Total.	Percentage.
	1	1		1 1 - 3	2 1 2 7	1 1 4	1 - 5	1 - 3	- - 1	1	1		-	5 6	4	****	27 9	1.18 1.44 1.43 1.00 .99 1.78
5 3	3 6	4	2	6	12	9	8	10	2	2	3	-	1				143	1.16
1 2 1			1		22 22 22 22 24 44	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				2 2 4 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	7 122 8 5 4 14 6 23 12 13	8 11 14 11 14 14 17 31 66 11 11 8		23 22 16 8 28 13 54 18 24	1.71 .80 1.11 1.33 1.59 1.42 .95 1.53 .60 1.36 1.41 1.41 1.05 1.22 1.56 1.81 1.35 2.48 1.50 .81 1.35 2.48 1.36 2.48 1.36 2.88

### TABLE VI.—CONTINUED.

	P	OPULATIO:		1 to 2.	2 to 5		4 to 5.	5 to 10.	10 to 15.	1.5 to 90.		
Towns.	Whole No.	Sex	Under I.			3 to 4.					St 10 135	
Orange-Con.	000					_	-			_		
West Fairlee,	830	Males,	425	_			100		. :		1	H
Williamstown,	1377	Females, Maks, Females,	687 690	1		1	• •		1			1,
Aggregate,		Males, Females, Unkno'n,	12766 12689	18 20 1	14	4	1	1	240		22 48	
Totals,			25455	39		-8	1	1	14	ū	12	10.1
ORLEANS.												
Albany,	1224	Mules, Females,	627 597	i						i		02 .
Barton,	1590	Males, Females,	818 772		i		1			i		1 2 0
Brownington,	757	Males, Females,	404 353			i	ì		ì	i	1	2.5 4
Charleston,	1160	Uakno'a. Males, Fema.es,	586 574	2 1	1	ì	2	·i	::	i	1 2	1
Coventry,	914	Males, Females,	442 471	2	i							
Craftsbury,	1413	Males, Females,	681 73:	3	i				1			
Derby,	1910	Males, Females,	952 958		1	1			1			1.
Glover,	1244	Males, Females.	631 613	3	i						1	i
Greensboro,	1065	Males, Females,	502 563		1	1	2				1	il.
Holland,	748	Males, Females,	388 360					-				
Irasburgh,	1131	Males, Females,	568 563	1		1					1	
Jay,	474	Males, Females,	263 211								1	
Lowell,		Males, Females,	435. 378		1							
Morgan,		Males. Females,	280 268			ij				::		
Newport,		Males, Females,	616 581	$\begin{vmatrix} 1 \\ 1 \end{vmatrix}$	1	• •			1			1
Salem,		Males, Females.	306 297		i			0 1		1		

TABLE VI.—CONTINUED.

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		9	5.	<b>3</b>	5.	5	5.	over.	a D.		To	TAL.		8 ge.
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	0 01 66 l	65 to 7	70 10 7	175 to 8	8 ot 08 l	85 to 9	e ot 06 .	95 and	Unkno	Males.	Fem.	Unk.	Total.	Percent
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	:-	1  10	 - 15	1 - 11	1 1 13	 -6 11	 -4 3	  -  -	 - 1	6	8 —			.70 1.23 .87 1.15 1.26 1.32
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	11 20	- 21	30	18	22	- 17	7	1	2	162	168	1	331	1.30
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	1	1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 2	1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			2	3 4  9 4  5  12  7  5  10  6  10 10 10  10 10 10  10 10  10  10  10  10  10  10  10  10  10  10  10 10 10 10 10 10 10 10 10 10 10 10 10	4 6  16 8 6 10 7  13	1	7 25 11 25 11 12 11 14 18 13 13	1.04 1.10 1.14 .99 2.30 2.57 .83 1.05 1.24 .76
	i i	i	1	i	i 				1			••••		1.07

	P	OPULATIO:	N.									П	18
Towns.	Whole No.	SEX	ί.	Under 1.	1 10 %	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	3	201 10. 25.	3
Orleans Con.				-	1	-	-		Г				
Troy,	1248		637						- 4		1		)
Westfield,	618	Females, Males, Females.	611 321 297	1 2	1	::	· · ·	• •	8			1	
Westmore,	324	Males, Females,	170 154						1		15		**
Aggregate,		Males, Females,	9627 9354	14	3 8	4 2		2	4 5	2 4	6 %	10	3 4
•		Unkno'n,		1							1.		
Totals,			18981	26	īī	6	7	2	9	6	14	16	7
RUTLAND.										П	П	П	ш
Benson,	1256	Males,	609					E					1
Brandon,	3077	Females, Males, Females.	1555 1522		3		1		1	2	1	i	
Castleton,	2852	Males,	1412	2	1.7						10		2
Chittenden,	763	Females,	1440 391	2		1	1		i			1	
Clarendon,	1237	Females, Males, Females,	372 642 595	1	1								
Dauby	1419	Males, Females,	732 687		2	1			i			1	i
Fairhaven,	1378	Males, Females,	717 661				4 4		• •				
Hubbardton,	606	Males, Females,	306 300				ì			1		* * *	i
Ira,	422		223 199	ĩ					· · ·				
Mendon,	633		341 292			i	* *		4.6				
Middletown,	712	Males, Females.	377 335							,,			
Mount Holly,	1522	Males,	802		i							100	
Mount Tabor,	358	Females, Males, Females,	720 200 158	2		· · · · · · · · · · · · · · · · · · ·							
Pawlet,	1539	Unkno'n, Males, Females.	780	i		2	i					1	i
Pittsfield,	493	Males, Females,	759 255 238						3	1 1		11	

		2				2		2	-		,		Ner.	m.		To	TAE.		189
30 to 30,	OF OI CO	40 to 45.	1 45 to 50	50 to 55.	1 55 to 60	1 60 to 65.	1 65 to 70	1 70 to 75.	1 75 to 80.	80 to 85.	1 85 to 90.	1 90 10 95.	. Us and over.	Unknown.	Males,	Fem.	Unk.	Total.	Percentage,
1 2 4	44 8	3 1	22				1 0 7	63	8 3	4 6	4 3	1		5	2 3 2 92	3	1	10 6 4	.3 1.3 .9 1.0 1.1 1.2 .9 1.2
1 2 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1			1	1	1	1		1 2 2	1	1	1	26 16 3 4 19	10 7		9 45 26 8 11 29 10 3	.66 1.21 1.11 .60 .71 1.33 .60 1.11 2.55 1.44 
1	1 2 2	1	1	i		1	1 1 2 2	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	2 1	1		1	2 11 3 	7 10 4	I	9 21 8 21	2.6 2.6 1.3 1.3 2.6 2.6 1.1

7

# TABLE VI.-CONTENUED.

	F	OFULATIO:	M.									1	U
Towns.	Whole No.	Sex		Under I.	1 10 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 30.	20 to 25.	100 or 02.
Rutland-Con.	1000		600			-	-	-	-	-			Ā
Pittsford,	1839	Males,	922								H	4	-
Poultney,	2278	Females, Males, Females.	917 1123 1157	2 4							1		
Rutland,	7577	Males,	3899	20		3	_	1		i	-		-
Sherburne,	525	Females, Males,	3678					i	1		1	50	
Shrewsbury,	1175	Females,	590 590	3								1	
Sudbury,	696	Females, Males,	585 352		::				N.	1			
Tinmouth,	620	Females, Males, l'omales,	344								9 4	3	4
Wallingford,	1747	Males, Females.	906 905 842	1	2	ì	ì			1			d
Wells	642	Males,	320 322		.,							1	i
West Haven,	580	Females, Males, Females,	297 283	1			ì			1			4
Aggregate,		Males, Females, Unkno'n.	18345 17601		īi s	610			6		1	000	60
Totals,			35946	89	21	_ 16	10	4	10	is	_ 15	13	15
Washington.													
Barre,	1839	Males,	926		2		1			1		1	
Berlin,	1545	Females, Males,	913 776		• •					1	4.5	4 4	
Cabot,	1318	Females, Males, Females,	769 669 649	4		••	• •	* : * :	2	ï		1	i
Calais,	1409		724	1 1								4.0	p *
Duxbury,	1000	Females, Males,	085 534	3						. ,	1	9	ì
East Montpelier,	1328	Females, Males, Females	466 693 635			•							72 1

## DEATHS.

TABLE VI,-CONTINUED.

.4			``		1		-		over.	VD.		To	TAL.		·ge.
50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	1 8D to 85.	85 to 90.	90 to 95.	95 and	Unknown.	Males.	Fem.	Unk.	Total.	Percentage
1	1 10 7	1 2 2 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 3 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	211111111111111111111111111111111111111	1 2 8 8 8	1 2 7 15	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	24	1	4 22	52 5 13 2 2 9 1 4 216	12 5 1 13	1	105 5 25 7 3 22 1	2.20 2.05 .56 1.45 .63 .32 .99 1.54 .31
1	1 :: 1	i	2	* * * * * * * * * * * * * * * * * * *	3 1	3 2	i		1	1	6	11 9 10 11	1	19	1.68

	P	OFULATIO	N.										
Towns.	Whole No.	Sex	ζ,	Under L.	1 to 2	2 to 3.	3 to 4.	4 to 5.	6 to 10.	10 to 15.	15 to 20.	20 to du.	
Washington-Con.			1	-	-	-	-	-	-		Ħ	1	
Fayeton,	800	Males, Females,	426 374	1					2			H	ı
Marshfield,	1160	Males, Females,	595			• •		1	i	1	3		l
Middlesex,	1254	Males, Females,	633		1					i		i	
Montpelier,	2411		1182	2					1		1		۱
Moretown,		Males, Females,	720 690	1			1		i	i	0		
Northfield,	-	Malea, Females,	2179 2150		1	1	1		2	1 2	8		
Plainfield,		Males, Females,	396 426	1	i						1	1	į
Roxbury,		Males, Females,	560 500	2			1	i	i	1	2 2		١
Waitafield,		Males, Females,	506 499	i				1				1 -	4
Warren,	1041	Females,	525 516		* *			• •		1			
Waterbury,		Males, Females,	1104 1094	3	9					1	1		1
Woodbury,		Males, Females,	530 469		1					1	1	i.	
Worcester,	084	Males, Females,	360 324		1	1	0.4 0-4			4 1			0
Aggregate,		Males, Females,	14038 13570	20 22	5	2	3.1	1 2	10				4 7
		Unkno'n.	10070	1	4 4		4 .						
Totals,			27612	43	9	3	4	3	13	13	18	12]	3
WINDHAM.													
Athens,	382	Males, Females,	201 181			1 -	b 4	p 4				9	9.1
Brattleboro,	3855	Males, Females,	1849 2006	4	2		2		1 2				3
Brookline,	243	Unkno'n. Males, Females,	123 120	1	* *			* *				4.1	4 4
Dover,		Males, Females.	321 329	1			i						

		٠	1		. و	ď					,		OVET.	.D.		To	TAL.		66.
30 to 35.	35 to 40.	1 40 to 46.	1 45 to 50.	50 10 55.	1 55 to 60	60 to 65.	1 65 to 70	170 to 75	175 10 86	80 to 85.	85 to 90.	1 90 to 95.	1 95 de ov	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2 3 8 8	1 2 77 66	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 2 1 1 6 6	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 2 1 1 1 1 10 10	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	1	7 18 8 5 5 14	6 5 8 16 9 6 6 4	1	7	.70 1.60 1.51 .88 .62 1.28 1.28 1.30 .97 1.30 .83 1.11 2.03 2.34 .80 1.58 1.20 .96 1.20 .54 1.13 .85 1.21 1.17
			i	1	0	1		1::	1	1 1 1	i				33	25	···i	60	3.23 3.33 1.86

	P	OFULATIO	N <sub>4</sub>				N			L	U	
Towns.	Whole No.	Sex		Under 1.	1 to 2,	10 to 55	3 to 4.	4 to 5.	6 to 10.	10 to 15.	15 to 20.	19. to 25.
Windham-Con.			1	-		-		-	-	~	-	
Dummerston,	1021	Males, Females,	528 493			1				2	1	1 .
Grafton,	1154	Males,	565		4 4			1				411
Guilford,	1291	Females, Males,	589 666	2.0						1		21 2
Halifax,		Females, Males,	580	1	1			-;			2.2	9
		Females,	540	2	1				1			1 11
Jamuica,		Mais, Females,	791 750	2	1		11		i	1	i	1.
Londonderry,	1367	Males, Females,	717 650	2	1							
Marlboro,	741	Males,	392									
Newfane,	1192	Females, Males,	349 592	1								
Putney,	1163	Females, Males,	600 577	1	0 v					li		li l
Rockingham,	9004	Females, Males,	586 1421	1	1		2		·i		- 1	
2000atoguam,	2002	Females,	1483	ĺ	î						1	
Somerset,	105	Unkno'n, Males,	52				::					
Stration,	366	Females, Males,	53 190			• •	•				- 4	
		Females,	176 682									
Townshend,		Males, Females,	694									9
Vernon,	725	Males, Females,	379 346	2	1						i	
Wardsboro,	1004	Males, Females,	506 498	1								0
Westmiaster,	1300	Males,	655	1								1
Whitingham,	1372	Females, Males,	645 707	l l	2			i	i			
Wilmington,	1424	Females, Males,	665. 760	2		1				1		Co.
Windham,		Females, Males.:	664	. ;	i					1		
******************	000	Females,	340			1						i.
Aggregate,		Males,	13594	19	9	1	-	3	-	5	4	5
		Females, Unkno'n,	13388	16	000	2			4	4	5	18
			26982	_	4.0	-3	-5	3	7	-0	-	23

								,				Wer.	á		To	TAL.		9
100	35 to 40.	40 to 45	45 to 50.	1 50 to 55.	7 55 to 60.	1 60 to 65.	1 65 to 70.	75 60 50	1 80 to 85	85 to 90.	90 to 95.	95 and over.	Uhkaowa.	Males.	Fem.	Unk.	Total.	Percentage.
	1	» «	1					1.		2 .				12	5		17	2.:
	i		1			2		1	2				- 1	8	1 · · · · · · · · · · · · · · · · · · ·		16	1.
			9	1					1	2	3.			8	12		20	1.
					i		1		1	1.				4	11		15	2.0
		1	i					I	i .		L.		2	8	15		23	1.0
			2	1	1				1	4				9	7	****	16	1.
		i					1			-				i			2	
i	į			1		2	1	1				i		9	8		17	1.
2					0 4			4	1:		4		1 1	10	10		20	1. 1.
					1		1	2 1 1	i.	2			2 2	13	****	* * * *	******	1.
		2.5									4 4		1			i	22	
-				i			1			4 2				1	1		1	1.
i									1					6	2		3	1.
			. 4 .	j		i			i	i	i :				7		13	1.
	57		ì	i	i	2			i.					4	11		15	1. 3.
						1	2	i	i	i	í.				10		15	2.
	4			1	i	2	1	2	1	2 1 .	i.			3	11		14	1.
	1							i	1 1	1 .	: '	i.		10			23	1.
	1 .	j					1	1	3	1.	- 4		. i		6	* * * *	13	
-	1			4		i	6.5	i	1			*		4	5		9	1.
77	20	42.00	1 2		3 10		12 11	11 16	14	16,	6	1.	. 4		189			1.1
							P 4					-			1 4 4 4	2		
14	U	10	0 10	5 1	8 15	15	23	27	29	29	14	3 .	. 15	165	189	2	356	1.

	P	OPULATION	¢.									
Towss.	Whole No.	Sex		i Under 1.	1 1 10 2.	2 10 3.	3 to 4.	4 to 5.	1 5 to 10.	10 10 15.	0	1 20 to 25,
Windson.	671	Males,	343			4 -				1		1.
andover,		Females,	328	i	3	:						
Baltimore,	115	Males, ; Females,	53 53	1					٠.			-
Barnard,	1487	Males, Females,	745 742	- 2	1 1		ì		3 9	i	53 41	1
Bathel,	1804		921 883	2 1			1 2	1	ī	1	1100	
Bridgewater,	1292	Maies, Females,	653 639	3	i	1			i	1		3
Cavendish,	1509	Unkno'n, Males, Females,	739 770	3	· · · · · · · · · · · · · · · · · · ·						4 4	1
Chester,	2126	Males, Females,	1064 1062	2	1	1				94	1	i
Hartford,	2396	Unkno'n, Males, Females,	1189 1207	3	2 2	1	i		i	j	163	- 100
Hartland,	1748	Males,	885 863	Ĭ							2	i.
Ludlow,	1568	Females, Males,	777 791	1.		 		i				i.
Norwich,	1759	Hales,	862	3	1		2			1	, -	
Plymouth,	1252	Females,	897 698	1	1		• •		1		00	i,
Pomfret,	1376	Females, Males,	554. 660.					2			1	
Reading,	1159	Females, Males,	713 569 599	2	1				1	1		
Rochester,	1507		778; 720,	- i	i				1		1	. 1
Royalton,	1739		895 844	i	2	1	· · · · · · · · · · · · · · · · · · ·		7			
Sharon,	1111	Females,	562 549	1					í			1
Springfield,	2958	Females, Males,	1410 <sub>1</sub> 1545	4	1 2			i	i	i	4 9	3
Stockbri lge,	1264		622	4 27 50	-1		2		3		1	
Weathersfield,	1765	Females, Males,	642 846		i	. 53	1	1	6	3	1	
Weston,	932	Females,	910 476		2				1		7 0	i

	_		,						,				ver.	n.		To	TAL.		686
00 10 03	1 35 to 40	1 40 to 45.	1 45 to 50.	1 50 to 55.	1 55 to OU.	1 60 10 65.	U 65 to 70	70 to 75.	1 75 to 80.	80 to 85.	1 85 to 9U.	1 90 to 95.	35 and over.	i Unknown.	Males.	Fem.	Unk.	Total,	Percentage.
					* 4				1		2				5	7			1.
•					1		.:	3	÷ ×									12	2.
			- 0	* *	1.0	* *	1	11						* *	1	1		9	1,4
2	i							2		i	i			i	20				2.6
			1							1		1				11		31	1.4
3	1				40	4.4	- 1	1	-1	1.0	4.0				16			*****	1.3
-		1 1	- 4		4 5		1	1			I		٠.		···	10		26	1.1
-					1	* "		2 4				4.4				8			1.3
														1			1	16	
			1		1		1		1	1					8				1.0
-		1	2			4					h 6	1		1		15		23	1.5
1	w a	1	1 2	i	1	1	1 2	1	1 2	1				2 2	17	14		*****	1.
				_	* *	1									* * * *	1.4		32	
	3				1	2	3		1						21		,		1.3
	2		1		2	1	2		ı	N +	2					23		44	1.3
i				4.4		i	2			3			1		5	11			1.
1					1	2	i	2	1	1	i				11	11	* * * *	16	1.4
ģ		1		9	1	63	i			2						19		30	2.
				1	i		1	i	1	1	1		- 1		11				1.3
1		1	1	2	1	1 . :	1			2	2		- 4			19		30	2.
	1		2		- 4	1		i	1		1		4 -		10	5		15	1.4
4		1	100	4 .			1	i	1	1	i				8	1,5 * * *		. 19	1.
			i		1			i	1	2				. ,				16	1.
						1	1	2							6	8			1.
1				2		0.0		2 2 1	2	2 2	ì	i				8		14	1.
9		2	* =		i	0			2	9		1		* *	13	8		21	1.4
i		2		1		1	2			3					10				1.
4			1		2	1	1			1						22		32	2.
i		i	2			1			1		. :	1			7	****		*****	1.
1	7 -		_	1	i	1	2	i		2	1				32	11		18	2.
ģ	4	l'i	i	2		4	2 2 1		3	2	î	i	i		32	35		67	2.
ī				1.		1			1						14				2.
1		i			2					1	1 1			- 1		25		39	3,
0		1	- "	2	1		1		1	1	2	4			12		* * * *		1.
8.0		7 5		1			1			i		i			5	5		17	1.
	1.		11			1.		1 0	1	2	1	1	1 "	1 1		3		8	1.

	F	OPULATIO:	N.		H		ı					
Towns.	Whole No.	Sex		i Under I	1 to 2.	2 to 3.	1 3 to 4.	1 4 to 5.	5 to 10.	1 10 to 15	1 15 to 20	20 to 26
Windsor.—Con.												
West Windsor,	924	Males, Females,	481 443									1
Windsor,	1669	Unkno'n. Males, Females.	857 812	2					2		* 1	1
Woodatock,	3062	Males, Females, Unkno'n.	1457 1605	1	2						2	4
Aggregate,		Males, Females,	18554 18639				-47	5 4	13 20			
Totals.		Unknoin.		4	_		-	_	33			

## TABLE VI.—Continued.

-						_			_			2		over.	é.		To	TAL,		eg.
80 to 85.	35 to 40.	.   40 to 45.	45 to 50.	1 50 to 55.		55 to 60.	60 to 65.	j 65 to 70.	1 70 10 75.	1 75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
1	2	1			-	· i			1	2			1			8	6			1.66
1	i				i	i		3	1		i	i			1	15			15	1.75
*			1 4	2		ì	2	1	1 1 2 2	2	1 3	2				18	17		22	1.23 1.03
-																		2	37	1.00
10					1	8 14	12	21 13	18 12	18 10		13		1 2	2	280	298			1.50
• •	. ,			1											1			5		
23	14	12	2	L	4	20	31	34	30	28	40	24	9	3	4	280	298	5	583	1.5

#### TABLE VI.—RECAPITULATION.

distribution of the second		_		_											
C		ULA	T10N.	1,						5.	20.	25.	30.	35.	40.
Counties.	Whole No.		Sex.	Under	1 to 2.	2 10 3.	3 10 4.	4 10 5	5 to 10.	10 to 15.	15 to §	20) to 2	25 to 3	30 to	35 10 4
Addison,	24010	M	11984	25	9	4	2	-	0	2	2	1	4	7	6
Bennington,	19436		12026 9845	20	6	3 4	1 2	1	-115	6	8	5	6	5	6
Caledonia,	21708	FMF	9591 10878 10830	23 28 12	6 5	2 3	1 2 3	3	11 7 7	3 6 5	3 5 7	5 6 11	3 6 7	9 1 8	5 3 4
Chittenden,.	28136	F	14002 14169	31 20	8	4 4	4 6	3	12	6	8 6	5	6 9	2	3
Essex,	5786	F	3088 2698	3	· · · i	1		1	3	2	2		i	2	***
Franklin,	27231	U M F U	13686 13545	28 23 23	8 5	8 3	Co Co	3	2 6	4 2	5 8	6	4	1 5	4 5
Grand Isle,.	4276	M	2178	1	4	i			i			1	* * *		
Lamoille,	12311		2098 6201	18	5		2	10:	2	1	3	3	3	1	***
Orange,	25455	F	6110 12766 12689	18 20	1 14 7	3 4 4	i	1	3 2 9	1 5 6	3: 9	5 3 7	6 7 7	8 9	3 4 6
Orleans,	18981	UMF	9627 9354	1 14 13	3	4 2	7	2	4 5	2 4	6 8	6 10	3	2	4 4
Rutland,	35946	F	18345 17601	47 41	11 10	6 10	5 5	3	4 6	6	8 7	9	9	8	6 12
Washington,	27612	F	14038 13574	26 22	5 4	2	3	1 2	10	5 8	9	8	4 7	3	3 13
Windham,	26982	F	13594 13388	1 19 16	9 3	1 2	5	3	3	5	4 5	5 18	1 8	7	5
Windsor,	37193	F	18554 18639	34 31	16 13	38	4 7	5 4	13 20	7 10	19 23	18 12	11 10	10	6 8
Vt. Asylum.		U M F		4		* *	• •		***	***	***	···i	i 		1 3
Aggregate		MFU	158786 156312	303 240 19	104 73	44 43 1	33 34	02 18 1	79 86	51 64	82 100	79 101	63 84	57 85	49 79
Totals,			315098			-	_	_	165	115	182	180	147	142	128

## TABLE VI.--RECAPITULATION.

اند						75.			6	9.	over.	vn.		Тотл	L.		38
40 to 45.	45 to 50.	50 to 55.	,55 to 60.	60 to 65.	65 to 70.	70 to 75	75 to 80.	80 to 85.	85 to 90.	. 90 to 95.	199	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
243315	4 6 3 1 2	3 8 2 6 2	\$ 50 50 50 50 50 50	5	10 3 13 5 10 11	12	10 6 13 3 7 5	9 5 7 4 6 15	5 4 1 4 4 2	4 3 2 1 2 1	1	123148	140 139 131	117 112 143		257 251	1.1 .9 1.3 1.1 1.2 1.3
5 4	4 8	5 6	4 5	4	11 8		5	6 5	3	1	ï	5 2	151	142		2/0	1.6 1.0
		i	1 3	i	* * *	2		i	* * * *		1 4 1 4	i	17	17	8		.5
· 23 63	3	3	4 3	6	7 11		8	8: 7	5 3	2	1 1	6 9	139	129	1		1.6
1 1 5 4 7	2253			7 5 13 7	1 1 4 5 10 11	5	3	1 1 1 1 13 9	1 1 6 11	1 2 4 3	1  i	3 5 1 1 1	17 70 162	18 73 168	2	35 143	1.1 1.1 1.2 1.3
3	2	2 2	8 5	3 6	6.7	6 3		4 6	4 3	i 1 1		2 5	92	113	1		1.2
4 6	9	7 7	10 7	11 12	13 13	7	 8 8	7 15	-8 9		4	7 3	216		1	206	1.1
4 9	3	7 6	7 6	7 6	14	7	10 10	12 11	12 5	ï		5 7	151	162	1		1.1
5 5	8	5 13	9 10	•7	12 11	11 16	14 15	16 13	6			47	165	189	1		1,2
14 90	9 14	7	8 14	12 19	21 13		18 10	17 23	13 11	4 5	2	1 2 1	280	298			1.5
2	3	1 3	i 1	2	3						i	1	17	16		583 33	
42 62	56 68	61 61	68 71		135 105	110 108	115 87	108 116		22 26		44 52 2	1897		23		1.1
			139	188					-	-	1000			1921	_		

1	. Visuast	-   Pebruary.	Judy I	- Carlotte - Carlotte	A due.	Montal dub.	# 1   1   1   1   1   1   1   1   1   1	. 1 September.	лэпотэО   ; ; _ ; ; ; ; а.	Andrew   November		Citititi Unknown.	Causes or Death.  Abortion,  de of Bowels,  of Liver,  to of Lumbar,  of Lumbar,	Males. 201 Males.	Salahi a	umounuii i i i i i i i i i i i i i i i i i	.7 Tabau	.01 or d : : : : : : : : : : : : : : : : : :	.02 of 81   ; ; ; ; ; ; ; ; ;	.05 of 02 + 1.2 1.2 1. 1 1.	.0k of 10k 12g; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;			.07 of 00   1 of 1 : 1 inc	.08 of 07 · ; _ ; ; ; ; c	Company 80.
Females, Females, Males, Females, Females, Females, Males, Males,			01			20 m. : : : :	14 - 01	6) : : : : : (6) ;	01	100 : :	100 1 1 1 1 1 1 1 1 1 1		Ascites, Asthma, Atelectasis, Atrophy of Heart, Battle, woonds, Bowels, Disease of	 				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	* * * * * * * * * * * * * * * * * * *		100 1 a a a a april (m. 1 )	mm im i imili i	10 · 100	00 00 - · 01	42 1 1 1 1 1 1 1 1 1 1	(C)

· · · · · · · · · · · · · · · · · · ·
. 40
· · · · · · · · · · · · · · · · · · ·
·
· : : : : : : : : : : : : : : : : : : :
· :=0: · · · · := · · · · · · · · · · · · · ·
HE44 H 188 H
HH: 2 : : 31 : 12 : 12 : 12 : 32 : 32 : 32
. 4 . 4 . 4 . 4 . 4 . 4 . 4 . 4 . 5 . 4 . 5 . 5
:- 1 :- 1 : 1 : - 1 : - 1 : - 1 : - 1 : 1 :
. I
Sisteman of the state of the st
in Disease of Disease of Disease of itis, itis, itis, of Abdomen, of Bowels, of Face, of Liver, of Liver, of Cterus, itis,
Jander, Disease of Stain, Disease of Stain, Disease of Stain, Disease of Stain, Disease of Stains and Soalds, in of Abdomen of Bowels, in of Bowels, in of Liver, in Mosbore, in Mosbore
Bone, Disease of Bladder, Disease of Brain, Disease of Greek, Broschitis, Burns and Scaldding of Bowelling of Bowelling of Bowelling of Brast in of Cardiaci, of Cardiaci, of Cardiaci, of Cardiaci, of Cardiaci, of Cardiaci, canduly, Cardidici, Childbirth, Cholera Infantum Cholera Infantum
7
· · 0131 · · · · · · · · · · · · · · · · · ·
· -  - · · · · · · · · · · · · · · · · ·
:
- m m-an m
* * * * * * * * * * * * * * * * * * *
······································
H . 224 HOI . CO
· (=
र निवार र र निविध्ये र र र र र कार र र निवास र विवास र विर

49%	
0	
Bert.	
ful.	
page 1	
Irra.	
1	
Frage .	
651	
No.	
in the second	
B_	
200	
-	
100	
ph 16	
-	
-	
- 60	
(max)	
-	
<b>∞</b> 20 II	
une.	
. 79	
46.198	
1000	
_	
THE LABOR.	
-	
-11	

	Sex.   Sex.   Sex.   Males.   Sex.   Sex.   Males.   Sex.   Sex.   Sex.   Sex.   Males.   Sex.   S
MONTHS.	○
	CAUSES OF DEATH. Cholera Morbus. Convulsions. Convulsions. Court'hroat. Cystilis, Deblity, Diabetis. Diabetis. Cironica. Cironica. Cironica.
WHOLE NO.	1   1   1   1   1   1   1   1   1   1
Acres.	1   1   1   1   1   1   1   1   1   1

TABLE VII .- CONTINUED.

O. AGES.	Date   Date
E No.	anterned   15 to 11 to 12 to 1
WHOLE	846M 18 10 10 12 1000 1 105 101 101
A	Nat ( ) 등 : 원 ( - 등 2 - 4 : 5 : 5 : - 64
	Fracture, Fracture, Fracture, Fracture, Fracture, Fracture, Fracture, Gaugene Dry, Gaugene Dry, Gaustritis, Gomorrhoea, Gravel, Gunshol, Gunshol, Gunshol, Gunorrhoge, Hanging, Hemorrhoids,
Момтив.	Apartical   Colorative   Colo
	SEX.  Males.  Males.  Remales.  Males.

1866.]	DEATHS. 6	37
:::::	:::::::::::::::::::::::::::::::::::::::	<u>;</u>
-20		N
		41.2
		-
	* * * * * * * * * * * * * * * * * * *	N
	to the temme to total to talk the total temperature	.3
1 1 1 1		7
* * * * * * * * * * * * * * * * * * * *		1
* * * * * * * * * * * * * * * * * * *	: 17 00 ; ; : - 0 0 10 0 0 1 - ; : 24 ; : ; : : 2	. 91
		Ę
: :01 := ; :0 :01 :=	:0 : . : 4 : 4 : 4 : 4 : 5 : 5 : 5 : 5 : 5 : 5 : 5 : 5 :	12
- 46 · 89 · 91		
1 1		3
	ilus,  E,  11,  11,  11,  11,  11,  11,  11	of
Hernia, Hip Disease, Homicide,	Hydrothoraz, Hydrothoraz, Ileus, Ileus, Infantile, Infa	Lungs, Congestion of!!
		=
		4
		24
	***	N
- 24		-
	· · · · · · · · · · · · · · · · · · ·	=
	·	4
		9
		6
	- 101	25
	: 129 M : 1 : 1 : 1 : M : M : 1 : 1 : M : M :	4
0 1 0 mm 6 6	3 10 1 1 1 m 3 1 1 1 1 1 1 m 3	4
		-
Males, Femiles, Males, Femiles,	Females, Females, Females, Females, Females, Females, Females, Females, Females, Females, Kales,	:
E T	* T	Males,

1		Unknown.	::::::::::::::::::::::::::::::::::::
1		.08 TOTO	ומלמשו דו ביווו וווי וווי וווי ביוווי ביי
		'08 44 04	0 :-:::::::::::::::::::::::::::::::::::
1		.07 on 00	1-4- 1 to 1 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
1		50 to 60.	80 1 1 1 80 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1	CES.	40 to 50.	1_::::::::::::::::::::::::::::::::::::
1	γo	30 to 40.	1 20 1 20 1 2 1 1 1 1 1 1 20 1 2 2 1 1 1 1
		20 to 30.	14:14:14:15
		15 to 20.	3
		10 m 15.	
1		.01 m d	14-01
		Taber b.	
	d	Unknown	
	WHOLE NO.	Females.	\$ :0 : 10 : 13 : 12 : 12 : 12 : 12 : 12 : 12 : 12
1	OLE	Aslaid.	יה יהם יהם יות ימום ימים ימים:
	V.	Totals.	:d :-e : d : = : a = : a = : 2 : 5
		l slato'F	
		bii	4
		3	8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		D	o o of or other or ot
		Causes of Death	Lungs, Congestion of  Lungs, Congestion of  Malignant Pustule,  Measles,  Meunigits,  Metria,  Mortification,  Neuralgis,  Nora, (Canker)  Old Age,  Parally with
		2	COO THE THE COOK OF THE COOK O
		TA	Lungs, Co.  Lungs, Co.  Maligrant Marasmus,  Meningitis  Metria,  Mortificati  Neuralgis,  Neuralgis,  Neuralgis,  Neuralgis,  Neuralgis,  Neuralgis,  Neuralgis,
		0	Lun Mal Mark Men Men Men Men Men Men Men Men Mer Mor Mer Mer Mer Mer Mer Mer Mer Mer Mer Me
1		(Inknown.	La
1		Лесетрег.	AL
		hovember,	14::::::::::::::::::::::::::::::::::::
1		October.	m : : : : : : : : : : : : : : : : : :
1	-	captember.	
1	Момтив.	August.	
- 1	ON	July.	
1	M	June.	w :
1		A pml.	
-1		March.	000
-		Pebruary.	(H : H : : : : : : : : : : : : : : : : :
100		January.	8000 0 0
		CONTRACTOR OF P.	
		Admin's	
		ž 6	Females, Males, Retrales, Males, Remales, Males, Females, Females, Females, Females, Females, Males,

	: H : : : =
* * * *	+ + + 50
	100
* * * * * * * * * * * * * * * * * * *	-
	24 · → · · · □
THE STREET OF STREET	- ; ; ; 501
	1 1 4 24 1
::::::::::::::::::::::::::::::::::::::	* * * * * *
	24 + + <del>+ +</del> + +
: : : - : - : - : - : - : - : -	0
	11111
: : : : : : : : : : : : : : : : : : :	1
	1 1 1
The state of the s	0 :0 :00
Lore to 1-2 : 1012 : 102 : 1-038 : 1-01	
***************************************	:::::::
Periocitits, (Feume,). Periocitis, Periocitis Pleurisy, Remonature Proctature Birth, Proctature Birth, Proctature Gland, Dia. of Propus of Womb, Pramis Railroad Accident, Railroad Acci	
Birth, Birth, Birth, Birth, Band, Dia Womb, cccident, m,	
Birth,  Nomb,  A Bl'd,	Jo e
Perioacitis, (Feun Pericarditis Pericarditis Pleurisy, Pleurisy, Peremature Birth, f. f.	111 33
tina tina tina tina tina tina tina tina	Pos Digital
Perioacitis, Perioacitis, Perioacitis, Pleurisy, Pleurisy, Pleurisy, Remanure Premature Premature Prostate Glypus of Prematism Railroad Ac Relroad Ac Relroad Ac Relroad Ac Relroad Ac Relroad Ac Relroad Ac Searlatina, Secretina, Secretina, Secretina, Scorbutus, Scorbutus,	ee,
Pericarditis Pericarditis  Pericarditis  Refrontis  Pleurisy.  Pleurisy.  Premature Birth  Refrontise  Prostate Gland, Polypus of Worr  Prostate Gland, Polypus of Worr  Railroad Accidet Railroad Accidet Refrontism.  Rickets, Rickets, Rickets, Rickets, Rickets, Rickets, Rickets, Scald Head, Sca	Scrofula, Small Pox, Spine, Disease
::::=d::05::::::::::::::::::::::::::::::	
HH : H : : : : 의 # : : : : : : : : : : : : : :	→ 01 : : 01 <del>-</del>
	20
Transfer to the second of the second of	_
* * * * * * * * * * * * * * * * * * *	* * * * * *
	ଦେହା : : :
	<b>-</b> : : : : :
· '- · · · · · · · · · · · · · · · · · ·	
[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]	1:::==
11:4:: [De::::[L:::g [L::::::a ]	:: ::
119 119 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	에 : : : : :
	:-
	::::::
	Males, Females, Males, Females, Males, Females,
Eales, Fales, Fa	Males, Females, Males, Females, Males, Females,
	a raina r

TABLE VII.-CONTINUED,

1 13	Unknow			- : :	:::	4 4 4 4	
_	.08 1970 j	4 4 4		: : :			: : - : :
1 1=	08 04 02 1	:::	: : : :	: C1		P 4 A A	:::::
	01 20 09 1		1 1 1 1	::=		4 1	-:::
	.08 of 08 l		: :- :	:	1 100 -	::	
99	'05 ot 9F	::::	111:	1::		- : :	:::
AGES.	OF at 08 i			::-	111		
	DS of 02	<b>¬</b> ::	: : : :	::::	7 5 0-92 4 5	7 1 0A0 2 5 4 1	
	07 01 91 1	2 0 0					
	दी ज भी।			:::	: : 04		1 1 1 1 1
	Of or 6	6 7 4 6 4 1	: : : :	: : : -			1:-1:
	LINGE D.	:2280	::-	-::	: 51 :	1 1 1 1 1 1 1	9 ; ; ; =
	a autom N	4 1 1 2					
0.0	wondull	- : 2	G4	0101 -			
2 -	.ealema'l			:	1 1	: :	:
100	.golaM	- 50		::9	100 04	23 :43	: : 63 : :
Wнов. в No.	.alstoT	-8:	- 00 - 00	- 91 t=	· 200 8	· 00 =	
	-1 (11				. 44		
					1 1 1		
		1111		:::	111	1 1 1 1	11111
1	1	90	99	: 6:	: : :		1 3 1
-	-	888		Vitus Dance	111	1 2 1	Distrasio
3	3	lise	Dille	A:	1 6	10	Osia osia
		Born,	ch,	tus n,	BIK.	al al	on, I
	200	Spleen, Disease Still Born,	Stomach, Disease of	St. Vit	Suffocation, Suicide,	Sunstroke, Surgiral Operation Teething,	Tetanus, Throat, Disc
		Selection	St. St.	4.4	Sell	Sunstroke, Surgical O Teething.,	F F
1 24	L Unknown	: 20 : 7	1:::	T::		: : : =	:::::
.1	aquioaa(1	:चयन	1:::	: : :	::-		- :- :
1,13	1 уоленци	. 24	1:::	: - :	: : ==	: :-:	::-:
	1 October	. — e4			::-	- : :	
· Us	Septembe	: 40 01	: : - :		:- 01	: : :010	1 : : : :
188	Janau ?	:-10	1 1 1 1	: : :	::-	· - : 커 -	1 1 1 1 1
E	-Amp	+ 0.5 to	2 10 1000	::-	1 191	- : :-	1111
Монтив.	-James	: चं ध्र			- :-		
	-YSM	₩ 50 03		: : :			
-	Judy 1	: 00	- :-	: : : : : : :	t one per		::-::
	March.	61	: : : :	* 1 4	:: =		0 0 000 1 P
1 2	Light February	100 04	: : :	::-	:::-	1::::	
	dammer	:01		4 1 1	: : : :	:::::	
		:::		+ + + t			
		es,		8 8	E		£ . £ .
		lenales, fales, females,	Males, Females Males,	Pemales, Pemales, fales,	Frinales, Hales, Hales,	Males. Females, Males,	emales, fales, females,
}		Ma	MEN.	F. F.	ANNE	M's Ke	KAKA TEST

		* 1 *	+ + + +		G1 T	4 2	:::
				1 1 100		1 :	
	1 1		-	::=	27 :	- :	4 1 7
		- : :	: :	• • •	<u> </u>	4 -	
	:		- :	::2	·	: :	1 1 1
4 1 -	91 - ·				Pina v	4 4	1 4 4
-	\$1 :		1 1	1 11-			1 4 4
	: : :	-		1-6	열 :		1 1 1
: - : :		* 1 *	1 1		2 :	1 5	
		2 1 1		117	<b>→</b> :	4 2 4	- : :
	* * *	1 1 - 1	4 2	01		1 1	
				01	10 :	4	23 :
		4 4 4	_			. 200	or 601
0 0 E				: :3	500	· OL	0C G1 :
2 4 4 4		* * *			- 3	4 5	4 4 1
	42 74 <del>~</del>	- 01				d p /	1 1 1
		9		1 1 1	: 22		24
:		64	: :	- m	: :		
- '~©			: : :	368 183	175		
	:श ल	भा । —	-	8	4 1	- 55	: 6.3
Bladder,		: : :	1 1	1 1 1	_		
in Bladder,	5 5 5	* 4 :	in Womb,	: : :		Urine, anppression of	: : :
	f Ovary, Side,			of Brain,	* h	\$ :	1 1 1
1 1 4	Ovary, Side,	in Stomach,	п Wошь,	of Brain,	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	g :	
1 19	2.0	A CO	Ē:	i ii.	* P	25	102
	3 5 7	10 3 14	0	2 2 :	0 0	200	3 : 5
: : : : : : : : : : : : : : : : : : : :	-	00	7			윤호	-
1.5.5	100	.9 .5	.5 .	0 0		B 29	. 0
3 3 3	= = =	2 2 2	re i		3 3	0	E E
		* * *	9 9	- 4	7.1	8 8	0.0
-			_ 5	or Bowels, Unknown,		Vooping Cough,	Worms, Wound of Wrist
	1 1 4	1 1 A 2 0 F	4 .	1 124	T		
-04-	- : :	- :-		: : : : : : : : : : : : : : : : : : : :		- 64	Worms, Wound of Wrist,
		4				101	1:::
				1 1 2 5			21 : :
1111	01		4 2	1 125	용 :	. CS.	च* :
	1	:- :	4 2	: :2	유 : 9 :		:
	: : :				20 :	* -	
		H	1 4		0 -		47
· · · ·	;	- : :	11	: :22		9 8	,
::-			1:	: :22	16	104	* * *
	1 1 9 1	4 8 8	1 :	: :5	© →	: :	ক : :
	1 - 0			: :2	C 64	: ::	
-	: :	* 1 1	::	15			
			*		9-	1 .	N ::
5 5 4 5	4 4 5	11:	d ped	: : : : :	크 :	-	7 : :
. A	:= :	Males,	A 1 pm		Females, 14 [		
	: : :	1 1 1	1 .	Males,		Males,	
	100				Females,	Males,	0.0
	9 9	les les	les les	2.0.0	S 6	A 4	Females, Females, Females,
13 6 6							
Memalos, 1 1 2 2 1 1 1 Makes, 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Females, I Females, I	Males, Females, Females,	Females,	2 2 2	M 12	68	A SE

72

3437 Totals. 균임공항공 38.40 Windsor, 2012 20 20 359 69 .madbaiW 325 58383 99 .morgnidas W

50 GI I- 다리 크림 28 365 CC 2 4 8 66 200 Butland. 173 \$2258°° 맺 CH 05 Urleans. 日に多年本 331 36 -50 Orange. Q1 10 133 的恐行為子 30 Lamoille. P-00-00 TO - ac

1-01 900 =03 이크리 86 .elsl bnurt) SER 270 240 Franklin. per centages. - 6A 53 00 t- 10 CH 00 Essex. 芸二品 1602000 30 |-S 20 Chittenden. 275 23 7 設工品 22 % 57 × 800 Caledonia. : 01 富辛草 61 53 **世紀後8日** 28 Bennington. 34 0 18 2 15 55 8 3 36

TABLE VIII.—CAUSES OF DEATH—CLASSIFIED ARRANGEMENT. 설립 .nosibbA THE ORGANDS OF CHARGE TION THE NEBYOUR SYSTEM CONSTITUTIONAL.... DIATHRIC ..... TABERCULAR ..... DEVELOPMENTAL. VIOLENT CAUSIE OF DEATH. Dirtic....

Exhibiting the number of deaths from each cause, in the several counties, statistically classified, together with ALL CAUSES..... III. LOCAL.
IV. DEVELOPMENTAL.
V. VIOLENT. SPECIFIED CAUSES I. ZYMOTICS. 2. Enteretic ... -jet 01 00 4

の上の

253 375 150 250 200

TENTH REGISTRATION REPORT. T1866.

1866.] 		<b>D</b> :	EATH	S.	78
2.63 2.63 2.44 3.63 3.63 3.63 3.63 3.63 3.63 3.63 3	2.90 .69 7.18	3.98 .05 .69	.20	24.14 .14.14 .17.17 1.16 6.63 6.63	4.01
173 69 60 14 50 60	222	137	397	830 5 7 7 5 6 6 6 7 5 7 5 6 6 6 7 5 7 5 7 5	1300
C+ C+ C+	इस्सुल	£ ::0	- 73	44 :5: 4-06	10:
99 : : 7	ର ଚାୟୁ ଚା	7 ::01	: 75	9: :094-2-8	:=
g⊕ :	\$40°L	G::4	35:	\$ : : : : : : : : : : : : : : : : : : :	. 9
G1 = : : 10	51 50 50 61 61 50 50 61	6:12	9.	15665: 121: 93	: হ্র
= 01 : : :	6 :4d	no : : :	C 64	6 : : 4 : - 6 - 1 : :	-0
100 :::	5 0 5 0 O	0 :	1.02	8 : : : : : : : : : : : : : : : : : : :	- (-
E 0 1 1 25	m-1100		15	8: 12: 13: 13: 13: 13: 13: 13: 13: 13: 13: 13	: 43
	P :00 1	m ; ; ci	n free	t-    -	: 00
E ** : : :	유-왕:	2:::	127	2 : 93 - 5 9 F s -	:2
		* * * *	- 53	00 : It- : : : : : : : :	10
1:: 20	0 :00	15	755	€01 ·23 ·0¢ 20 01	9
g:	4-61	t- : : mi	63 [2	89 : 105 : 1-4-01 : 0	15
000::-	111	0 ; 0	: 50	56445 :0554E	:=
N 4 01 − 01	16	₹ : :=	L 12	8::-:::=:	:00
		4 5 6		* 1 1 1 1 1 1 1 1 1	
4. Of the Digestive Organs 5. Of the Urinary Organs 6. Of the Organs of Generation 7. Of the Organs of Locomotion 8. Of Intecumentary System	IV.—1. DISEASES OF CHILDREN 2. DISEASES OF WOMEN 3. DISEASES OF OLD PROPIE 4. DISEASES OF NUTRITION	V.—I. Accident 2. Battle 3. Homicide.	Sadden Deaths		11 Dyseutery

Percentage.	1.36	888	2,2,2	80.	8.76 8.11 10.35
T'otale.	8451	D\$1414	90 00 01 05	99	198
Windsor.	100	~ :-			20 co
Windbam	0000		7 7		22-0
Washington.	-4				200
Butland.	10001			:	25.4
Orleans.	64			:	2001-1
Orange.	1000 miles	hater .		-	81-51
Lamoille.	500			:	61-0
Grand Isle.	-			:	:
Franklin.			04 04	-	000
.X988 1	1::::			1	7
Chittenden.				-	00000
Caledonia.	44-04	:::		:	01000
Jeongaignost	3001-00		01 H	ī	700
A ddison.	चिक्त का			944	242
ES OF DEATH.	antum	-2 Enthetic. Totals	Totals.	4. Parastile.	-1. Dicthette. Totals. Anemis

		<del></del>		
.17	21.90 .61 .20.17	9.10 1.30 2.93 2.93 .05 .05 .05 .04 .44 .45	4.36	8.43 .11 .37 .20
0	753 712 20	375 266 266 101 101 128 1131 164 164	150 4 146	084 EEEE EE
N	50.14	8 :	8 8	4 4 5 10
*	102	F : 95 00 1015	2 : 2	8 :8 :
	90-88	83 - 00 00 · · · · · · · · · · · · · ·	546	왕 :여왕 :-
7	8000		15	ह्य : न्य : व
*	62 + 60 60 + 72 64	F448444 : :0	C1 11 00	其:03::
4	0 :00 0 :00	84000 : : HE	678	82-4
*	81 :81 :	A::-	מון מו	H : : : : : :
	30 -30 -	N ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	m ;n	- : : - : ;
-	80 at :	S - 44 - 44 - 44	10	2 : 2 2 3
4	9 :00	0 4 4 4 7 2 0 0 0 F	64 . 64	63 - 63 -
B	2044	Mont	15	8:-2
# 2 2	# 04 00 ·	. 없 :ㅁㅋㅁ :여 :ㅁ그	7:7	22:71
* *	62.2	Suran	9 9	17
*	₹°°5	# : 0 # : : H	G : G	aa::
Mortinestion	II.—2. Tubercular.  Scrofula. Puthisis. Hydrocephalus.	III.—1. Nervous System.  Cephalitis Apoplexey Paraly sis Insanity Convaliens Petanus Convulsions Brain Diseases, &c.	III.—2. Organs of Circulation.  Totals.  Pericarditis	III.—3. Organs of Respiration.  Bronchitis Pleurisy Paeumonia. Asthms Lung Discases, &c.

Orange. Orleans. Rouland. Weshington.	11
Franklin. Grand Isle.	HALL 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Chittenden. Kuex.	
Caledonia.	& : : · · · · · · · · · · · · · · · ·
Addison. Bennington.	2
CAUSES OF DEATH.	III.—4. Organs of Digestion.  Gastritis Enteritis Ferritoritis Ascites Ulcertation of Bowels. Hernia. Bleas Stomach Diseases, \$\partial{\pi}{\pi}\cong \frac{\pi}{\pi}\cong \frac




TABLE VIII .- CONTINUED,

TEN	TH REGISTRATION RE	PORT.
Percentage.	3.98 	2011 <b>21 22 23 23 23 23 23 23 23 23 23 23 23 23 </b>
Totale.	F 8 0 8 4 2 5 4 2	140
Windsor.	24 7 0 0 0	
.madbaiW	4- :0 :044 9	. c.4
.notgnidaeW	5101 : C : C : S • . 4	. ed H 60
Rulland.	0.0000 : L : C = 61	7.0
.snsafaO	10 HH 11 H	1 20
Orange	On :01 :1 :0 :1 :0	1 - 24 2
Lamcille.	T : : : : : : : : : : : : : : : : : : :	
Grand Isle.		
Franklin.	E . 0140 4	- 5i
Essex,		69
Chittenden.	E C C C C C C C C C C C C C C C C C C C	35
Caledonia	C-7	- or or
Bennington.	© 01 = 01 : 01 : 01	
Addison.	T-1	- F6
CAUSES OF DRAIM.	V.—1. Accident or Negligence. Totals. Wounds. Wounds. Burns and Scalds. Drowning. Suffocation. V.—3. Homicide. V.—4. Suivide. Totals.	2 Poison 3 Drowning 4 Hanging 5 Otherwise Sudden, cause unknown Causes not specified †

#### TABLE IX.—OCCUPATIONS.

Exhibiting the number of persons pursuing different avocations, living in the State, according to the Census of 1860; also the number of deaths occurring in each class, together with the ratio of the same to the living, and the aggregate and average ages.

				ing.			AGES	•
Occupations,	Living,	Deaths.		Batio to Living.		Given.	Aggregate.	Average.
Accountants,		1		• • • •		1	47	47.00
Agents	101	3	1	in	34	3	149	49.00
Apothecaries,	45	1	1	in	45	3	22	22.00
Basketmakers,	41	1	1	in	41	1	87	87.00
Barbers,	49	1	1	in	49	1	66	66.00
Blacksmiths,	1317	14	1	in	94	14	790	56.42
Brickmakers,	72	1	1	in	72	1	€7	67.00
Butchers,	154	3	1	in	51	3	155	51.66
Cabinetmakers,	213	2	1	in	106	2	106	53.00
Carpenters,	2739	26	1	in	106	25	1499	59.96
Clergymen.	631	13	1	in	48	12	668	55.66
Clerks.	876	8	1	in	109	8	196	24.50
Clothiers,	35	4	1	in	9	4	266	66.50
Coopers,	254	8	1•	in	32	8	464	58.00
Dentists,	73	1	1	in	73	1	37	37.00
Drovers,	32	1	1	in	32	1	64	64.00
. Editors,	31	1	1	in	31	1	28	28.00
Engineer, Civil,	61	.1	1	in	61	1	79	79.00
Factory Operatives,	1259	_ 2	1	in	629	2	72	36.00
Earmers,	38967	705	1	in	56	696	40282	57.87
Puniture Dealers,		1		• • •	اي	1	31	31.00
Goldsmiths,	16	2	1	in	8	2	69	34.50
Grocers,	131	2	1	in	65	2	94	47.00
Harnessmakers,	<b>26</b> 6	5	1	in	53	5	242	48.40
Hatters,	21	2	1	in	11	2	168	84.00
Imkeepers,	299	7	1	in	43	7	363	51.85
Laborers,	8660	75		in	102	72		
Lawyers,	494	5	1	in	98	5	349	69.80
Lumbermen,	152	3	1	in	51	3		72.33
Kachinists,	i 478	5	1	in	96	5	158	31.60

		Ш		ng.			Agn	L
OCCUPATION.	Living.	Deaths.		Ratio to Living.		Given,	Aggregate.	Average.
Manufacturers not specified,	478	7	1	in	68	7	291	41.57
Marble Dealers,		1				1	24	24.00
Masopa,	432	6	1	in	72	6	369	61.50
Mechanica, not specified,	633	33	1	in	. 19	33	1475	44.6
Merchants,	1273	22	1	in	5H	21	1119	53.2
Millers,	381	8	1	m	48	8	513	64.15
Millwrights,	126	2	1	in	63	2	150	75.0
Miders,	108	3	1	in	36	3	115	38.3
Painters,	581	8 2 3 7 2	1	in	83	237	345	49.2
Peddlers,	347	2			178	2	75	37.50
Physicians,	594	20	I	in	30	20	1239	61.9
Posimasters,		1				1	66	66.0
Printers,	115	2	1	in	57	2	117	58.9
Railroadmen,	881	9	1	in	98	8	212	26.3
Shoemakers,	1200	22	1	in	59	22	1382	62.8
Soldiers,		10				10	288	28.8
Spinnera,	31	1	1	in	31	1	30	30.0
Stone and Marble Cutters,	347	9	1	in	38	9	448	49.7
Students,	528	9	1	in	59	9	175	19.4
Failora,	294	5	1	in	59	4	175	43.7
Canners,	160	2	1	in	80	2	130	
l'eachera,	1951	5	1	in	390		210	42.0
Feamsters	344	T.	1	in	344	1	35	35.0
Finsmiths,	208	3	1	in	208	1	18	18.0
Wheelwrights,	409	9	1	in	45	9	476	52.5
Other occupations,	127	5	1	in	25	5	270	54.0

#### TABLE X.

Exhibiting the number of Divorces granted by the Supreme Court, during the last fire years, ending December 31st, 1866, with the causes therefor; also the number of marriages in each year, and the ratio of divorces to marriages.

#### DIVORCES GRANTED IN 1862.


		0	AUSE	or l	Ģtvoi	CE.	LIBE	LANT	10	5		as to	
COUNTIES.	eduliery.	L'exertion.	Intoierable Severity.	State Privon.	Willuf Liber	Wutul Deser- tion and Adultery	Husband.	Wife.	Whole Aunited Marriages.	Whole Aumber Divorces.		Ratio of Divorces to	Martingen.
Addison,	1	-	2		2			4	127	5	1	in	25
Bennington,	2				3		2 3 5	3	125	5 5	1	in.	25
Caledonia,	11	3	4	1			3	6	159	9	l	in	18
Chittenden		1 2	2		6	1	5	4	130	9	L	im	14
Casex,		1						3	18	1	1	in	18
Franklin,	1				3		2	2	161	4	l	in	40
Grand Inle					4		1	3	12		1	in	-
Lamoille,	2 5	1					2	1	86		1	in	2
Rutland,	5	- 0	8		5		1 2 8 4	5	197	13	1	in	13
Orange,	3	4.5	1		3		4	3	190		1	in	2
Orleans,	1	0 0			2			3	127	3	1	in	4
Washington	3		3		3 3		5 2	4	200	3 9 5	1	in	2:
Windham,			1			1	2	3	181		1	in	3
Windsor,	4		4		8		4	13	249	17	1	in	18
Totals,	23	5	20	1	43	2	39	55	1962	94	1	in	2

TABLE X .- CONTINUED.

				Cates	10 E	CAUSES OF LIVORER.	101				LIBELANT	30 30	pa	
Counties	Adultery.	L'esertion.	Tourneld manistradd	France	aldstalond virensk	Implemelile Severity &	or faculable	inconstant atail of constre	Milital American	Hundrandi	"ali M	Whole Sumb Marriages.	Whole Aumbi	orid to citali ergainald et
Addison, Bentington, Caledodia, Chittenden, Essex, Franklin, Grand Isle, Cramoille, Orages, Orleans, Rutland, Washington, Windham,		(0) 6)	1	1	- c1					-01 -0 -01400 -00	-40 :4 :0000 XX	22 4 2 1 2 3 4 2 1 2 3 5 2 3 5 3 5 3 5 3 5 3 5 3 5 3 5 3 5		10 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Total, contract to the cont	=	124	1-	1-	50		100	-	85	43	20	2007	102	1 in 20

4
8
30
_
_
H
_
0
1
T
-
2
~
~
U
_
Ë
Ë
~
õ
5
<u></u>
2
•

				CAUSES	CAUSES OF DIVORCE.	/OKCE.	74			CHELANT.	=		19	
Cousties.	Adultery.  Desertion.	blumerable stravity,	-out ind W	्राज्यामा व्याप्त व्यापत व्याप्त व्यापत	Audiny by respond of Insanity.	set inhitze han quirres yr'vos land	Desertion & Adn' erv,	of lastonall defense in	Aumiers & Surport.	"benelauH	-aiw	Whole Kumb Marringes.	Whole Aumb Divorces.	erid to oitsH
ddieon	-	1:					:		:	1	-	118	64	1 in
ennington,	Ç1	-	-	0 0 0				* * * *	* * * * * *	60	_	26	e.	1 in
aledonia,	*	4	* * * *				_			ಣ	ল	146	40	1 in
hittenden,	-		4	* * * * *				* *	* * * * * * * * * * * * * * * * * * * *	20	63	101	9	1 m 17
666X	:			* * *					* * * * * * *	67	::	-	Ç1	1 in
ranklin,	-	15 00	T		4	* * * * * * *				ব	4	200	OC	1 in
rand Isle,	1				4 0 0 0 0 0			* * * *		-	-	~	04	1 in
amoille,	eg.	**				4		* * * *	FF	1-		62	36	1 in
range,	*	*3	4	* * * * * * * * * * * * * * * * * * * *			:			34	r-	189	¢.	1 in
rleans,	10		4				-	* * * * * * * * * * * * * * * * * * * *		30	_	166	Ġ.	I in
utland	4			_		9 4		:	4 4 4	-	œ	149	Ð	I in
Pashington		20					1	C1		G4	10	250	15	1 in
Windham,			ৰ	9 0 0 0		0 0 0	4 4 4		9 4 4		-	SS	1-	ii.
indsor,	; 64	:					*	:	* * * * * * * * * * * * * * * * * * * *	9	e i	888	15	Lin
Total	183	11 23	164				im	64	-	4	40	1804	86	1 in 18



			7	ADER	8 07	CADEES OF DIVORCE.	CE.			Crue	LANT		10 19 10 19		44
GOUNTIES.	Adultery.	Desertion.	Sevente,	Wilful De-	Support.	A dultery & of lessing to head to	Fraud.	Meretton &	Desertion & Intolerable Pererity.	,basedsc H	Wife.	Whole Mumb	Whole Numb Divorces.	rid To oilaH of Marriages	Service es
Addison,	1		103	4	1:				4	100	50.0	195	109	l in	87
Sennington,	CO.	ici		61			-			*	9	183		6	30
aledonis	0	-	* 6	* *				-		9 .	1-1	154		۹.	23 5
hittenden,	0	10 p	00	9	* * *	4 h	9			0-	73	200			32
New Section	13	4		. 4						→ #.		96		2 5	28
Transfer of the second of the	* *		•		-			9		3	- ;-	11			-
Lamoille		4	63					-		87)	9	142			6
	03	:	40	67		4				2/2	9	262			8
Orleans,	1-	1.0	-	ক	-					9	ÒÇ	88		Ē	5
Rutland,	11	8 9	45	06			4 4 0		* * * * *	F	20	332			#
Washington,	64	4	MS		61	****				2	00	212		.0	9
Windham,	0.4		-	4					* * * *	00	7	314			10
Windsor,	6		00	00	C)	*	:			90	14	400	-		1-
Total,	54	190	क्ष	1	9			1.	1	63	800	3001	155	l in	19

# TABLE XI,-RECAPITULATION OF DIVORCES


								Cat	nn or
Counties.	Adultery.	Adultery and Refusal to Fupport.	Desertion.	Desertion and Adultery.	Fraud.	Former Mar-	Intelerable Neverity.	Intolerable Severity and Desertion.	and Refused
Addison,	- 5						6		
Bennington	15		11				- 8	1	
aledonia,	13		13	1			8	1	* 2444
hittenden,	10						- 6		
asex.	2		2				1		1 4 4 7 5 1
ranklin,	8						9		
Grand Is.e,	8 1 8						3		
amoille,	8	1	14	1			3	1	
Orange,	9						18		
rleans,	18	1			2		2	1	
lutland,	28					1	16		
Vashington,	16		19				21		
Vindham,	11						7	1	
Windsor,	20		1				20		
Totals,	164	2	60	2	2	1	125	- 5	

# FOR FIVE YEARS, ENDING DECEMBER 31st, 1866.

DIVONO	E.					LIBEI	LANT	0	0	2
Nullity by reason of la-	Refusal to Furport.	State Prison.	Williah Leser- rion.	Wilfut Deser- tion and Adultery,	Wittui Deser. and Intolemente ble Severity.	Husband.	Wife.	Whole Number Marriages.	Whole Number Divorces.	Ratio of Divorces Marriages.
			8	1	1	9	12	743	21	1 in 36
			10			21	24	629	45	1 in 14
		1				14	23	800	37	1 in 22
			23	1		20	20	841	40	1 in 21
						4	1	86	5	1 in 17
	2		20			19	23	976	39	1 in 25
	1		6			3	6	106	9	1 in 12
						18	10	505	28	1 in 18
			18			17	25	1065	45	1 in 24
			15			22	12	780		1 in 20
	2		24			35	37	1091	72	1 in 15
1	4		3			26	35	983	64	1 in 17
			23	1		19	24	1253	4-	1 in 29
*****	4	1	38			32	52	1485	84	1 în 18
1	. 13	2	188	3	1	256	315	11343	571	1 in 20

TOTALS.	Within Desertion and Adoltery. Within Desertion and Intelerable Pererity. Males.	1	25		12 20 20	•	10
	Refusal to Support. Prison. Wilful Desertion.			1			100
F DIVORCE.	Intolorable Severity and Desertion. Intol. Feverity and Reinasi to Support. Xuliny by ficason of Insurity.						
CAUSES OF	Intolerable Severity.	, muo.	11	00			104 B-
	Former Marriage.			::	: :		
	Desertion and Adul- tery.		41-1	9			
	Adultery and Refusal		0.6	::	- 29	· · ·	-
_	Adultery.						-
	LIERLANT.	Husband,.	Wife,	Hueband,.	Husband,	Husband,	Husband,
	Counties.		Bennington,	:	Chittenden,	Salex,	Franklia,

.   Husband,			B	7		* * * *	_									_		
Wife,	7	-	40				Ç4	-			:	•	1				01	8
Husband,	90	90					1	¥ 5 8 9					00	**	4 0	17		
Vife,	-		* * * *			* * * *	17					* * *	10			4	ā	45
Insband,	<u></u>		* * * *		9=4			-					t-			63 63	9	
Wife,	0	-4		0 0 0	=		64	:			*		90	* * * *		i	-	33
Husband,	8		4 4			8	단말	643	8.0	8					8 8	35	10	
W 1fe,	30					-	20	0 0		11		53					607	
Husband,	10		=				C3			* * * *	-				4 4 4 4	56	-	
Wife,	* :		OID)		4 0	-	19		*	_	-dr		*				38	20
Husband	OID				:		:						10	_		19		
W.ife,	co	4		* 4 *			Pe.	_			*	* * * * * * * * * * * * * * * * * * * *				:	22	43
Husband	60		1				e4	* * * *	4 6 6				16	4 0		32		2 0
Wife,	1-	4	*			*	180	-		8	박					:		20
Heshands	112	-	1 27	10	1	1	4		-			1	18	10	1	986		1
Wive	70	0	6	1	+ 1-	1 4-	111	27			2	01 6	109	- 1		2	21.5	2 2
A LACON	10	9	i	:	4	4	7 7		-	1	7	4	100	1	1		250	
	164	6.1	8	ci	c.	-	126	10	-		13	6.1		80	-	:		571



## REMARKS.

The tables constituting the Tenth Annual Registration Report of Births, Marriages and Deaths, for the State of Vermont, for the year ending December 31st, 1866, are apparently very nearly accurate. They exhibit a marked improvement upon the last year's report, which far surpassed that of any previous year. The importance of registration is everywhere being more felt and appreciated, and systems are adopted for thoroughly carrying it into effect. Vermont was among the first States to publish these reports, which are now established in many States as permanent systems of registration.

The tables of the present report contain returns from all of the towns in the State, except four small towns containing an aggregate population of only 2,127 persons.

From eight other towns the returns are evidently but partial and incomplete, viz: Barton, Barnet, Enosburgh, Coventry, Franklin, Fairhaven, Guildhall and Vergennes.

From all the remaining towns of the State, the returns are only incomplete with respect to Causes of Death, which, in many instances are imperfectly, or incorrectly given, as must continue to be the case, until physicians can be induced to make these returns.

An important addition has been made, by the Secretary of State, to the present report, consisting of a record of the number of divorces granted by the Supreme Court in the several counties of the State, during each and all of the last five years, with the causes therefor, and the ratio of divorces to marriages.

The tables show that during the year ending December 31st, 1866, the whole number of births was 6,532; of which 3,876 were males, and 3,113 were females; of 43 the sex is not stated.

Marriages were 3,001 couples, or 6,002 persons, a number greater by 432 couples, or 864 persons than ever before reported.

Deaths were 3,841, of whom 1,897 were males, and 1,921 females; of 28 the sex is not stated.

Compared with the year 1865, the number of births is greaterly 1,179, and greater than in any year since 1861.

The number of marriages is greater by 432, or 864 persons, that during the year 1865; and greater by 686, or 1,872 persons, that is the year 1864.

The number of deaths is 1,017 less than during the year 1865.

Compared with 1860, (before the war,) the number of births is greater by 81. Marriages greater by 822, or 1,644 persons; and deaths less by 56.

Compared with 1864, the number of births is greater by 1,779. Marriages greater by 1,197, or 2,394 persons. Deaths less by 197.

Compared with the average of nine years, (1857-65,) the number of births is greater by 585; marriages greater by 872, or 1,744 persons; deaths less by 483.

Estimating the population at 315,098, their was, during the year 1866, one birth to every 48.2 of inhabitants. One person out of every 50.8 was married during the year, and one death to every 52 persons living.

The average number of births daily was 17.62; of marriages, 9.43; of deaths, 10.52.

Average age of those who died was 38.48 years. Average age during ten years, (1857-66,) was 35.66. Average age during three years, (1862-4,) was 30.29 years. Average age of those who died during seven years of the last ten, excluding the years 1862-4, was 36.60 years.

The total number of divorces granted, by the Supreme Court of this State, during the year 1866, was 155, or one to every ninetest marriages. The whole number for five years, (1862-6,) was 571, or an average of one divorce to every twenty marriages.

#### POPULATION.

At the last census in 1860, the population of Vermont was 315,098, of whom 158,786 were males, and 156,312 were females. Of these 282,335 were of American birth, of whom 141,299 were males, and 141,056 were females. Of foreign birth, and born of parents who were foreigners, there were 32,743, of whom 17,487 were males, and 15,256 were females. As no census has been taken since 1860, we

have no other data for calculations upon population. It is very probable that the population has changed both in actual numbers and in the proportion of Americans and foreigners, during the last six years, including, as this period does, the revolutionizing effects of the rebellion.

The importance of a State census at less than decennial periods of time, commends itself to the attention of the legislators of the State.

BIRTHS.

The whole number of births for the year 1866, was 6,532. The number for the last ten years is as follows:

Years.	Whole No.	Birth rate.	Pop. to 1 birth	Male.	Female.
1857	6,412	2.04	49.1	3,282	3,071
1858	6,477	2.06	48.6	3,294	3,142
1859	6,608	2.11	47.7	3,351	3,155
1860	6.451	2.05	43.8	3 225	3,186
1861	6,567	2.08	48.	3.354	3,170
1862	5,505	1.75	57.2	2,831	2,650
1863	5.369	1.70	58.7	2,719	2,624
1864	4,753	1.68	61.	2 439	2,264
1865	5,353	1.69	58.8	2.761	2,564
1866	6,532	2.07	48.2	3,376	3,113
Tetal,	60,055	•	.	30,662	28,939
Aver. annual.	6,005	1.91	52.45	3,066	2,894

Making a total number of births in ten years of 60,055, which exceeds the number of deaths for the same period by 16,764. The average annual number of births is 6,005, which is 1,730 more than the annual number of deaths for the same period. The excess of births over deaths, for the year 1866, is 2,691, or 58.8 deaths to every 100 births. The average for ten years, (1857-66,) is 71.19 deaths to 100 births. In Massachusetts, the average for ten years, (1855-64,) is 68.58 deaths to 100 births.

Sex.—In the returns for this year, the ratio of males to females is larger than usual, being 3,376 males to 3,113 females, or 1,081 males to 1,000 females. Of 43 the sex is not stated. The ratio for last, year was 1,077 males to 1,000 females. Ratio for ten years, (1857-66,) is 1,059 males to 1,000 females.

The following table shows the number of each sex by counting with ratio of males to females.

Counties.	M.	P.	M. to 100 F.	Counties.	M.	Fa.	M. to 100 F.
Addison,	258	220	117	Lamoille,	135	131	103
Bennington,	252	212	119	Orange,	225	206	109
Caledonia	220	225	98	Orleans,	196	187	104
Chittenden, .	350	305	115	Rutland,	503	421	119
Essex	24	20	120	Washington.	281	262	108
Franklin	282	291	97	Windham	223	233	95
Grand Isle.	48	56	86	Windsor,	379	344	110

Season.—The largest number of births occurs in September; put in order are August, May, November, October and December. The smallest number is in January.

The number for the third quarter is largest, and the first quarter is much less than either of the others.

The following table shows the births during the different quarters of the year 1866, and also during ten years, (1857-66,) with the percentage of each:

Periods.	Nume	ERS.	PERCEN	TAGE.
	1857-66	1866.	1857-66.	1866.
Quarter ending March, Quarter ending June, Quarter ending September. Quarter ending December,.	13,127 14,751 16,022 15,784	1,252 1,616 1,842 1,769	22.03 24.76 26.74 26.47	19.29 24.94 28.44 27.32

Plural Births.—Sixty-six cases of plural births are recorded, of which 71 were males, and 61 females. This is one to every 98 of all births. In 1865, the number was 29, or one to every 184 births. In 1864, 32, or one to every 148 births. The number of plural births during ten years, (1857-66,) was an average of 57 per year, or one to every 105 births.

Illegitimate.—Forty cases of illegitimate births are recorded for this year. Of these 19 were males, 20 females and of one the sex is not stated. This is one to every 163 births. In 1865, the number was 39. During ten years, (1857-66,) the average annual number was 50, or one to every 120 of all births.

Still born.—The number recorded is 90 cases, or one to every 73 births. For obvious reasons, this is greatly under the true number-

Parentage.—Of the whole number of births, 4,376, or 66.97 per cent. are recorded as of American parentage; 1,724, or 26.39 per cent. of foreign parentage, and 432, or 6.63 per cent. are recorded as "Unknown." The average for ten years, (1857-66,) has been as follows: American births, 67.77 per cent.; Foreign, 21. per cent., and "Unknown," 11.23 per cent.

The following table gives the number of births during the year, by counties, with the number of inhabitants to one birth and the parentage:

Counties.	Total.	Am.	For.	Un.		Per cent of American.	Per cent of Foreign.
Addison,	489	309	148	23	50	$-{64.37}$	30.83
Bennington,	466	324	120	21	42	69.52	24.8
Caledonia,	453	341	<b>7</b> 3	39	47	75.27	16.11
Chittenden,	662	318	287	57	42	48.	43.35
Essex,	45	41	1	3	81	91.11	2.22
Franklin	575	306	234	35	47	53.22	40.7
Grand Isle,	105	45	31	24	41	42.86	29.52
Lamoille,	267	227	21	19	46	81.27	7.86
Orleans,	436	380	37	19	58	87.15	8.48
Orange,	384	254	98	32		63.54	25.52
Rutland,	928	447	434	47	39	48.17	46.44
Washington,	547	390	110		50	71.29	20.11
Windham,	458		30	25	59	83.62	6.55
Windsor,	726	588	97	41	51	81.	13.36
					Average	Average	Average
Total,	6,532	4.376	1,724	432		66.97	26.39

#### MARRIAGES.

The number of marriages recorded for the year 1866, is 3,001, or 6,002 persons. This is an increase of 432 marriages over the number for any previous year, and 781 more than the average for the last ten years.

Of these 6,002 persons married, 3,442 are recorded as Americans; 549 as Foreigners, and 2,011 as Unknown.

The following table shows the number of marriages during each and all of the last ten years, with the ratio to population:

Y вади.	1857	1858	1850	1860	1861	1862	1963	1864	1865		Total. 1857–06.	Aver'ge 1857-66.
Marriages Number of Persons Ratio to Population	\$889			4858	4376		4014	\$608	5138		22,135 44,270	29.14 44.28
Americans, Foreiga, Unknown,	1812	2764 392	3646 394	2858 380	8074 376	2818 332	2674 430		3348 464	8442 549		27,35 8,88 13,04

It is evident that greater care should be used to ascertain the nativity of those married. The greatest number of marriages took place in October, November and January. The least is August, July and June.

There were 784 marriages in the first quarter of the year; 606 in the second; 640 in the third, and 933 in the fourth.

The ratio of marriages to population is one to 104, or one person married to every 52 persons living. The average for ten years is one to 142, or one person married to 71 living.

Of the 3,001 marriages, 1,636 were of bachelors to maids; 118 bachelors married widows; 178 widowers married widows; 277 widowers married maids, and of 792 the condition is not stated.

In 765 instances, the bride was under 20 years of age; in 85 the groom was under 20, and in 62 instances, both parties were under 20 years of age; 17 men were over 70 years of age. Four hundred and fifty-five widowers, 296 widows, 1,754 bachelors and 1.913 maids were married.

#### DEATHS.

The whole number of deaths for the year ending December 31st, 1866, was 3,841, which is 1,017 less than during the year 1865, and 483 less than the average during eight years, (1858-65,) and 434 less than the average during ten years, (1857-66.)

The following table shows the whole number of deaths during ten years, with percentages and ratio of deaths of the living, and the average age of those who have died:

YEARS.	1857	1858.	1859.	1860.	1861.	1862.	1863.	1804	1865	1:66	Twist 1867-06	Asserte.
No Deathe, Per centage, Liv. to 1 death, Average age,	1111	1188	11-2	1237	1380	1585 65	1-1-	1711	1541	1212		

Average number of deaths annually 4,329, or one to every 73 of inhabitants; for the year 1866, one death to every 82 inhabitants.

Age.—The ages are given of 3,742 of those who died during the year, leaving 99 whose age is unknown. The average is 38,48 years, being greater than during any previous year. The average ege uring ten years, (1857-66,) was 34.62 years. This average is

made much less by the reduced age during three years of the rebellion, (1862-4,) when the average was only 30.29 years.

Table showing the number and percentage of deaths at the specified ages, with the ratio to the living at each period.

Deaths for 1866.—Ages, Sex and Rates.

Aors.	Male.	Fema'e	Agg gate.	Pr. Cent.	Living to : Death.
Wades I man	303	240	562	14.63	12
Under 1 year,	203	168	373	9.71	82
5 to 10	79	86	165	4.29	214
10 to 15,	51	64	115	2.99	294
15 to 20,	82	100	182	4.73	185
<b>20</b> to 30,	142	184	327	8.51	159
30 to 40,	106	164	270	7.03	143
40 to 50,	98	130	228	5.93	138
50 to 60,	129	132	261	6.79	94
60 to 70,	228	200	428	11.14	39
70 to 80,	225	190	415	10.79	19
80 to 90,	176	178	354	9.22	8
Over 90,	31	32	63	1.64	5
Unknown,	44	52	96	2.5	

Sex.—The tables show that of all deaths there were of males 1,897, of females 1,921; an excess of 24 females. In 1865, their was an excess of 22 males. In 1864, an excess of 245 males. The average for ten years is an excess of 42 females annually. For the year 1866, the ratio is 99 males to 100 males.

Of deaths under one year of age, there were 126 males to 100 females. Under five years, 126 males to 100 females. Between five and fifteen years, 87 males to 100 females. Between fifteen and thirty, 72 males to 100 females. Between thirty and fifty, 69 males to 100 females. Between fifty and seventy, 108 males to 100 females. Over seventy, there were 108 males to 100 females. Forty-eight persons died between the ages of 90 and 95, of whom 22 were males and 26 females. There were 15 deaths above the age of 95 years, 9 males and 6 females.

Nativity.—There are recorded 3,172 deaths of Americans, 298 of Foreigners and 371 "Unknown."

Season.—The fatality by months and quarters differs somewhat from last year, but varries little from the average of several years.

The order of months in fatality was August, March, September, April, January, October, May, June, February and July. The order by quarters was third, first, fourth and second.

Deaths by Quarters, Numbers and Rates.

QUARTERS.	1865.	1866.	1857–66.	Per Cent. 1865.	Per Cent. 1866.	Per Cest. 1857-66
First quarter, Second quarter, Third quarter; Fourth quarter,	938 1.579	968 903 1,008 916		19.31 32.5	25.2 23.49 26.24 23.84	23.87 22.72 27.61 25.65

The number of deaths during the year 1866, is equal to 1.21 per cent. of the whole population. Last year it was 1.54 per cent. Average during ten years, (1857-66,) was 1.37 per cent. In Massachusetts, during thirteen years, (1852-64,) the average rate was 1.86 per cent.

#### CAUSES OF DEATH.

No destructive epidemic has prevailed during the past year. The whole number of deaths is much less than during any previous year, since complete record have been made. This is due mainly to a deminished prevalence and fatality of Zymotic diseases, which, since 1857, had steadily increased until 1863, since which time they have as rapidly diminished; the number of deaths for 1866, being 956 less than for 1865, and 1,741 less than for the year 1863, from this cause. They have decreased more than 15 per cent. as compared with 1865, and 8 per cent. compared with the average of nine year, (1857-65.) Other classes of diseases have varied but little during the last ten years in aggregate fatality, the change in the ratio of each to the whole, being dependant mainly upon the variation in Zymotic diseases.

Of the 3,841 deaths recorded, 3,437, or nearly 90 per cent. have specified causes, leaving 404 as unknown. Some of the specified causes are probably incorrect, and others are indefinite

The following table shows the fatality from all classes of disease, with a percentage of the whole during ten years:

YEARS.	Zom	ATIC.	Cons	TITU- NAL.	Local.		DEVELOP- MENTAL.		Violent.	
	D'the	Pr.Ct.	D'ths	Pr.Ct	D'ths	Pr.Ct	D'ths	Pr.Ct	D'ths	Pr.Ct
1857	627	19.26	1.041	81.97	924	28.5	514	15.78	146	4.4
888,	804	23.08	973	27.85	1,013		570	16.86		8.46
869,	960	24.06	1.027	27.86		28.94	575	15.59	131	8.5
800	933	25.54	1,08%	29.78	1,054	28.85	432	11.83		4.00
86L	.   1.0-5	28.62	1,025	27.03	1.025	27.03	520	18.71	136	3.5
862	. 1.879	41.20	967	21.23	1.053	23.11	478	15 49	178	8.9
968	2,584	48.44	1.046	19.61	1.096	20.54	434	8.13	164	8.0
864	2,176			18.97	1.132	23.14		8.03	262	5.3
865	1,799			22.61	1,108	24.47	447	9.87		3.2
886	849			27.66	1,081	81.47	899	11.60		4.7
Average, 1867-66,	1.870				1,048	24.22	485	11.21	159	8.6

There has been little variation in number of deaths during ten years in each class, except Zymotic disease which reached its climax in 1863. Violent deaths increased during the war, but scarcely vary in other years.

CLASS I.—Zymotics.—Total number of deaths recorded as belonging to this class of causes, is 843, or 24.52 per cent. of all deaths.

Diphtheria.—Whole number of deaths from this cause during the year, is 190, or 4.9 per cent. of all deaths. Of these, 90 were males and 100 females. Seventy of these were under 5 years of age and 126 were under 10 years. The whole number of deaths from Diphtheria in this State, since the disease was first known, as shown by registration, is 4,170, of whom 1,920, or 46.04 per cent were males and 2,250, or 53.96 per cent. females. The deaths from Diphtheria were, in the year 1858, 13. In 1859, 65. In 1860, 212. In 1861, 441. In 1862, 818. In 1863, 1,225. In 1864, 843. In 1865, 371 and in 1866, 190. It is to be hoped that this fatal epidemic has nearly passed away from among us.

Scarlatina.—Only 38 deaths are recorded as to Scarlatina, of whom 11 were males and 27 females; a much smaller number than in any previous year. The average number during ten years, 171 per year. Probably many cases of Scarlatina have been reported as Diphtheria and vice versa. In the table of classification of causes, the Secretary of State has thought best to omit Diphtheria, and class them all as Scarlatina, 227 cases.

Croup.—Forty-two deaths are reported of Croup, 23 males and 18

females. Of these, 36 were under five years of ago. The average number furning the last ten years was 64.

I proceed From.—The whole number of deaths from this came mainfully latinable fever. is 225; last year, the number was 585, a lit per reals of all feaths. This year the per centage is 6.63. The average number faring the last ten years was 288, or 6.74 per cents.

Intervent.—The fatality from Dysentery is much less than le

pear, and scarrely changes the average for ten years. One hundred and thirty-nine cases are recorded, or 4.01 per cent, of all deaths Of these for are mides and for are females. Seventy-nine, or 57 per cent, were under five years of age; ten were between five and test years of age. Only 16 were between the ages of 10 and 60 years, and 25 were between 60 and 50 years. Only 12 died during the first six months of the year, and 5 during the last three months; 10 died in June, 55 in August and 40 in September. The average number of deaths from Dysentery during ten years, (1857-66,) was 150, or 3 42 per cent, of the whole mortality.

Diarrhoea.—There are recorded 29 deaths of Diarrhoea; 47 de Cholera Infantum; 12 of Cholera. Puerperal Fever caused the death of 11 persons; 28 died of Erysipelas, and 31 of Wooping Cough.

Intermerance is charged with the death of only 3, and Delirium

Tremens 2.

CLASS II.—Constitutional Diseases.—Of deaths from specified causes 951, or 27.66 per cent, were from diseases of this class. In 1865, the number was 1,024, or 22.61 per cent. The average for ten years, (1857-66.) was 1,007, or 23.25 per cent.

Of the first order, Diasthetic Diseases, 198 deaths are recorded, 68 males and 130 females, constituting 5.76 per cent. of all deaths from specified causes. Of these, 81 are recorded as Dropsy, without reference to any local disease as the real cause, 32 males and 50 females.

Cancer was the cause of 107 deaths, of whom 32 were males and 75 females. Of these, 20 were of the Stomach, 12 males and 8 females; 3 of the Breast, and 4 of the Face.

The second order, Tubercular, includes the most fatal diseases of this class, Scrofula, Phthisis and Hydrocephalus.

The number of deaths from Phthisis was 712, of whom 310 were

nales and 402 females; from Scrofula 21, of whom 13 were males and 8 females; of Hydrocephalus 20, 15 males and 5 females.

The following table shows the number and percentage of deaths from Tubercular Consumption during ten years, (1857-66.) with the number of living to one death, and the same including all Tubercular diseases. Deaths from Consumption, with percentage and ratio of living. Also of all the order, Tubercular.

YEARS.	·B57.	1859.	1859.	1866.	1861.	1862.	1869.	1864.	1965.	1866.	Tot'l	Av.
le denthe Cons	785	738	784	777	788	761	788	690	766	712	7,519	75
r. ct. of all deaths	24,31	91.18	19.87	21.27	90 65	16.4	14.68	12.06	10.93	20.71		18.7
iting to one death	401	497	4:20	-Miő	402	419	40:2	4/501	411	449		41
abercolone diseases	848	792	890	866	835	785	846	798	801	753	8,087	- 80
er cant, of nil	33.88	22,73	22,24	23.71	22.02	17.45	15.86	14 98	17.69	21.9		
ting to one death	870	397	384	364	389	401	372	429	893	418		

The greatest fatality was in the month of March and the least in October. In the first quarter of the year, there were of Consumption 203 deaths. Second quarter, 189. Third, 177, and Fourth, 127 deaths. Between the ages of 15 and 40 years, there were 329 deaths, 192 females and 137 males. Deaths from Consumption were 20.71 per cent. of all, or one to 442 of population. Of all tuberculous diseases, 21.9 per cent., or one to 418 of population.

CLASS III.—Local Diseases.—Of this class the most fatal order is diseases of the Nervous System, under which are recorded 375 deaths, or 9.1 per cent. of all. This is 23 less than last year. Of these, 164 are recorded as due to Disease of the Brain, and 26 to Cephalitis. Apoplexy is charged with 46 deaths, and Paralysis (?) with 101. Thirty-nine were said to be due to Fits; 14 to Epilepsy and 13 to Convulsions.

Diseases of Respiratory Organs include 290 fatal cases, or 8.42 per cent. Of these, 253 are recorded as Pneumonia and 13 as Lung Diseases; 15 as Pleurisy and 7 as Asthma. Death by Pneumonia include 121 males and 130 females. Of these, 80, or nearly 32 per cent. were over 60 years of age, and 65, or nearly 26 per cent. Were over 60 years of age. The month of greatest fatality was February, and the smallest was July. The deaths in the first quarter were 65; second, 39; third, 15, and fourth, 41.

The order of Diseases of Organs of Circulation contains records of 150 deaths. Pericarditis, 4, and "Heart Disease," 146. Of these,

74 were males and 78 females. Of this number, 86 were over 6 years of age, and 101, or more than 66 per cent. were over 50 year of age.

CLASS IV.—Developmental Diseases.—There are recorded and Diseases of Children, 100 deaths; 90 as Still Born, and 10 attenting.

Diseases of Old People, or old age, is assigned as a cause of M deaths, or 7.18 per cent. of the whole. Males, 116; females, 15 All were over 70 years of age.

CLASS V.—Violent Deaths.—Under this class are recorded 14 deaths. Of these, 137 were from Accidents; 2 were Homicide; 2 Suicide. Of these last, 1 was by poison, 4 by drowning, 10 by keying, and 9 otherwise. The whole number of cases of Suicide, during ten years, (1857-66,) was 179, or an average of 18 annually.

# APPENDIX.

#### CLASSIFICATION OF DISEASES.

The following classification of the Causes of Death has been adopted for the Vermont Registration Reports, in order that they may conform as nearly as possible with those of other countries, thereby securing to them much greater value for the comparison of facts, both at home and abroad. It is that recommended by William Farr, Esq., M. D., of England, with the sanction and approval of the most eminent medical men of Europe, and adopted in Massachusetts, and will probably be used by many other States, as well as upon the European continent.

[Note.—The Latinized names of classes and of orders are derived from Greek roots, which may help the memory, and suggest, but will never define, the classes.]

#### CLASSES.

- I. ZYMOTIC DISEASES:—Zymotici. ( $Z'\upsilon\mu\eta$ , leaven.)

  Diseases that are either epidemic, endemic or contagious;
  - induced by some specific body, or by the want of sufficient nourishment or by the the bad quality of food.
- II. Constitutional Diseases: Cachectici. (Καχεξία, bad habit of body.)
  - Sporadic diseases; affecting several organs in which new morbid products are often deposited; sometimes hereditary.
- III. Local Diseases:—Monorganici. (Μόνος, alone, without others; Οργανον, , organ.)
  - Sporadic diseases, in which the functions of particular organs or systems are disturbed or obliterated, with or without inflammation; sometimes hereditary.
- IV. DEVELOPMENTAL DISEASES:-Metamorphici. (Μεταμόρφωσις, change of form.)
  - Special diseases, the incidental result of the formative, reproductive and nutritive processes.
- V. VIOLENT DIAEASES OR DEATHS:—Thanatici. (Θάνατοι,
   violent deaths.)
  - Diseases which are the evident and direct results of physical or chemical forces, acting either by the will of the sufferer, of other persons, or accidentally.

#### ORDERS.

#### CLASS I.

- 1. Miasmatic diseases:—Miasmatici. (Μίασμα, stain, defilement.)
- 2. Enthetic diseases:—Enthetici. (Ενθετος, put in, implanted.)
- Dietic diseases:—Dietici. (Δίαιτα, way of life, diet.)
   Parasitic diseases:—Parasitici. (Παράσιτος, parasite.)

# CLASS II.

- 1. Diathetic Diseases:—Diathetici. (Διάθεσις, condition, diathesis.)
- 2. Tubercular diseases :- Phthisici. (Φ9ίσις, wasting away.)

### CLASS III.

#### Diseases of-

age.

- 1. Nervous system:—Cephalici. (Κεφαλή, head.)
- Organs of circulation:—Cardiaci. (Καρδία, heart.)
   Respiratory organs:—Pneumonici. (Πνεύμων, lung.)
- Respiratory organs:—Pneumonici. (Πνεύμων, lung.)
   Digestive organs:—Enterici. (Εντερον, intestine.)
- 5. Urinary organs:-Nephritici. (Νεφρος, kidney.)
- 6. Organs of generation:—Aidoici. (Λιδοΐα, pudenda.).
- Organs of locomotion:—Myostici. (Μὐς, muscle; Οστέον, bane.)
- 8. Integumentary system:—Chrotici.  $(X\rho\omega^5, skin.)$

#### CLASS IV.

- Developmental diseases of children:—Paidiaci. (Παιδία, youth.)
   Developmental diseases of women:—Gyniaci. (Γυνή, woman.)
- 3. Developmental diseases of old people:—Geratici. ( $\Gamma \tilde{\eta} \rho \alpha s$ , old
- 4. Diseases of Nutrition:—Atrophici. (Ατροφία, atrophy.)

### CLASS V.

- 1. Accident:—Tychici. (Τύχη, chance.)
- 2. Battle:—Polemici. (Πόλεμος, a battle, fight.)
- 3. Homicide:—Androphonici. § Ανήρ, man; Αύτος, self; Φονείω,
- 4. Suicide:—Autophonici. I murder, kill.)
- 5. Execution: —Demiotici. (Δημιώτης, executioners.)

# STATISTICAL NOSOLOGY.

Note.—This page and those that follow contain two lists of causes of deaths. The first—that on the left side—may be called the Tabular List, and comprises all the heads which it is proposed to admit into the complete tables, and under which all deaths, from whatever cause, must eventually be distributed. It represents those diseases which, under the same terms, or terms strictly synonymous with them, are found in practice to occur most frequently.

The Supplemental List is subordinate to the first, and contains the principal special diseases which it may be considered desirable to note. But it should be observed, that every case marked here is also to be enumerated under one or other head in the tabular list. The tabular heads under which it is proposed to place such special cases are shown by references in figures. The special cases are referred to those heads to which they are most nearly allied. It will be found that the special cases are few, and will not affect the larger numbers in the tables to any important extent.

#### CAUSES OF DEATH.

TAB	ULAR	LI	ST.				SUPPLEMENTAL LIST.
CLASS 1,	ZYMO	rio :	Disi	eases	<b>J.</b>		Of Diseases of Special Character, or rarely fatal.
ORDER	IM	[iasn	natio	·.			
. 1 1. Smallpox,		-	-	•	-	-	I. 1.—1. Vaccination not stated.
2. Measles.			-	-	•	-	Smallpox (3d attack).
3. Scarlatina.				-		- 1	After Vaccination,
4. Diptheria,					:		Erysipelas, &c., after vacci
5. Quinsy,							nation.
6. Croup,						-	Chickenpox. Miliaria.
7. Whoop!ng	Cong	h	_	-			8. Angina Maligna.
8. Typhus (a			a) R	AVAT	_		5. Mumps.
9. Erysipelas		-	-	-	_		8. Typhoid fever.
10. Metria (or	Duam	-	Pas	- ( - e	-	-	8. Typhoid fever. 9. Phlebitis.
11. Carbuncie.			FO	οι ,,	-	-	Pyemia.
			•	-	•		Hospital gangrens.
12. Influenza,	•	•	•	-	•	-	Erythema,
18. Dysentery	, -	•	•	•	•	-	
14. Diarrhœa,		-	•	•	•	-	
15. Cholera In		n,	•	•	•	-	
16. Cholera,		•	•	:	•	-	
17. Ague, -		-	•	-	•	-	18. Yellow fever.
18. Remittent			-	-	-	-	19. Rheumatism, with pericar- ditis, or disease of heart.
<ol><li>Rheumatis</li></ol>	m,	-	•	-	•	-	dids, or disease of neart.
ORDEI		2742					
		LINU.	euc.				L 2.—1. Gonorrhosa.
. 2.—1. Syphylis,	4 TT	·	•	•	•		Purnlent ophthalmia.
2. Stricture o	TUTE	inra,	•	-	•	-	4. Necusia, (usually from dis-
3. Hydrophol	oua,	•	•	•	•	- 1	section wounds.)
4. Glanders.	-	•	•		•	•	Malignant pustule.

TABULAR LIST.			SUPPLEMENTAL LIST.
CLASS I.—(Continued.)			
ORDER 3.—Dietic.  I. 3—1. Privation,	- lism.)	-	I. 3.—1. Want of Breast Milk. 2. Rickets. Brunchocele.
ORDER 4.—Parasitic. I. 4.—1. Thrush,	:	-	I. 4.—2. Porrigo. Scables. Tape-worm. Hydatids.
CLASS II. CONSTITUTIONAL DI	SEASE	8.	
ORDER 1.—Diathetic.  II. 1.—1. Gout,  2. Dropsy and Ansemia,  3. Cancer,  4. Noma (or Canker),  5. Mortification,	:		II. 1.—3. Soft cancer. Sweep's cancer. Melanosis. Other kinds of cancer. Polypus (part not stated). Lupus. 5. Bed sore. Dry gangrene.
ORDER 2.—Tubercular.  II. 2.—1. Scrofula, 2. Tabes Mesenterica, 3. Phthisis (Consumption of 4. Hydrocephalus,	Lungs	5),	II. 2.—1. Psoas abecess. Lumbar abecess. White swelling. Cretinism.
			2. Tubercular peritonitis. 3. Hæmoptysis. 4. Tubercular meningitis.
CLASS 3. LOCAL DISEASE ORDER 1.—Nervous System.			Hæmoptysis.     Tubercular meningitis.
ORDER 1.—Nervous System. III. 1.—1. Cephalitis,			8. Hæmoptysis. 4. Tubercular meningitis.  III. 1.—1. Myelitis.
ORDER 1.—Nervous System. III. 1.—1. Cephalitis, 2. Apoplexy			8. Hæmoptysis. 4. Tubercular meningitis. III. 1.—1. Myelitis. 4. Monomanis. Fright.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,		-	8. Hæmoptysis. 4. Tubercular meningitis.  III. 1.—1. Myelitis. 4. Monomanis. Fright. 'Grief.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,		-	8. Hæmoptysis. 4. Tubercular meningitis.  III. 1.—1. Myelitis. 4. Monomanis. Fright. 'Grief.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,		-	8. Hæmoptysis. 4. Tubercular meningitis.  III. 1.—1. Myelitis. 4. Monomanis. Fright. 'Grief.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,		-	8. Hæmoptysis. 4. Tubercular meningitis.  III. 1.—1. Myelitis. 4. Monomania. Fright. 'Grief. Melancholia. Rage. 6. Hysteria.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,		-	8. Hæmoptysis. 4. Tubercular meningitis.  III. 1.—1. Myelitis. 4. Monomanis. Fright. Grief. Melancholis. Rage. 6. Hysteris. 8. Laryngismus stridulus. 9. Neuralgis.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,		-	3. Hæmoptysis. 4. Tubercular meningitis. 4. Monomanis. Fright. 'Grief. Melancholis. Rage. 6. Hysteria. 8. Laryngismus stridulus. Ophthalmis.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,		-	8. Hæmoptysis. 4. Tubercular meningitis.  III. 1.—1. Myelitis. 4. Monomanis. Fright. Grief. Melancholis. Rage. 6. Hysteris. 8. Laryngismus stridulus. 9. Neuralgis.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,		-	3. Hæmoptysis. 4. Tubercular meningitis. 4. Muonomania. Fright. 'Grief. Melancholis. Rage. 6. Hysteria. 8. Laryngismus stridulus. 9. Neuralgis. Ophthalmia. Otitis. Disease of spinal marrow Necreacephalus (Softenin of Brain — Ramollise ment.)
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,			3. Hemoptysis. 4. Tubercular meningitis. 4. Myelitis. 4. Monomanis. Fright. 'Grief. Meiancholis. Rage. 6. Hysteris. 8. Laryngismus stridulus. 9. Neuralgis. Ophthalmis. Otitis. Disease of spinal marrow Necrencephalus (Softenin of Brain — Ramollise ment.)  III. 2.—1. Carditis.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,		-	3. Hæmoptysis. 4. Tubercular meningitis. 4. Muonomanis. Fright. 'Grief. Melancholis. Rage. 6. Hysteria. 8. Laryngismus stridulus. 9. Neuralgis. Ophthalmis. Ottitis. Disease of spinal marrow Necrencephalus (Softenin of Brain — Ramollise ment.)  III. 2.—1. Carditis. Endocarditis.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,			3. Hæmoptysis. 4. Tubercular meningitis. 4. Tubercular meningitis. 4. Monomania. Fright. Grief. Melancholia. Rage. 6. Hysteria. 8. Laryngismus stridulus. 9. Neuralgia. Ophthalmia. Otitis. Disease of spinal marrow Necrencephalus (Softenin of Brain — Ramollise ment.)  HI. 2.—1. Carditis. Endocarditis. 8. Hypertrophia. Angina pectoris. Syncope. Arteritis.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,	tion.		3. Hæmoptysis. 4. Tubercular meningitis. 4. Myelitis. 4. Monomania. Fright. Grief. Melancholia. Rage. 6. Hysteria. 8. Laryngismus stridulus. 9. Neuralgis. Ophthalmia. Otitis. Discase of spinal marrow Necrencephalus (Softenin of Brain — Ramollise ment.) HI. 2.—1. Carditis. Endocarditis. 8. Hypertrophia. Angina pectoris. Syncope. Arteritis. Hydropericardium.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,	tion.		3. Hæmoptysis. 4. Tubercular meningitis. 4. Monomania. Fright. Grief. Melancholia. Rage. 6. Hysteria. 8. Laryngismus stridulus. 9. Neuralgia. Ophthalmia. Otitis. Disease of spinal marrow Necrencephalus (Softenin of Brain — Ramollise ment.)  HI. 2.—1. Carditis. Endocarditis. 8. Hypertrophia. Angina pectoris. Syncope. Arteritis. Hydropericardium.  III. 3.—2. Œdema glottidis.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,	tion.		3. Hæmoptysis. 4. Tubercular meningitis. 4. Munomania. Fright. 'Grief. Melancholis. Rage. 6. Hysteria. 8. Laryngismus stridulus. 9. Neuralgis. Ophthalmia. Otitis. Disease of spinal marrow Necrencephalus (Softenin of Brain — Ramollise ment.)  III. 2.—1. Carditis. Endocarditis. 8. Hypertrophia. Angina pectoris. Syncope. Arteritis. Hydropericardium.  III. 8.—2. Œdema glottidis. 4. Empyema.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,	tion.		3. Hæmoptysis. 4. Tubercular meningitis. 4. Tubercular meningitis. 4. Monomania. Fright. Grief. Melancholia. Rage. 6. Hysteria. 8. Laryngismus stridulus. 9. Neuralgia. Ophthalmia. Otitis. Disease of spinal marrow Necrencephalus (Softenin of Brain — Ramollise ment.)  HI. 2.—1. Carditis. Endocarditis. 8. Hypertrophia. Angina pectoris. Syncope. Arteritis. Hydropericardium.  III. 3.—2. Œdema glottidis. 4. Empvema. Hydrothorax.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,	tion.		3. Hemoptysis. 4. Tubercular meningitis. 4. Muonomania. Fright. Grief. Melancholis. Rage. 6. Hysteria. 8. Laryngismus stridulus. 9. Neuralgis. Ophthalmia. Otitis. Disease of spinal marrow Necrencephalus (Softenin of Brain — Ramollise ment.)  HI. 2.—1. Carditis. Endocarditis. 8. Hypertrophia. Angina pectoris. Syncope. Arteritis. Hydropericardium.  III. 8.—2. Œdema glottidis. 4. Empyema. Hydrothorax. Diaphragmitis.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis, 2. Apoplexy, 3. Paralysis, 4. Insanity, 5. Chorea, 6. Epilepsy,	tion.	• • • • • • • • • • • • • • • • • • • •	3. Hæmoptysis. 4. Tubercular meningitis. 4. Tubercular meningitis. 4. Monomania. Fright. Grief. Melancholia. Rage. 6. Hysteria. 8. Laryngismus stridulus. 9. Neuralgia. Ophthalmia. Otitis. Disease of spinal marrow Necrencephalus (Softenin of Brain — Ramollise ment.)  HI. 2.—1. Carditis. Endocarditis. 8. Hypertrophia. Angina pectoris. Syncope. Arteritis. Hydropericardium.  HI. 3.—2. Œdema glottidis. 4. Empvema. Hydrothorax. Disphragmitis. Pneumothorax.
ORDER 1.—Nervous System.  III. 1.—1. Cephalitis,	tion.		3. Hæmoptysis. 4. Tubercular meningitis. 4. Munomania. Fright. Grief. Melancholis. Rage. 6. Hysteria. 8. Laryngismus stridulus. 9. Neuralgis. Ophthalmia. Otitis. Disease of spinal marrow Necrencephalus (Softenin of Brain — Ramollise ment.)  HI. 2.—1. Carditis. Endocarditis. 8. Hypertrophia. Angina pectoris. Syncope. Arteritis. Hydropericardium.  III. 8.—2. Œdema glottidis. 4. Empvema. Hydrothorax. Diaphragmitis.

<sup>\*</sup>Other diseases of the brain, or diseases of the nervous system, not otherwise distinguished, are referred to this head. Mutatis Mutandis, the note applies to the corresponding heads in other orders of this class.

	<del></del>
TABULAR LIST.	SUPPLEMENTAL LIST.
CLASS III.—(Continued.)	
ORDER 4.—Digestive Organs. 4.—1. Gastritis, 2. Enteritis, 3. Peritonitis, 4. Ascites, 5. Ulceration of Intestines, 6. Hernia, 7. Ileus, 8. Intussusception, 9. Stricture of Intestines, 10. Fistula, 11. Stomach Diseases, \$\frac{4}{3}c., 12. Pancreas Disease, \$\frac{4}{3}c., 13. Hepatitis, 14. Jaundice, 15. Liver Disease, \$\frac{4}{3}c., 16. Spleen Disease, \$\frac{4}{3}c., 17. Corporation 18. Spleen Disease, 19. Licharis, 2. Ischaris, 3. Nephric (Bright's disease)	III. 4.—1. Glossitis.  Stomatitis. Pharyngitis. Gaophagitis. 5. Perforation of— 6. Congenital. Femoral. Inguinal. Scrotal. Umbilical. Ventral. 7. Constipation. 11. Dyspepsia. Pyrosis. Gastralgia. Hæmatemesis. Melæna. Hæmorrhoids. 14. Gall-stones. 15. Cirrhosis. 111. 5.—8. Cystirrhæa. 7. Diuresis. Hæmaturia.
3. Nephria (Bright's disease), 4. Diabetes, 5. Calculus (Gravel, &c.), 6. Cystitis, 7. Kidney Disease,* fc., ORDER 6.—Generative Organs. 3.—1. Ovarian Dropsy, 2. Disease of Uterus,* fc.,	Dis. of prostrate. Dis. of bladder.  III. 6.—2. Orchitis. Hydrocele. Hystoritis (Inflammation of Womb). Ovarian tumor. Uterine tumor. Polypus ntari.
ORDER 7.—Organs of Locomotion. 7.—1. Arthritis, 2. Joint Disease,* &c.,	III. 7.—1. Ostitis. Periostitis. S. Fragilitas ossium. Molit. ossium. Caries. Necrosis. Exostosis.
Order 8.—Integumentary System. 8.—1. Phlegmon, 2. Uker, 3. Skin Diseases,* fc.,	III. 8.—1. Abecess (part not stated.) Boil. Whitlow. S. Roseola. Urticaria. Eczema. Herpes. Pemphigus. Ecthyma. Impetigo. Psoriasis. Ichthyosis. Tumor (part not stated).

lee note under III. 1.—0.

	1
TABULAR LIST.	SUPPLEMENTAL LIST
CLASS IV. DEVELOPMENTAL DISEASES.	
ORDER 1.—Developmental Diseases of Children.  IV. 1.—1. Stillborn,  2. Premature birth, and Infantile Debility.  3. Cyanosis,  4. Spina Bifida,  5. Other Mulformations,  6. Teething,	IV. 1,—2. Atelectasis. 5. Anns imperforatus. Cleft palate, Idiocy.
Onder 2.—Dereiopmental Diseases of Women. IV. 2.—1. Paramenia, 2. Childbirth. (See Metria I. 1.—9.)	IV, 2.—1. Chlorosia. Climacteria, Monorringia. 2. Miscarriage. Abortion. Puerperal Maria. Philegmasia dolena. Caesarian operation. Extra uterine fetalish
ORDER 3.—Developmental Diseases of Old People.	Flooding. Retention of placests Presentation of placests
IV. 3.—1. Old Age, · · · · ·	Deformed Pelvis. Breast abscess.
ORDER 4.—Diseases of Nutrition. 1V. 4.—1. Atrophy and Debility,	
CLASS VVIOLENT DEATHS.	
ORDER 1.—Accident or Negligence.  V. 1.—1. Fractures and Contusions,*  2. Wounds,  3. Burns and Scalds,  4. Poison,  5. Drowning,  6. Suffocation,  7. Otherwise,	
ORDER 2.—Battle.	
ORDER 3 Homicide.	
ORDER 4.—Suicide.  V. 4.—1. Wounds,	
Sudden, cause upascertained,	

Notz.—Where a person is "found drowned," the coroners, as in some other canot always succeed in discovering whether the case is a snicide, a number, or an act All such cases are classed under "accident or negligence." Cases of "infantile fever classed with those of typhoid, relapsing, and other continued fevers, under one "typhus." Cases of "rheumatic fever" are classed with "heumatism." of "bemoin and "abscess," with the discases of the organs affected. Cases of "reglect" and "except when the result of privation. (Class I. 3.—1,) are placed (with notes) under a by "accident or negligence," (V. 1.—7.) As "stricture of the arethra" is almost taxific result of gonorrhoza, it is classed as I. 2.—2.

<sup>\*</sup> Including " Railroad Accidents."

# LAW OF THIS STATE

RELATING TO THE REGISTRY AND RETURNS OF BIRTHS, MAR-RIAGES AND DEATHS.

AN ACT RELATING TO THE BEGISTRY AND RETURNS OF BIRTHS, MAR-RIAGES AND DEATHS.

SEC. 1. The clerks of the several towns of this State shall, annually, in the month of June, transmit to the Secretary of State a certified copy of their record of births, marriages and deaths, which have occured in their respective towns during the year next preceding the first day of January. The births shall be numbered and recorded in the order in which they are received by the clerk. record of births shall state in separate columns the date of the birth, the name of the child (if it have any), the sex of the child, the place of birth, name and surname of one or both the parents, resideuce of the parents, occupation of the father, and the time when the record was made. The marriages shall be numbered and recorded in the The record of marorder in which they are received by the clerk. riages shall state in separate columns the date and place of marriage, the names and surnames of the groom and bride, the residence of each at the time of marriage, the age of each, occupation of the man, and time when the record was made. The deaths shall be numbered and recorded in the order in which they are received by the The record of death shall state in separate columns the date of the death, the name and surname of the deceased, the sex. condition (whether married or single), age in years, months and days, the place of death, the disease or apparent cause of death, the occupation, if a male over fifteen years of age, the place of birth, the name of the parents, and the time when the record was made.

- SEC. 2. The clerks in the several school districts in each town shall annually, in the month of February, ascertain, from actual inquiry or otherwise, all the births and deaths which have happened in their respective districts during the year next preceding the first day of January, together with such facts concerning the births and deaths as are required by the preceding section of this chapter, and shall make an accurate return thereof to the clerk of the town in which such school district is situated, on or before the first day of March; and the district clerk or other person or persons authorized to perform his duties and make such returns, shall be entitled to receive from the treasury of such town five cents for each and every birth and death so returned. And if such person shall neglect or refuse to make the returns required by this section, he shall be liable to a fine of not less than five dollars for each neglect or refusal.
- SEC. 3. Every justice of the peace or minister of the gospel shall make a record of each marriage solemnized before him, and every clerk or keeper of records of the meetings wherein any marriage among the people called Friends, or Quakers, shall be solemnized, shall make a record of such marriage, together with all the facts relating to marriages required by the first section of this chapter; and such justice, minister or clerk, shall annually, in the month of February, or from time to time, return a copy of the record for the year next preceding the first day of January, to the clerk of the town in which the marriage was solemnized; and every such person who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than ten dollars for each neglect or refusal, to be recovered on the complaint of a grand juror of such town.
- Sec. 4. The clerk of each town shall be entitled to receive from the treasury of the town five cents for recording each birth, death and marriage; provided, said clerk shall comply with the provisions of this chapter in all respects.
- SEC. 5. It shall be the duty of the clerks of the several towns to make such distribution of the blank forms of returns as shall be designated by the Secretary of State.
- SEC. 6. The Secretary of State shall, at the expense of the State, prepare and furnish to the clerks of the several towns in this State,

blank forms of suitable quality and size, to be used as books of records, according to the provisions of this chapter, and also blank forms of returns, as hereinbefore specified, and shall accompany the same with such instructions and explanations as may be necessary and useful.

- SEC. 7. Every physician who shall have been in attendance upon any deceased person, shall leave with the town clerk a certificate containing the name of the disease or cause (if known) of such death, within fifteen days after the interment of the deceased. Any such medical attendant who shall neglect or refuse to give the certificate required by this section, shall, for such offense, pay a fine of three dollars, for the use of the town where such offense shall be committed.
- SEC. 8. It shall be the duty of the Secretary of State to receive the returns made in pursuance with the first section of this chapter, and he shall cause the same, at the expense of the State, for each year to be bound together in one or more volumes, with indexes thereto; and with such assistance as may be voluntarily rendered by any authorized committee, appointed by the Vermont Medical Society for that purpose, prepare therefrom such tabular results as will render them of practical utility, and make a report thereof annually to the Legislature, and generally shall do whatever may be required to carry into effect the provisions of this chapter.
- SEC. 9. The Secretary of State shall cause prosecutions to be commenced, in the name of the State, in an action on the case, founded on this chapter, to recover any penalty or forfeiture imposed by any provisions therein.
- AN ACT IN AMENDMENT OF SECTIONS ONE, TWO AND THREE OF CHAPTER SEVENTEEN OF THE GENERAL STATUTES, RELATING TO REGISTRY AND RETURNS OF BIRTHS, MARRIAGES AND DEATHS.
- SEC. 1. That chapter seventeen, section two, of the Generl Statutes, shall be amended by striking out of the ninth line in said section the word "March," and by inserting therein the word "February," and that the word "February," in the second line, be stricken out, and the word "January" inserted.
  - SEC. 2. That from the third section of the same chapter there

shall be stricken out the word "February," and inserted therein word "January."

SEC. 3. That from the first section of the same chapter the shall be stricken out the word "June," and the word "Marcinserted.

Szc. 4. This act shall take effect from its passage.

Approved, November 15, 1866.

# ELEVENTH REPORT

TO THE

# LEGISLATURE OF VERMONT,

RELATING TO THE

# REGISTRY AND RETURNS

OF

# Births, Marriages & Deaths,

IN THIS STATE,

FOR THE

YEAR ENDING DECEMBER 31ST, 1867.

PREPARED UNDER THE DIRECTION OF GEORGE NICHOLS, Secretary of State.

TUTTLE & CO., PRINTERS. 1869.

In Senate, November 19th, 1868.

On motion of Senator Bullard, the Secretary was directed to present the printing of one thousand copies of the Eleventh Annual Registration Report, for the use of the General Assembly.

HENRY CLARK, Secretary.

# REPORT.

#### STATE OF VERMONT.

OFFICE OF SECRETARY OF STATE, NORTHFIELD, Oct. 1st, 1868.

To the General Assembly of the State of Vermont:

In compliance with the laws of this State, I have the honor to transmit herewith the Eleventh Annual Report, relating to the Registry and Returns of Births, Marriages and Deaths, that have occurred in Vermont during the year ending December 31st, 1867.

The "Summary of Observations" deduced from the tables comprising the Report, is from the pen of L. C. Butler, M.D., of Essex, the popular and efficient Secretary of the State Medical Society. These analytical remarks and deductions give ample evidence of research in, and knowledge of the higher accentific pursuits, and an aptitude for statistical information.

To the consideration of those who believe that the obligations of a true philanthropy do not consist in an alleviation of suffering simply, but in a knowledge of human development in communities, modified by the various influences that may promote or retard their growth and welfare, the entire report is especially commended.

Respectfully submitted,

GEORGE NICHOLS, Secretary of State.



# CONTENTS.

	TABLES.	PAGES.
I,	General Abstracts.—Population in 1860, Births, Marriages and Deaths, registered in each town, distinguishing the sex and parentage of Births, the nativity of Marriages, the sex, aggregate and average ages, and the percentage of Deaths,.  Recapitulation of General Abstracts,	2-17 18-19
II.	BIRTHS.—Showing the number of each sex, in the several counties, during each month,	20-21
	B. Supplement.—Illegitimate Births, by counties, by months and by sex,	23
III.	MARRIAGES By counties and by months,	24
1V.	Persons Married By ages, and by conjugal conditions,	25-27
V.	DEATHS.—By counties, by months and by sex,	28-29
VI.	DEATHS ACCORDING TO AGE.—Showing the number of each sex at different ages, in each town and county, with the population and percentage,	
VII.	Causes or Dearn.—Alphabetically arranged—showing the number of each sex, dying at different ages, during the several months, with the various diseases,	62–71
111.	CLASSIFICATION OF THE CAUSES OF DEATH.—By counties, with the totals and percentage,	72-79
IX.	Occupation.—Showing the number of those pursuing different avocations, the number of deaths in each, the ratio to the living, and the aggregate and average ages of those dying,	80–81
X,	Divorces.—Exhibiting the number granted, with the causes therefor; also, the ratio of divorces to marriages,	82
XI.	DIVORCES.—Exhibiting the number granted, arranged with special reference to the Libelants,	83

Accuracy of returns,
Value of the Reports in relation to Science,
Comparison of Births, Marriages and Deaths with previous years,
POPULATION.  Relative value of calculations based upon the census of 1860,. 87 Probable decrease of population,
Relative value of calculations based upon the census of 1860,. 87 Probable decrease of population,
Probable decrease of population,
Table showing the number of Births and Deaths, during the last eleven years,
Table of emigration and immigration,
Table of emigration and immigration,
Importance of a quinqueanial census,
amproduce of the first state of the state of
Вистив.
Whole number for 1867,
Table of Births, aggregate for eleven years, with the annual
birth rate, mean birth rate and sex,
Excess of Births over Deaths in this State, 90
Variation of birth-rate for the last eleven years, 90
Sex; ratio of males to females,
Table showing each sex by counties, and the ratio of males to
females, 91
Season, 91
Plurality Births,
Illegitimates,
Stillborn, 92
Parentage.
Ratio of native to foreign parentage, 92
Table showing births by counties; number of inhabitants to a
birth; parentage and per cent. of American and Foreign
Births,9
Table showing parentage of children born during the last
eleven years, with per cent, of each to population of each
class,
Marriages.
Whole number in 1867,
Table showing the number for the last eleven years, with the
ratio to the population and average,

	PAGES.
Social condition in life and ages of those married,	95
Effect of marriage upon the longevity of the sexes,	95
Table showing such effect,	96
DEATHS.	
Whole number in 1867,	97
Table showing the whole number for the last eleven years, with	
the percentages and the ratio of the living to the dead,	98
Average number of deaths annually,	98
Table showing the deaths for 1867, with ages, sex and rates,	98
Average age of those dying,	99
Ratio of males to females dying,	99
Nativity,	99
Season,	99
CAUSES OF DEATH.	
Causes of Death.—General Remarks,	100
Zymotics.	
Whole number for 1867,	100
Diphtheria, decrease of deaths from this cause, from preceding	***
years,	101
Scarlatina,	101
Dysentery,	101
Typhoid fever,	101
Diarrhea, Cholera Infantum, Erysipelas, &c.,	103
Constitutional Diseases.	
Whole number of deaths from this class,	103
Fatal diseases of this class,	104
Dropsy and Cancer,	104
Consumption, its fatality,	104
Table showing the deaths from Tubercular Disease, with per-	
centage of all deaths, and rate to living,	105
Local Diseases.	
Nervous Diseases—their ratio of fatality,	106
Organs of Circulation,	107
Diseases of Respiratory Organs,	107
Ratio of deaths from this class of diseases, to the whole number	
dving.	107

# vm. ELEVENTH REGISTRATION REPORT. [1867.

Developmental Diseases.	PAGES
Diseases of Children,	107
Diseases of Old People,	107
Violent Deaths.	
Whole number for 1867, and their percentage,	107
Suicide, whole number of deaths by	107
Bare diseases,	107
DIVORCES.	
Whole number, with the ratio of Divorces to Marriages, during	
the five years ending December 31st, 1867,	108
Appendix.	
Classification of Diseases,	109
Statistical Nesology,	111
Law of this State relating to the Registry and Returns of	
Births, Marriages and Deaths,	115

# REGISTRATION

OF

# BIRTHS, MARRIAGES AND DEATHS

m

VERMONT,

FOR

THE YEAR ENDING DECEMBER 31, 1867.

## TABLE I.—BIRTHS,

# Returned to the Secretary's Office,

#### ADDISON

1100 ASI   111	860.			BI	RTH	8.		
Towns.	Population in 1860.	No.	417	Sex.	PAR		ENTA	GE.
	Populat	Whole	M.	F.	Un.	Am.	For.	Unk
Addison, Bridport, Bristol, Corawall, Ferrisburgh, Goshen, Granville, Hancock, Leicester, Lincoln, Middilebury, Monk ton, New Haven, Orwell, Panton, Ripton, Salisbury, Shoreham,	1000 1298 1355 977 1738 394 720 448 737 1070 2879 1123 1419 1341 501 570 853 1382	14 28 29 26 30 13 11 9 32 55 22 30 14 2 16 3 3 3 2	8 14 19 14 18 8 3 6 3 14 28 8 16 7 1	6 14 10 12 12 5 8 3 6 18 27 14 14 7		12 20 21 19 20 11 10 7 4 29 36 10 19 9 2 14 22	1 5 2 13 12 10 5	1 1 6 1
Starksboro, Vergennes, Waltham, Weybridge, Whiting,	1437 1286 263 667 542	36 9 6 17 17	17 8 3 7 13	19 1 3 9 4	· · · · · · · · · · · · · · · · · · ·	28 2 5 11 14	8 5 1 5	1
Totals,	24010	460	240	219	1	324	119	17

#### MARRIAGES AND DEATHS.

# For the Year ending December 31st, 1867.

#### COUNTY.

M	ARR	AGE	S.					DEA	THS.		
No.	N	TIVIT	TY.	No.		Sex.			Ace,		89
Whole No.	Am.	For.	Un.	Whole No.	M.	F.	Un.	Ages given.	Agg'te.	Average.	Percentage.
5	9		1 3 17	4	3	1		4	174	43.50	.40
8 19	31	2 2 2	3	22	16	6		22	801	36.40	1.69
19	19	2	17	18	10	8		17	769	45.23	1.33
16	30	2		16	5	9		16	427	26.68	1.6
11	19	3		12		7		12	404	33.66	. 61
9	14		4	7	6 3 5	1		7 8 8	244	34.85	1.7
4	7		1	8	3	5		8	255	31.87	1.1
4 7 7 3 50	11	1	2 8	8 8 1	5	3		8	226	28.25	1.7
7	3	3	8			1			76	76.	. 13
3	6			11	4	7		11	337	30.63	1.0
		20	14	45	26	18	1	45	1736	38.57	1.5
11	22			18	9 5	9		18	622	34.55	1.6
10				9	5	4		9	393	43.66	. 6
10	19	1		11	8	3		11	669	60.81	.8:
1	2			3	1	2		3	182	60.66	. 59
2 3	4			8	5	3		8	155	19.37	1.4
3	3	1	2 8 3	2	1	1		1	3	3.	. 2
14	16	4	8	10	6	4		10	563	56.30	.73
10	14	3		19	8	11		19	790	41.57	1.35
7	2		12	3	1	2		3	226	75.33	.2
				4	4			4	150	37.50	1.5
5	6		4	12	5	7		11	388	35.27	1.79
5	8	2		11	4	7		11	594	54.	2.0
217	311	44	79	262	142	119	1	259	10184	39,33	1.0

#### TABLE I.—CONTINUED. BENNINGTON

	1860.			BI	RTH	HS.			
Towns.	Population in 1	No.		Sex.		PARENTAGE.			
	Popula	Whole	M.	F.	Un.	Am.	For.	Un.	
Arlington,	1146	28	12	15	1	18	8	2	
Bennington,	4389	109	50	50		76	30	1	
Dorset,	2090	64	33	30	1	30	28	1	
Glastenbury,	47	1	1			1			
Laudgrove,	320	6	2	4		6			
Manchester,	1688	44	23	21		32	8	4	
Peru,	543	11	6	5		10			
Pownal,	1731	41	24	17	****	28	11		
Readsboro,	930	13	- 8	5		12	7	1	
Rupert	1103 805	28	17	11		21		***	
Sandgate,	262	9	14	8		17	4		
Searaburgh,	1936	55	5 27	28		36	18	***	
Shaftsbury,	750	12	6	6	****	9	3		
Sunderland,	567	10	5	5		. 8	2		
Winhall,	741	28	15	13		26	2		
Woodford,	379								
,									
Totals,	19436	481	257	222	2	339	121	2	
	17.795	1		-				-	
C	CALEDO	DNIA							
Barnet,	1994	9	8	1		8	1		
Burke,	1138	19	11	8	* * * *	15	9		
Danvil e,	2544	54	29	22	3	42	8		
Groton,	939	25	9	16		22	1	1	
Hardwick,	1369	20	15	7	****	21	1		
Kirby,	473 1695	40	3 18	21	1	6 37	3		
Lyndon,	567	18	12	6	1	16	2		
Newark,	1247	22	8	13	1	17	5		
Ryegate,	1098	23	13	10	-	19	4		
Sheffield,	836	10	3	7		9	1		
St. Johnsbury,	3469	100	47	53		60	33		
Stannard,		2	1	1		1	1		
Sutton,	987	17	7	10		13	i		
Walden,	2099	29	12	16	1	19	5	1	
Waterford,	1171	18	7	11		14	4		
Wheelock,	832	16	7	9		14	2		
at Monte on A second se									

# TABLE I.—CONTINUED. COUNTY.

_						COU	NTY	•			
M	ARRI	AGE	s.					DEA	THS.		
No.	N	TIVIT	TY.	No.		Sex.			Age		69
Whole	Am.	For.	Uq.	Whole 1	M.	F.	Un,	Ages given.	Agg³te.	Average.	Percentage.
7 60 17	91	1 18 1	11 22	27 68 42	12 39 20	14 29 21	1 ;	26 67 42	1104 2207 1138	42.45 32.94 29.47	2.35 1.55 2.01
5 11 2 25	9 16 4	2	1 4	5 28 2	3 16 1	2 12 1		4 27 2	156 1115 80	39. 41.29 40.	1.56 1.65
12	42 22 5	1	7 i	22 7 22 16	14 4 9 7	8 3 13		19 7 22 16	658 276 797 711	34.21 39.42 36.22 44.43	1.27 $.75$ $1.99$ $1.99$
3 14 5 3	28 10	****		4 26 10	15 4	3 11 6		24 10	752 180	5.50 31.33 18.	1.52 1.34 1.31
4	8	• • • •		7	2	5		7	3 144	3. 20.57	.17 .94
171	27 1	25	46	287	148	137	2	278	9343	33.60	1.47
-			•			-	UNT				
8 18 8 9 7	12 26 4 16	4 3	10 9 2 7	7 18 28 17 13	3 8 10 7 5	10 18 10 8		7 18 28 17 13	176 798 1178 631 516	44.33 42. 7 37.12 39.69	.35 1.58 1.10 1.81
30 1 5	17 27 17	3	43	8 30 7 20 11	16 4 13 5	23 3 6 6	i	8 39 7 20 11	264 1484 437 901 536	33. 38. 5 62.42 45. 5 48.72	1.69 2.30 1.23 1.00
3 42 22	18 30	2	64	12 76 1 19	8 34	4 42 1 8	2	12 74 1 16	604 2653 33 737	50.33 35.85 33.66 46. 6	1.43 2.19
5 21 6	23 11	1 2 1	17	14 17 12	8 6	10 9 6		14 17 12	606 792 528	43.28 46.58	1.27 1.45 1.44
196	204	18	170	319	142	174	3	314	12874	41.	1.48

ŀ

# TABLE I.—CONTINUED. CHITTENDEN

Towns.	n in 1			_		BIRTHS.								
Towns.	Population in 1860.	N.		SEX.		PARENTAGE.								
	Populat	Whole	M.	F.	Un.	Am	For.	Un.						
Bolton,	645 7713 1589	12 216 18	8 99 11	4 114 7	3	84 7	119 8	13						
Casex,	3041 190 1702 862	129 46 31 16	83 18, 10, 9	46 28 21 7		53 28 19 12	69 17 8	7 1 4 3						
fericho,	1669 1963 1400	44 35 5	22 21 4	22 13 1	i	31 16 5	7 17	6 2						
Shelbarne,	1178  121 1637	30 19 2 34	18 10	12 9 2 13		14 9 1 19	16 9: 1 14	i						
Westford,	1231 1479	31	11 12	10 22		18	14	1						
Totals,	28136 ESSE	692	357	331	4	343	305	44						
Averill,	12							-						
Bloomfield,	320													
Brighton,	945 212	2		2		1								
Запаав,	404	9	5	4		7	î	1						
Concord,	1291	34	15	19		29	2	3						
ast Haven,	136													
ranby,	132 552	5	2	3		5 2								
emington,	207	1	i			ī								
unenburgh,	1034	9	4	5		6	2	1						
Anidatone,	259 212	5 10	5	1 5	* * * * *	5	···i	1 4						
Totals,	5786	77	37	40	,	60	7	10						
	FRANK	LIN												
Bakersfield,	1451]]	31	18			18	101	3						
Berkshire	1890 2066	36 23	21 12			21	15							

37. 8 44.50

35.30

1.79 1.37

.48

#### TABLE I .- CONTINUED. COUNTY. MARRIAGES. DEATHS. NATIVITY. SEX. AGE. No. Whole Whole A ges Am. For. Un. F. Agg'te. Average. M. Un. .93 16.66 .... .... 46 .... 1.36 19.48 $\frac{.75}{2.40}$ 7 .... 39.33 29 .... 2 16.11 2 2 5 34. 32.93 1.31 .94 5 .... 47.66 1. 4 9 .... .89 26.86 1 47.45 1. 6 .71 61. 5 .... ···i 40.40 1. i 2.51 31.83 2 .... 42.33 ľ 10 .... 18. 41.33 1.16 .97 50.77 6 .... 8 .... 37.93 1. 8 27.94 1.27COUNTY. .... .... .... ···i .... ···i .98 46.25 2. 1 23.68 .... ··· ż 1.51 34.50 .... 8. .18 .... j i 87. .48 .38 43.60 .... 5.66 1.15 i .... 40. .94 .... .... .... 23 .... .74 28.85 COUNTY.

14 . . . .

6 . . . .

14 11

4 2 7 10 1 1

#### TABLE I.—CONTINUED.

#### FRANKLIN

	860.			В	RTH	ß.		
Towns.	Population in 1860.	No.		SEX.		PAS	RENTA	GR.
	Populat	Whole 1	M.	F.	Un.	Am.	For.	Un.
Fairfiald, Fairfield, Fletcher, Franklin,	1987 2497 916 1781	29 53 15 15	13 26 9 10	15 26 6 4	1	19 30 11 8	8 15 4 5	82
Georgia, Highgate, Montgomery, Ruchford,	1547 2526 1262 1338	20 67 43 10	14 36 13 6	30 4		16 37 26 8	28 13 2	1 2 4
Sheldon,	1655 3637 2678 27231	23 140 83 588	9 72 35 294	14 66 48 280		12 52 45 312	82 33 229	7 6 5
Totals,	RAND			200	14	012	220	41
Alburgh, Grand Isle, Isle La Mott, North Hero, South Hero,	1793 708 564 594 617	28 15 16 2 20	12 8 12 1 9	16 7 4 1	* * * *	22 8 6 1 15	5 3 10 1 4	1 4 
Totals,	4276	18	42	39		52	23	6
***	LAMOI	LLE						
Belvidere,	366 1784 919 602	10 11 28 10	6 5 18	4 6 10 9	****	6 8 22 9	3 1 6	1 2
Elmore,	1409 1526 1751	36 42 33	21 30 15	14 12 18	1	32 29 30	12	1 1 3
Stowe,	2046 747 1161	39 14 14	15 8 5	24 6 9	••••	35 12 14 ——	4 1	i
Totals,	12311	237	124	112	1	197	31	9

# TABLE I.—CONTINUED.

COUNTY.—(Continued.)

M	ARRI	AGE	S.					BIR	THS.		
No.	Na	TIVIT	Y.	No.		Sex.			Ace.		ė
Whole 1	Am.	For.	Un.	Whole No.	M.	F.	Ua.	A ges given.	Agg³te.	Average.	Percentage.
26- 30 2 15- 9- 10- 8- 17- 31	40 34 4 16 9 8 12 38	6 24 2 5 5	6 2 30 6 8 16 19	17 30 8 9 20 23 2 34	9 17 2 5 4 10 9	8 13 6 4 5 10 14 1		16 30 8 9 9 20 22 2 28	662 950 343 183 351 533 700 64 882	32.	.85 1.20 .87 .55 .58 .79 1.82 .14
52 30	11	26 7	58 42	68 29	37 15	31 14		67 28	2030 761	30.29 27.17	1.68
265	237	93,	200	311	149	162		300	9890	32.98	1.10
						COU	NTY	•			
23 3	27 6	17	6	16 9 7 1 5	9 3 7 1	7 6		16 7 7 1 5	302 247 152 69 252	35.28 21.71 69.	.89 1.27 1.24 .17 .81
33	41	17.	8	38	21	17		36	1022	28,33	.88
						COU	NTY				
1 13 8 11 21 28 28 6 12	20 26 13 20 39 8 49 5 24	3	1 48 5 6	10 11 19 5 17 21 19 33 4 17	8 6 2 6 6 6 9 14 2	2 7 13 3 11 14 10 19 2	1	10 11 18 5 17 20 19 33 4 17	300 588 907 100 488 798 890 1340 101 665	53.45 50.38 20. 28.70 39.90 46.84 40.60 25,25	2.73 .61 2.06 .83 1.26 1.37 1.08 1.61 .53
128	186	10	60	156	68	87	1	154	6177	40 11	1.26

#### TABLE I .- CONTINUED. ORANGE

	860.			В	RTE	18.		
Towns.	Population in 1860.	No.		Sex.		PARENTAGE.		
	Popula	Whole	M.	F.	Un.	Am.	For.	Un.
Bradford,	1689	24	12	12		20	7	3
Braintree,	1225	26	13			21	3	2
Brookfield,	1521	29	18	11		26	3	
Chelsea,	1757	26	12			25		1
Corinth,	1627	34	13	21		20	5	
Fairlee,	549	16	8	91		16	7	
Newbury,	2549 936	39	17	21	)	20	- 1	3
Orange,	2502	56	25	31		52	3	****
Strafford,	1506	39	21	18		37	1	
Thetford,	1870	20	7	12	1	19	1	
Topsham,	1662	26	13	12	i	25		1
Tunbridge,	1546	31	12	19		29		9
Vershire,	1054	4	1	3		4		
Washington,	1249	39	10	9		15		
West Fairlee,	830	5	3	9		5		
Williamstown,	1377	15	9	6		13	1	1
Totals,	25455	415	197	215	3	374	25	16
	ORLE	ANS						
Albany,	1224	20	12	17		17	10	2
Barton,	1590	21	- 5	16		17	4	
Brownington,	757	11	7	4		7	2	2
Charleston,	1169	15	7	8		11	4	
Coventry,	914	20	5	15		14	5	1
Craftsbury,	1413	17	4	13		14	3	
Derby,	1910	37	21	16		21	16	
Glover,	1244	20	10	11		16	4	
Greensboro,	1065	29	12	16.	1	16	12	1
Holland,	748	11 25	2 8	17		6	4 3	1
Irasburgh,	1131 474	13	10	17	• • • •	10	-	* * * *
Jay,Lowell,	813	27	14	12	1	17	7	3
Morgan,	54N	13	5	8		10	1	2
Newport	1197	27	12	15		18	7	2
Salem,	603	14	9	4	1	7	5	2
Troy	1248	19	11	8		16	3	
Westfield,	618	26	13	7		9		
Westmore	324	11	6	5		9	2	

# TABLE I.—Continued. COUNTY.

M	ARR	IAGE	s.					DEA	THS.		
No.	N	TIVIT	TY.	No.		Sex.			Age,		·Ba·
Whole	Am.	For.	Un.	Whole 1	M.	F.	Un.	Ages given.	∆gg'te.	Average.	Percentage.
13	26	4444		35	12	13		25	1066	42.64	1.48
8	13	3		17	5	12		17	875	51.47	1.38
9	10		*	18	8	10		16	681	42.56	1.18
17	13	2	19	15	6	9		15	733	48.86	.8
6	9		3	20	11	- 8	1	20	893	44.65	1.25
39	4		* * * *	5	4	1		5	336	67.20	.9:
	67	8	ď	24	13	11		24	980	40.83	.9
37	13	5	11	8 42	19	4		42	261	32.62	.8
20	58			21		23		21	1798	42.80 58.80	1.2
	35 40	1 2	12	29	7	14		29	1235		1.39
27	15	2	5	24	11 8	18		24	1335	46.03	1.54
9	4			26	10	16		26	1012 1121	42.16 43.11	1.4
9	4		14	4	3	16		4	286	71.50	1.6
7	ii	1	2	17	10	7		17	830		.3
9	14	2	2	7	3	4		7	148	48.82 21.14	1.36
15	19		11	13	7	6		13	761	58.53	.94
236	351	24	 97	315	141	173	1	313	14351	45.84	1.23
						COU	NTY			*	
6	8	3	1	18	7	- 9	2	18	485	26.94	1.4
19	29	6	3	13	4	9		13	181	13.92	.8.
4	5	3		14	7	7		14	441	31.50	1.8
28	3		53	10	4	6		6	358	59.66	.81
13	21	3	2	11	9	2		11	501	45.54	1.2
13	12		14	10	5	5		10	546	54.60	.7
36	18	9	45	21	11	10		21	743	35.38	1.0
16	3	1	28	18	8	10		18	684	38.	1.4
8	11	5		19	9]	10		18	678	37.66	1.7
8	10	3	3	10	6	4		10	489	48.90	1.3
14	23	3	2	18	8	10		18	769	42.72	1.5
3	6			7	3	4		7	172	24.57	1.4
6	10	2		12	9	3		12	407	33.91	1.4
9	14	3	1	9	6	3		9	390	43.33	1.6
25	8	5 2	37	14	10	4		12	574	47.83	1.1
3	3	9	1	8	5	3		7	324	46.28	1.3
21 9	28	5	5	5	1	4		5	159	31.80	.4
4	10	1		16 12	7 5	9		16 12	694 197	43.37 16.41	2.5
245	229	63	198	245	124	119		237	8792		1.2

# TABLE I.—CONTINUED. RUTLAND

	.098			BI	RTH	BIRTHS.							
Towns.	Population in 1860	No.		Sex.		Pan	ENTA	GE.					
	Populat	Whole	М.	F.	Un.	Am.	For.	Uak					
Benson,	1256	32	19	13		29	3						
Brandon,	3077	83	40	43		32	48	3					
Cast leton,	2852	56	30	25	1	33	23						
Clarendon,	1237	23	8	14	1	17	4	2					
Chittenden,	763	18	13	5		15	2	1					
Danby,	1419	28	11	17		18	8	2					
Fairhaven,	1378												
Hubbardton,	606	17	10	7		15	2						
Ira,	422	5	2	3		5							
Mendon,	633	15	8	7		10	3	2					
Middletown,	712	15	8	7		13	1						
Mount Holly,	1522	34	16	18		26	8						
Mount Tabor,	358	6	2	4		5							
Pawlet,	1539	28	10	18		21	4						
Pittsfield,	493	11	14	T.		11							
Pittsford,	1839	39	17	22		23	15	1					
Poultney,	2278	74	30	35		41	29	4					
Rutland,	7577	316	165	151		104	211	1					
Sherburne,	525	5	1	4		5							
Shrewabury,	1175	27	17	10		19	7	1					
Sudbury,	696	10	5	5		1 0							
Tiumouth,	620	2		2		i	i						
Wallingford,	1747	38	20	18		23	1 -	-					
Wells	642	17	5	12		16	200						
West Haven,	580	17	7	10		12							
Totals,	35946	916	457	457	2	500	391	2					

#### WASHINGTON

Barre,	1839	381	14	24	35  2	1
Berlin,	1545	19	10	9	15 4	
Cabot,	1318	28	14	14	25 3	
Calais,	1409	36	20	16	34	2
Duxbury		26	14	12	20 6	
East Montpelier,	1328	20.	13	7	16 4	
Fayston,	800	25	13	12	16 8	1
Marabfield,	1160	18	8	10	16 2	
Middlesex,		20	11	8 1	19 1	
Montpelier,	2411	6	4	2	6	

## TABLE I.—CONTINUED.

#### COUNTY.

M.	ARRI	AGE	S.					DEA	THS.		
No.	N	TIVI	rw.	No.		Sex.			Acr.		96
Whole 2	Am.	For.	Un.	Whole No.	M.	F.	Ua.	A ges given.	Agg <sup>3</sup> te.	Average.	Percentage.
6	9	,	3	19	11			19	835	43.94	1.50
47	47	7	40	42	14	28		39	1279	32.79	1.36
22	30	11	3	31	10	21		31	1363	44.	1.08
5			2	16	6	10		16	610	38.12	1.29
5 3	10			11	3	8		11	392	35,63	1.44
3	5	10		17	8	9		17	548	32.23	1.19
6	2	10	* 4 6 *	13	5	8		12	586	48.33	2.14
4	8		* * * * *	4	i	3		4	203	50.75	.94
3	2		4	7	3	4		6	253	42.16	1.10
6	2 7 9 2		5	4	3 2 7	2		4	132	33.	.56
6 5 1	9		1	24	7	17		24	1062	44.25	1.57
1	2			4	1	3		4	115	28.75	1.11
12	11		13	14	7	6	1	14	526	37.57	.91
4	6		2	5	3	2		5	338	67.60	1.01
16	16	1	15	29	17	12		29	1361	46.93	1.57
24	13		35	40	20	20		39	1279	32.56	1.75
92	67	56	61	114	54	54	6	113	2373	21.	1.50
2	4			7	4	3		.7	276	39.42	1.33
11	19		3	11	3	8		11	490	44.54	.93
5	7	1	2	5	3	2		5	104	20.80	.71
9	18			4	2	2		4	224	56.	.64
10	19	1		24	6	18		24	970	40.41	1.37
3	6		* 4 5 4	13	8	5		13	392	30.15	2.02
1	1		1	14	6	8		14	303	21.64	2.41
302	326	87	191	472	204	261	7	465	16002	34.41	1.31

18	35	1		29	3	20		29	1281	44.51	1.57
6	12			18	13	5		18	727	40.39	1.16
10	5	1	14	18	7	10	1	18	667	37.05	1.36
13	19	7		14	5	9		14	521	37.21	.99
				16	10	6		16	593	37.06	1.00
8	14		2	7	2	5		7	220	31.42	.52
11	16	6		10)	7	3		10	335	33.50	1.25
7	12		2	12	5	7		12	391	32.58	1.03
9	9.	2	7	13	6	7		13	611	47.	1.03
72	18	2	124	3	3			3	116	38.66	.12

# TABLE L-CONTINUED.

#### WASHINGTON

	.00			BI	RTH	8.		
	n 180	_			-	_	_	-
Towss.	tion i	No.		SEK.		Pas	RATA	CE.
	Population in 1860	Whole	M.	P.	Un.	Am.	For.	Us.
Moretown	1410	35	14	21		17	14	
Northfield,	4329	69	40	29		36	26	
Plainfield,	800	13	6	7		10	3	
Rogbury	14,600	20	11	9		16	3	
Waitsfield,	1003	28	14			21	6	Н
Warren,	1041	17	4			16		
Waterbury,	2198	27	14	13		1.7	B	
Woodbury,	(199	22	16	6		14		
Woroester,	684	34	9	23	2	26	8	
Totals,	27612	501	249	249	3	376	- 96	3
	WIND		al	-				
Athens	382	34	19	3 15		5 25		1.03
Brattleboro,	3855	4	2	10	****	4		
Dover,	650	10	6	4				
Dummeraton,	1021	20	10	-		16		
Grafton,	1154	17	10	7		17		
Guilford,	1291	30	21	8	1	24	- 40	
Halifax,	1126	40	27	12	1	36		
Jamaica,	1541	34	21	13	-	33		
Londonderry,	1367	23	10	13		22		
Marlboro,	741	10	3	7		7		
Newfane,	1192	20	12	8		19		
Putney,	1163	30	13	17		29		
Rockingham,	2904	50	31	16	3	25	1	3
Somerset	105	6	4	2		6		1.
Stratton,	366	10	7	3		9		
Townshead,	1376	18	9	9		18		0 "
Vernon,	725	18	9	9		15		8
Wardsbore,	1004	15	6	9				i
737	1300	21	10	11		18	1	3
Westminster,			15	19	1	33	LI .	#
Westminster,	1372	35		-	_			1
Westminster,	1424	15	8	-		15		-
Westminster,				-	_			

1.34

#### TABLE I.—CONTINUED.

COUNTY—(Continued).

M	ARR	AGE	18.					DEA	THS.		
No.	N	TIVIT	ry.	No.		Sex.			Agr.		40
Whole No.	Am.	For.	Un.	Whole No.	М.	F.	Un.	Ages given.	Agg'te.	Average.	Percentage.
13	24	2		21	9	12		21	762	36,28	1.48
32	10		54	49	33	15	1	44	1357	30.84	1.13
13			26	13	7	6		13	367	28.23	1.58
2 7	4			11	5	6		11)	290	26.36	1.03
7	1	5	8	14	7	7.		14	526	37.57	1.39
10	15	1	4	12	4	7	1	12	466	38.83	1.14
12	22	2		29	15	14		28	1209	43.17	1.31
4	- 8			16	6	10		16	494	30.87	1.60
14	17	1	10	14	7	7		14	370	26.38	2.46
261	241	30	251	319	160	156	3	313	11253	35.92	1.15
						COU	NTY	•			
2	4			6	2	4		6	200	33,33	1.57
92	143	26	15	49	24	25		49	1978	40.36	1.27
2	3		1	7	4	3		7	442	63.14	2.99
				5	2	3		5	221	44.20	.76
5	9	1	Same	11	6	5		10	448	44.80	1.07
8	16			13	7	6		13	530	40.77	1.19
8	9		7	24	14	8	2	23	1215	52.82	1.85
20	14		26	15	8	7		15	735	49.	1.33
4	5		3	23	11	12		23	881	39.60	1.40
15	27		3	11	4	7		11	492	44.72	.80
				3		3		3	111	37.	.40
13	12		14	17	6	- 11		17	805	47.35	1.45
13			26	16	5	11		15	551	36.73	1.37
40	66	5	9	43	25	18		40	1499	39.47	1.48
1	2										
				14	8	6		14	460	32.85	3.89
19	27		11	16	7	9		16	812	50.75	1.16
7	11		3	12	5	7		11	602	54.72	1.65
9	11		7	11	7	4		11	528	48.	1.09
8	11		5	14	8	6		14	855	61.07	1.07
7	13		1	27	11	16	,	27	832	30.48	1.96
6	12			15	6	9	4444	12	565	47.08	1.05
9	16	1	1	11	10	1		11	526	47.81	1.61

#### TABLE L.—CONTINUED. WINDSOR.

	.098			B	RTH	8.		
Towns.	Population in 1860.	No.		Sex.		Par	ENTA	GIL.
	Populat	Whole	M.	F.	Ua.	Am.	For.	Űu.
Andover,	671	15	8	7		13		9
Baltimore,	145	2	2			1		1
Barnard,	1487	23	12	11		20	2144	3
Bethel,	1803	30.	14	16		28	. 1	1
Bridgewater,	1292	12	- 7	5				13
Cavendish,	1509	39	22	17		29	8	2
hester,	2126	48	22	26		46	2	
lartford,	2396	57	27	27	3	41	15	- 1
Inrtland,	1748	36	15	21		33	. 1	2
adlow,	1568	51	26	25		37	18	1
Vorwich,	1759	31	16	15		31		+2+1
Plymouth,	1252	35	14	21		27	5	13
omfret,	1376	24	12	12		22	2	9.84
Reading,	1159	24	15	9		- 21		1
tochester,	1507	24	13	11		23	***	
Royalton,	1739	34	17	15	2	33		
haron,	1111	27	12	15		24	3	440
Springfield,	2958	68	37	31		51	11	1
stock bridge,	1264	21	14	7		18	1	1
Veathersfield,	1765	27	13	13	1	22	1	
N'eston	932	13	7	6		12	1	
Vest Windsor,	924	21	13	8		19		
Windsor,	1669	17	9	8		15	9	
Woodsteck,	3062	51	26	24	1	24	27	
Totals,	37193	730	373	550	7	. 590	94	-

# TABLE I.—Continued.

#### COUNTY.

M	ARR	IAGE	es.					DEA	ATHS.		
No.	N	ATIVI	ry.	Vo.		Sex.			Age		ė
Whole No.	Am.	For.	Un.	Whole No.	M.	F.	Un.	Ages given.	Agg¹te.	Average.	Percentage.
3	6			6	3	3	,	6	211	35.16	.89
				2		2		2	164	82.	1.37
8	7		9	25	14	11		25	1409	56.20	1.74
15	26		4	24	7	17		24	1054	43.91	1.33
5	10			10	5	5		10	408	40.80	-77
25	31	7	12	20	12	8		18	1011	56.16	1.35
25	48		2	40	19	21		40	1528	38.20	1.88
6	9	3	4 - 5 -	50	21	28	1	49	1900	38.77	2.0
14	24	3	1	38	13	25		35	1479	42.45	2.17
12	19	1	4	27	13	14		27	1003	37.14	1.79
7	13	1		33	17	16		33	1652	50,60	1.87
4	7	1		20	9	11		20	533	25.15	1.59
5	7		3	6	3	3		6	317	52.83	.43
	4		2	16	8	8		16	736	46.	1.38
14	9		19	15	3	12		15	913	60.86	.99
18	36			30	11	18	1	29	1302	44.89	1.79
8	16		100	21	10	11		21	1085	51.66	1.89
34	53	2	13	50	30	20		50 19	1829 850	36.58	1.68
12	18		6	19	8	11		13		44.74	1.50
16	21	2	9	14	6	8			527	40.54	.79
6	12			14	9	5		14	594	42.42	1.50
1	2	****	****	13	9	3	1	13	477	36.69	1.40
30 55	17 22		41 88	18 51	12 27	6 22	2	51	460 2750	25.55 53.92	1.07
326	417	22	213	562	269	288		554	24192	43.66	1.51

### TABLE I .- RECAPITULATION OF BIRTHS,

	860.			BI	RTH	S.	
Towns.	on in 1	No.		Sex.		PAR	E
	Population in 1860	Whole ?	M.	F.	Un.	Am.	Po
Addison,	24010	460	240	219	1	324	1
Bennington,	19436	481	257	222	2	339	1
Caledonia,	21458	431	210	215	6	333	
Chittenden,	28136	692	357	331	4	343	3
Essex,	5786	77	37	40		60	
Franklin,	27231	588	294	280	14	312	2
Grand Isle,	4276	81	42	39		52	
Lamoille,	12311	237	124	112	1	197	
Orange,	25455	415	197	215	3	374	
Orleans,	18981	379	172	204	3	257	1
Rutland,	35946	916	457	457	2	500	3
Washington,	27612	501	249	249	3	375	
Windham,	26982	480	263	211	6	411	
Windsor,	37193	730	373	350	7	590	
Vt. Asylum,							
Whole State,		6468	3272	3144	52	4467	16

#### MARRIAGES AND DEATHS, FOR THE YEAR 1867.

IAGES. || DEATHS.

LACIE	~					AU MAG	1 4 14131		
TIVIT	Y.	No.		SEX.			Agr.		50
For.	Un.	Whole 1	М.	F.	Un.	Ages given.	Agg'te.	Average.	Percentage.
44	79	262	142	119	1	259	10184	39.32	1.09
25	46	287	148	137	2	278	9343	33.60	1.47
18	170	319	142	174	3	314	12874	41.	1.48
20	94	300	189	168	3	353	9861	27.94	1.27
4	44	43	20	23		42	1212	28.85	.74
93	200	311	149	162		300	9896	32.98	1.10
17	8	38	21	17	,	36	1022	28.33	.88
10	60	156	68	87	1	154	6177	40.11	1.26
24	97	315	141	173	1	313	14351	45.84	1.23
63	198	245	124	119	2	237	8792	37.09	1.29
87	191	472	204	261	7	465	16002	34.41	1.31
30	251	319	160	156	3	313	11253	35.92	1.12
33	132	363	180	181	2	353	15688	41.44	1.34
· 22	213	562	269	288	5	554	24192	43.66	1.51
		36	18	18		36	1979	54.97	
490	1783	4088	1975	2083	30	4007	152828	38.14	1.29

#### TABLE II.—BIRTHS.

Exhibiting the number of each Sex born in the several Counties, during each month of the year.

	1	1		-	T		- 1	-1	- 1	T	-	-	ī	-	T	
Months.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia.	Chittenden	F SSHX.	Franklin.	Grand Iste.	Lamolle.	Oranga.	Orleans.	Ruthand,	Washington.	Windham.	Windson.
Jan.	Male Female . Unkno'n	231 235 5	24 13	22 18	15 16 1	21 28	3	20	333.	8 9 1	14 21	16	26 24 1	21 23		20 1
Feb.	Male Female.'. Unkno'n.	227 210 2	9 18	11 12	11 13 1	22 18	4 2	25 18 1	5	9 7	13	17 11	30 31	20		36
March.	Male Female Unkno'n.	252 277 2	18 20	19 30	26 17	31 23	3	22 37	5.	13	2! 21 1	10:	27 33	14		111
April.	Male Female Unkno'n.	289 271	24 24	20 13	18	35 22	33	27 21	22	14 15	19 14	13 21	43	21 34	-	31 40
May.	Male Female . Unkno'n.	274 270 2	23 17	22 15	15 13 1	27 25	3 5	28 21	3 4	9 5	19 24	16 24	44 44	30 20		36
June.	Male Female . Unkno'n	282 260 3	16		21 22 1	37 28	6 4	26 21 1	3	8 10	10 20:	11 15 1	33	19	28	42 51
July.	Male Female . Unkno's	292 288 3	23		19 20 1		1 4	22 26	3	10		18		22 19	25 25	33
Aug.	Male Female . Unkno'n	283 270 4	20		17 21 1	30 27	1	26 24 1	4 3	10 15	9 19	13 16 1	42	19,	30	41 20 1
Sept.	Male Female . Unkno'n.	289 254 4	8		15 27	33 35	3 6			8 7	13 9 1	12 22	52 26 1	16 15 1	20	

# TABLE II.—CONTINUED.

Months.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia.	Chittenden.	Essex.	Franklin.	Grand Isle.	Lamoille,	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windsor.
1	Male Female . Unkno'n.	244 236 2	18 16	17 16 1	14 14	30 29	3	19	4 3		17 15	12	30 39		17 15	31 24
Nov.	Male Female . Unkno'n	283 277 6	15 21	21 18	21 16	30 32 1	6 5	23 21 1	3	11 10	17 15	15 24 1	49 48	24 24	17 16 1	31 24 2
Dec.	Male Female Unkno'n	294 272 9	24 23	26 16	18 16	30 34 2	3 2	26 26	5	14 9	26 20 1	16 11	35 43	18 20 1	25 23 2	28 23 3
Unk.	Male Female . Unkno'n	25 24 10	2	··i	3	• • • •	1 * * #	9 6 9			1	2 1	6	3	1	3 2
Aggregate.	Male Female . Unkno'n Fotals	3272 3144 52 6468	219 1 —	222 2 	215 6	357 331 4 692	40	294 28 14 588		1	197 215 3 415	204 3	557 457 2  916		211 6	373 350 7 730
Parentage.	Americ'n Foreigu ,	4467 1665		339 121		 343 305		312 229		197 31		257 106	500 391	 375 96	411	590 94
2	Unkno'n.	336	17	21	22	44	10	47	6	9	16	16	25	20	37	46

#### SUPPLEMENT A .- TABLE II.

### Births—Exhibiting the number of Plurality Cases.

(Included in Tables I and II.)

Months.	Sex.	Whole Number.	Addison.	Bennangtoff.	t pli donin	Chiltenden.	Engle.	Franklin.	trand Isle.	Lamonde.	Official get.	Orleans.	Hutland	Washington.	Windballs.
and years	Males,	4							1				2		1
Salvener	Females, Males,	3		1			- *	9 5				2			1
i was in a second	Females,	5		3										2	
Earth	M des, Females,	6			1							4 0		1	
North .	Maire.	8	1					4.9		2		2	3		9.
Sir.	4 4.45	6						1				1	010	2	1
	Vientains.	2.3	# 13		1	i	-	1		1	1	1	4		
	1 17 1 18	- 5			1	. 1	1 7			1	1	1	*3	- 02	
	Marie	7				e 4		1			-		.0		11
f can many	Mores	4						1						4.6	
. her	r'em vies. Malea.				٠.	1		3		22		2	3	9 5	
	Females.	1	= -		* 4								i		
	Males,	1	1						4 0						
	Females, Males,	6	917	4 +	٠.	• •							2	9	11
Cores Ser seeses	t'emales.	6	* 1		* 4			4 5			* *		+3		111
No state Not an area	Wales,	12	- 2			ī		4	4 -				1		
• • • • • • • • • • • • • • • • • • • •	Females,	4.				3							1	+ 1	
M& British No	Males.	1			7 1							1			
	Females,	1		;								1			
(vab,		130	12	10	4	8		12	2	8	2	12	24	10	9

# SUPPLEMENT B.—TABLE II.

## Exhibiting the number of Illegitimate Births.

(Included in Tables I and II.)

nths.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia.	Chinenden.	Masex.	Franklin.	Grand Jale.	Lamoille.	Urange.	irieans.	touland.	Washington.	Windham.	Windsor.
	Males.	1	-	-	-	-	-	1	-	-		-	-	-	-	-
* * * * * * * * * *	Females.	1									٠.		• •			
	Males.	1	* *				, .		* *							1
,	Females.	1			11						i		- *		-	1
	Males.	3 3		2							i					
	Females.	3						1					1	1		
	Males.	2 3		1								* 1				1
	Females.	3				1 0				4 4		1				1
	Males.			- 4					4.7		0 0		0.4			
	Females.	2 4 3	1			1						* 4	* *		1 :	
	Males. Females.	2			-	1 :	11 6								1	
	Males.	1			1	1										1
	Females.	1		4 4				4.4	* 4	* "			i		7 4	
	Males.	4		i				*1	i		1			1		
	Females.	1						*1								ľ
r	Males.	2						1				1				
	Females.	1 2									1					0
	Males.				- "			1					1 0	1		
	Females.	1							1		- 1				12	
Γ,	Males.	2				1 .							* *		1	
	Females. Males.	i	1	· i		j		1.				4 4				
· · · · · · · · · · · · · · · · · · ·	Females.	2		1					- "		1	P 5				Le
	Males.	-				1		1	1	1		10	1 1	1.	11	
.,	Females.	i			1.			1.		1				1		1
		_	-	_	-	_	_	_	-	_	_	-		-	-	-
		40	1	6	1	2		6	5 2		5	2	2	3	2	1

21

i∰57 217 171,196|152| 37,283

4 10 22 21

33 125 236 245 302 261 288 326

Win Sum

4

#### TABLE IV.—PERSONS MARRIED.

Distinguishing by ages the number of persons, of different social conditions, who were married during the year.

#### (A.) Aggregate.

	her.				Ac	ES	OF	W	ОМ	EN				
Ages of Men.	Whole Number.	Under 20.	20 to 25.	25 to 30.	20 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 10 60.	60 to 65.	65 to 70.	Over 70.	Unknown.
bole number	2857	796	990	400	139	78	58	30	21	28	17	8	2	29
Thoer 21	76		18		1 5 5					4 0				
30 to 25	1033		459	.77	6	-							2 4	1
25 to 30	707 271	185 45	325 95	157 83	26 37	11			* 1		1 4	4.1	4 4	
35 to 40	160		50	42	26	16	5	i	11		1 4		* *	
10 to 45	97	7	20	19	22		10	1 2	i	1	i		• •	
15 10 50	62	i	5	15	10	1	11	7	î				-	
to 55	42	3	3	2	5		10		7	2				
35 to 60	39			2	3		9	8	4	4				
6O to 65	41		1		1	5	8	4	3	9	6	3		
55 to 70	25			* * *	- 3	1	5	3	2			1	w 0	
O wer 70	22		1		1 * 1	2		1:	3	5	3	4	2	-
Unknown	282	8	13	0	2	1 .	1 4	1		2 4	4 1		9.4	2
(B)	Firs	tma	rriag	ge of	bot	h p	art	ies.						
	1	100	711	206	48	13	4	3		1	3			15
Thole number	1710		6.1.5	200	80							b		
Under 20	70	55	14									1	1	- 4
Under 20	70 794	55 369	366	43	3									1
Under 20	70 794 500	55 369 135	$\frac{366}{244}$	43 103	3	i								1
Under 20	70 794 500 137	55 369 135 18	366 244 56	43 103 43	3 14 15	1 4								]
Under 20	70 794 500	55 369 135 18 11	$\frac{366}{244}$	43 103 43 12	3 14 15 10	1 4 5	2		1					
Under 20	70 794 500 137 60	55 369 135 18	366 244 56	43 103 43	3 14 15	1 4 5			1					
Under 20	70 794 500 137 60 16	55 369 135 18 11 3	366 244 56 20	43 103 43 12 2	3 14 15 10 3	1 4 5 2	2	1	1	1				
Under 20	70 794 500 137 60 16	55 369 135 18 11 3	366 244 56 20	43 103 43 12 2	3 14 15 10 3	1 4 5 2 1	2	  	1					
Under 20	70 794 500 137 60 16 5 4	55 369 135 18 11 3	366 244 56 20	43 103 43 12 2	3 14 15 10 3	1 4 5 2 1	2	     	1		i			
Under 20	70 794 500 137 60 16 5 4	55 369 135 18 11 3 1	366 244 56 20	43 103 43 12 2	3 14 15 10 3	1 4 5 2 1	2	1 1 1	1					
Tader 20	70 794 500 137 60 16 5 4	55 369 135 18 11 3 1	366 244 56 20	43 103 43 12 2	3 14 15 10 3	1 4 5 2 1	2	1 1						10

AMEN HET . Mi. ee. II dienter ( viet. ear in the = -Unknown. . کنت the many \_== = ---1 - 1 - 1 --Mer mi the man to the motor : - -11 ....i Appending the course states. · : : : : 1 55 .....i ٠, 

#### TABLE IV .- CONTINUED.

#### (E.) Subsequent marriage of both parties.

	Der.				Ac	ES	OF	11	ON	EN				
es or Men.	Whole Number	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	Over 70.	Unknown.
	195			9.4	-05	20	-	1.9	1.0	1.0	13	7	-	4.5
mber	120	1	7	34	25	22	28	13	13	16	11	1 4	1	17
)							0.0			2 0	2.0	2.0	1.0	
	2			J 5	3									
	11		3	5	3							10.0		
	18		2	10	6									
	15		2 2		1	3						100		
	23			8 3	4		10	1 1	1		1	1		
									,		0.1			
	17		4 6 4	4	4		1 2	2						
	18			2	- 1	33	5	1	5	1	0 1			
	25			1	3	3	3	0	3	3	2			
	24				3 1	3 2	- 5	2	3	4	4	3		
	13				- 1		25353	0 2 2	3 3 1	4	13	1		
	14		1	P 6 A		1	9	-	. *	4 4	3 2	1	1	* * *
					P 6 F	1	0.1	4 0		4	1 2	1 3		
	15		1 414		1						l	20	1. 6	1

#### (F.) Condition of parties not stated.

amber	604 157	185 79	22 13	5 14 4	5 7	3	 113
0	6 2	4					 
*******	208 95		2 5	2			 4
	136 41	61 27	4.				 3
**********	54 14		3 .				 1
	31 3		6	4 2		1	 
	15		6 1	1	. 1		 
	8			3 3	4 5 2 5		 
	10 2	1	1	1 3 1 1 2 1	1		 
**********	6		1	1 2 1			 
**********	9			3 2 1	2	1 1	 
**********	6			. 2	5		 
	5	1			3 1		 
n	110	3 1		1	03		 105

#### TABLE L-RECAPITULATION OF BURING,

	1860.			Bi	) qql	3.		
Town.	on (a	Na		Sec.		Pas	LESTA	GE.
	Population fu	Whole !	M.	F.	Ua.	Am.	For.	Um.
Addison,	24010	460	200	219	1	324	119	17
Beanington,	19436	481	57	222	2	339	121	21
Caledonia,	21458	431	210	215	6	333	76	92
Chittenden,	28136	692	357	331	4	343	306	44
Esser,	5786	77	37	40		60	7	10
Franklin,	27231	588	294	280	14	312	229	47
Grand Isle,	4276	81	42	39		52	23	6
Lamoille,	12311	237	124	112	1	197	31	9
Orange,	25455	415	197	215	3	374	25	16
Orleans,	18981	379	172	204	3	257	106	16
Retland,	35946	916	457	457	2	500	391	25
Washington,	27612	501	249	249	3	375	96	20
Windham,	26982	480	263	211	6	411	32	37
Windsor,	37193	730	373	350	7	590	94	46
VL Asylum,								
Whole State,	315116	6468	3272	3144	52	4467	1665	336

## MARRIAGES AND DEATHS, FOR THE YEAR 1867.

M	ARR	IAGE	S.					DEA	THS.	ė <u>.</u>	
No.	N	TIVIT	rv.	No.		Sex.			Age		ge.
Whole No.	Am,	For.	Un.	Whole 1	М.	F.	Un.	Ages given.	Agg'te.	Average.	Percentage.
217	311	44	79	262	142	119	1	259	10184	39.32	1.09
171	271	25	46	287	148	137	2	278	9343	33.60	1.47
196	204	18	170	319	142	174	3	314	12874	41.	1.48
152	190	20	94	300	189	168	3	353	9861	27.94	1.27
37	26	4	44	43	20	23		42	1212	28.85	.74
265	237	93	200	311	149	162		300	9896	32.98	1.10
33	41	17	8	38	21	17		36	1022	28,33	.88
128	186	10	60	156	68	87	1	154	6177	40.11	1.26
236	351	24	97	315	141	173	1	313	14351	45.84	1.23
245	229	63	198	245	124	119	2	237	8792	37.09	1.29
302	326	87	191	472	204	261	7	465	16002	34.41	1.31
201	241	30	251	319	160	156	3	313	11253	35.92	1.12
288	411	33	132	363	180	181	2	353	15688	41.44	1.34
326	417	- 22	213	562	269	288	5	554	24192	43.66	1.51
****				36	18	18		36	1979	54.97	
2857	3441	490	1783	4088	1975	2083	30	4007	152828	38.14	1.29

#### TABLE II.—BIRTHS.

Exhibiting the number of each Sex born in the several Counties, di each month of the year.

Months.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia	Chittenden.	Y SSHX.	Franklin.	Grand Isle,	Lumoille.	Orange.	Orleans.	Rutland.	Washington.	Windham
Jan.	Male Female . Unkno'n.	231 235 5	24 13	22 18	15 16 1	21 28	3	20 19	3	8 9 1	14 21	16 17	26 24 1	21 23	20
Feb.	Male Female Unkno'n.	227 210 2	9 18	11 12	11 13 1	22 18	4 2	25 18 1	35.	9. 7	13	17 11	30	21	18
March.	Male Female Unkno'n.	252 277 2	18 20	19 30	26 17	31 23	4 93	22 37	5 2	13 6	21 21 1	10 18	27 33	14 17	10
April.	Male Female Unkno'n.	289 271	24 24	20	18 17	35 22	33	27 21	2 2	14 15	]9 ]4	13 21	43	21 34	20
May.	Male Female . Unkno'e.	274 270 2	23 17	22 15	15 13 1	27 25	3 5	28 21	3 4	5	19 24	16 24	41	30 20	19
June.	Male Female . Unkno'n	282 260 3	20 16	18 12	21 22 1	37 28	6	26 21 1	3 4	10	10 20		33	19 17	29
July.	Male Female . Unkno'n	292 288 3	19 23	29 25 1	19 20 1	29 30 1	1 4	22 26	3	10 10	19 23	18 12	43	22 19	
Aug.	Male Female . Unkno'n	283 270 4	16 20	25 19	17 21 1	30 27	1	26 24 1	3	10 15	9 19	13 16 1	42	19	
Sept.	Male Female . Unkno'n,	289 254 4	8	27 27	15 27	33 35	3 6	19 20 1	3	8 7	13 9 1	13 22	52 26 1	15	

21

# TABLE II.—Continued.

Months.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia.	Chittenden.	Esser.	Franklin.	Grand Isle,	Lamoille.	Orange.	Orleans,	Rutland.	Washington.	Windham.	Windsor.
Oot.	Male Female . Unkno'n.	244 236 2	18 16	17 16 1	14	30 29	3	19 20	4 3	10 9	17	12 12	30 39		17 15	31 24
Now.	Male Female . Unkno'n	283 277 6	15 21	21 18	21 16	30 32 1	6	23 21 1	3	11 10	17 15	15 24 1	49 48		17 16 1	31 24 2
Dec.	Male Female Unkno'n	294 272 9	24 23	26 16	18 16	30 34 2	323	26 26	5	14 9	26 20 1	16 11	35 43	18 20 1	25 23 2	28 23 3
Unk.	Male Female . Unkno'n	25 24 10	2	i	3	* * * *		969			1	1	6	3	1	3 2
Aggregate.	Male Female . Unkno'n	3272 3144 52 6468	219 1	2	210 215 6 431	331 4		28: 14	39	124 112 1 237	215 3	204 3	457 2 ——		6	373 350 7 730
	Americ'n	4467	324	339	333	343	- 60	312	_ 52	197	374	257	500	375	411	 590
Parentago.	Foreign . Unkno'n.	1665 336		121 21	76 22	305 44	7 10	229 47		31	25 16	106 16		96 20	32 37	94

#### SUPPLEMENT A.—TABLE II.

#### Births—Exhibiting the number of Plurality Cases.

(Included in Tables I and II.)

Months,	Sex.	Whole Number.	Addison.	Bennington.	Unitedonia.	Chittenden.	Essex.	Franklin,	Grand Isle.	Lamontie.	tirange.	Orleans.	Huthand.	Washington.	Wandham.	W sodsor.
January,	Wales, Females,	4 2							1				2			
February,	Males, Females,	2 3 5		1 3								2		9		
March,	Males, Females,	4		4	1						**			1		01
April,	Malas, Females.	8 6	1							94 9		2	3		2	9 1
May,	Males, Females,	8 9		* 4				1				1	2	2	1	
June,	Ma'es, Females,	9	*3		1	1				1	1	1				
July,	Males, Females,	6 3						1					*3	2		
August,	Males, Females,	8 7						1 3		2		2				
September,	Males, Females,			2			. 3						3			,
October,	Males, Females,	1 1 3	1									0.4	2			
November,	Males, Females,	6	*2			2						2.1	*3	2		
December,	Males, Females,	12	2			3		4		P 4			1		-	
Unknown,	Males, Females,	1										1	1			
Totals,		130	12	10	4	8	-	12	2	8	2	12	24	10	1	8

#### SUPPLEMENT B .- TABLE II.

## Exhibiting the number of Illegitimate Births.

(Included in Tables I and II.)

Months.	Sex.	Whole Number.	Addison.	Sennington.	( aledonia,	Chittenden,	Essex.	Franklin.	Grand Isle.	Lamoille.	Orange.	( rieans.	hutland.	Washington.	Wundbam.	Windsor.
January,		1	-	_		-		1			_	-	-	-		
-	Females.															
February,		1		9 4				- 1			. :					1
March,	Females.	1 3		2							1					-
Marcu <sub>j</sub>	Females.	3		1 2	* *			i				4 0	i	i		
April,	Males.	2		i				1.1								
	Females.	3										1				
May,	Males.			y 4							- 4					
*	Females.	2 2 3	1			1									. :	
June,	Males. Females.	2			9 E	1		• •							1	
July	. Males.	i		6 4	i							4 4	* *	* *		1
empje e e e e e e e e e e e e e e e e e e	Females,	î											i			
August,	. Males.	4		1				*1	1		1					
	Females.	1						*1								-
September,	. Males.	2						1			1:	1				
Ostobos	Females.	2		* 4				1 4			1		- 6	i		-
October,	Females.	ī			* *			1 -	1			1				ľ
November,	Males.	2					1				1			1::	1	
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Females.							1								
December,		1		1												
** 1	Females.	2		1			2.4				1					
Unknown,	. Maics. Females.						1							i		
	r emaies.	1							* *	- 1	1.	1		1		1.
Totals,		40	1	6	1	2		6	2		5	2	2	3	2	-

<sup>\*</sup>Twins.

#### TABLE III.-MARRIAGES.

Exhibiting the number contracted in the several Counties, during each month of the year.

Months.	Whole Number.	Addison.	Benington,	Caledonia.	Chi tenden.	Essex.	Franklin.	Grand Isle.	Lamoille	Orange.	Orleans.	Rutland.	Washington.	Windham.	Windaur.
January,	307	30	16	18	12	4	33	3	8	26	27	26	26	32	46
February, .	309	13	15	15	10	4	24	4	10	18	13	21	16	23	23
March,	240	16	11	19	12	3	17	3	10	27	13	21	24	29	35
April,	152	14	6	9	10	2	18	3	7	15	11	15	12	15	15
May,	177	12	10	9	10	5	18	1	9	9	8	22	15	24	25
June,	185	13	14	13	10	4	12	1	7	14	20	17	15	20	25
July,	193	10	16	13	6		21		12	17	21	19	21	18	19
August,	182	17	14	5	13	1	24	1	8	13	26	17	13	14	16
September,.	285	19	10	22	11	4	26	4	15	26	28	32	29	35	24
October,	291	24	30	20	21	5	21	5	12	15	23	31	31	20	33
November,.	334	22	13	25	20	4	28	1	16	31	32	42	32	32	36
December, .	272	25	16	22	17	1	21	4	10	22	21	35	26	25	N
Unknown, .	30	2		6	٠.,		2	3	4	3	2	4	1	1	3
	_	_	_	_	-	_	_			_		-		-	
Totals,	2857	217	171	196	152	37	265	33	128	236	245	302	261	288	326

#### TABLE IV.—PERSONS MARRIED.

Distinguishing by ages the number of persons, of different social conditions, who were married during the year.

#### (A.) Aggregate.

	ber.				Αc	ES	of	W	ом	EN	•			
Ages of Men.	Whole Number.	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 10 40.	40 to 45.	45 to 50.	50 to 55.	55 to fil.	60 to 65.	65 to 70.	Over 70.	Unknown.
Whole number	2857	796	990	400	139		58	30	21	28		-8	2	290
Under 20,	76	57	18											1
20 to 25	1033	470	459	77	6	*1								11
25 to 30		185	325	157	26	11	4.0							
30 to 35	271	45	95	83	37	8								1
35 to 40	160	20	50	42	26	16	5	1						
40 to 45	97	7	20	19	22	14	H	1	1	1	1			
45 to 50	62	1	5	15	10	11	11	7	7	4 1				
50 to 55	42	3	3	2	5	5	10	5	7	2				
55 to 60	39			2.	3	6	9		4	4 9	2			
60 to 65	41		1		1	5	8 5	3	3	9	6	3		
65 to 70	25				)	1	5	3	3 2 3	5	6 5 3	1		
Over 70	22		1			2			3	5	3	4	2	
Unknown	282	- 6	13	3	2			1		4 -				25

#### (B) First marriage of both parties.

Whole number	1710				48	13	4	3	 1		1	 .	 1	24
Under 20	70	55	14						 	,	4	 .		1
20 to 25	794	369	366	43	3									13
25 to 30	500	135	244	103	14	1			 		,			3
30 to 35	137	18	56	43	15	4			 			.1		1
35 to 40	60	11	20	12	10	5	2		 ١			. 1	 	
40 to 45	16			2	3	2		1	 			 . [		1
45 to 50	5	1		2		1		1	 			. 1	 	
50 to 55	4				1		1	1	 1			. [	 	
55 to 60	1				1							 .]	 	
60 to 65	1								 		t		 1	
65 to 70	1				1				 					
Over 70,									 		-		 	
Unknown	121	7	7	1	1				 			.	 1	05

### (C.) First of men, but subsequent of women.

	ber.				2	GE	8 0	P	ME	N.				
Ages or Man.	Whole Number	Under 20,	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60,	0	65 to 70.	Over 70.	Unknown.
Whole number	90	6	18	31	11	11	-		1		1	-	-	I
Under 20												- "	1	-
20 to 25	21	3	9	8	111									
25 to 30	36	2	0	17	4	7		00						200
30 to 35	13		1	4	5	3								442
35 to 40		1		L	ű	1				20				4 4 6
40 to 45	3		1		1						1			a PR
45 to 50														a will
50 to 55	1					2.0			1					0 = 0
55 to 60													2.0	400
60 to 65							b &		1 0					
65 to 70										2 8			9.1	421
Over 70													5 0	
Uaknown	12		1	1										1

### (D.) Subsequent of men, but first of women.

Whole number	258	33	69	50	33	17	12	10	2	4	1	1	1 2
Under 20		,							4 4			2 .	41 100
20 to 25	24	3	1	3									2.5
25 to 30	24	7	11	5	1		4 5						10 400
30 to 35	49	13	20	6	8	1							* 1
35 to 40	50	4	17	16	8	3	1	1		0.0			
40 to 45	40	4	10	12	8	6							245
45 to 50	32		5	7	6	2	6	4	1				
50 to 55	9	3	2		2	1	1	2					
55 to 60	7			1		2	3	1					4 . 2
60 to 65	7		1				1	1		3			
65 to 70	5		1	* * * *		1		1	1	1		1	4 2 2 9 2
Over 70	3					ĵ.					1		1
Unknown	24	1	2										1. 1

#### (E.) Subsequent marriage of both parties.

	ber.				Ac	ES	OF	W	ОМ	EN				
Ages of Men.	Whole Number.	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	3	45 to 50,	50 to 55.		60 to 65.	65 to 70.	Over 70	Coknown,
Whole unumber	195	1	7	34	25	22	29	13	13	16	11	7	1	17
Under 20	A 12.03	,		34	20		20	10	10	10			1	1.
20 to 25	2			1	1									
25 to 30	11	1 4 -	3	5	3			" "	* *	* *				
30 to 35	18		0		6						1.			
35 to 40	15	i	2 2	10	1									
10 to 45	23	1	-	8	1 4	355332	10		1					
15 to 50	17			4	4	6.1	10			* *	* 1		9.0	
15 to 50	18			2	4 1 3	13	2 5 3 5 3	2 1 6 2 2	· ·	1 4	2.0			
0 10 55			0 4 -	20	1	10	9	1	5 3 3 1	1 1		7 4		200
55 to 60	25	* * *		1	- 61	0	3	0	0	0	Z			4
80 to 65	24				1	12	0	2	3	19	4	3		
55 to 70	13				+		3	2	1	1 3 4 4 4	3 2			
Over 70	14					1	1 0		1 0	4	2	4	1	1
Jakaown	1 15				1							١		1

#### (F.) Condition of parties not stated.

Whole number	604	157	185	79	22	15	14	4	5	7		3	 1.			113
Under 20	6	2	4								١.	. 1	 1.			
20 to 25	208	95	83	22	2	2					١.	. 1	 1.			4
20 to 30	136	41	61	-27	4								 ١.			3
au to 35	54	14	16	20	3	* 1					4		 ١.			1
00 to 40	31	3	11	5	6	4	2		11 4				 ١.			
90 to 45	15		5	2	6	1				1			 1.			
45 to 50	8			2		3	3				1.		 ١.			
90 10 55	10	2	1		1	1	3	1	1			. ;	 ١.			
00 to 60	- 6			4.53		1	2	1	1	)	1.		 1.			1 2 4
00 to 65	9					3	2	1		2			 1.		١,	
65 to 70	6						2	4.0		2		2	 1.			
Over 70	5		1						3	1	1.	.	 ١.	-		
Uaknown	110		3	1				1		P 4			 1.		1	105

TABLE V.—DEATHS.

Exhibiting the number of each Sex in the several Counties, during each month of the year.

_									_							_
Jan. Months.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia	Chittenden	1. 安徽中汉。	Franklin.	Grand Is e.	Lunoille.	Огапре,	Orleans.	Ruthand.	Washington.	Windham.	Windsor.
Jan.	Male t'em v'e . Unkno'n	129 153 1	9	8	11	11	2	16	2	8	16 14	7	15 18	14	17 14	12 26 1
Feb.	Male Female Unkno²o.	123 140 2	7 9	10	10 7	13 13 1	1	9 12	. 22.	1 6	16	10 7	10 17	11	13 8	22 18 1
March.	Male Female Unkno'n.	172 162 3	12 12	9 11	13 13	15 20	3	11 16	1	11 7 1	11 11	11 12	25 15	12 11 1	20	20 17
April.	Male Female Unkuo'n.	186 169 4	17 5	17 9	10 11	18 12		14 16	3	11 9	11 18 1	14	13, 22 1	13 9 1	19 15 1	27 26
May.	Male Female . Unkao'n.	152 143 3	7 6	7 11 1	14	 11	2	13 6	3	3	9 13	11 7	22 13 2	18	24 16	16 25
June.	Male Female . Uokno'n	123 143 2	6 14	6	10 14	6 13 1	3	3 14	2	3	12 11	10 3	13	10 9	16 23	26 21
July.	Male Female . Unkno'n	172 137	7	13	8 10	26 11	91 94	18 16	. 1515	6 5	17 9	12 7	18 16	10 4	8 13	25 26
Aug.	Male Femals . Unkno'n	212 223 3	14 15	20 15 1	20 12	22 21	2 4	24 16	3	6 10	9 20	8 9	19 34	16 20 1	17 26	32 20 1
Sept.	Male Female . Unknoto.	206 261 4	16 9 1	18 17	14 32 1	23 18	4 2	21 12	3 24	7 13	8 19	11 18 1	20 39	12 19	20 19 1	29 42

### TABLE V.—Continued.

Months.	Sex.	Whole Number.	Addison.	Bennington.	Caledonia.	Chirtenden.	Essex.	Franklin.	Grand Isla.	Lamoille.	Orange.	Orleans,	Putland,	Washington.	Windham.	Windsor.
00et	Male Female . Unkno'n	163 202 1	19 10	12	18 19	13 11	2	6 9	ì	6 9	17 20	12 13		9 22	12 22	19 32
Nov.	Male Female . Unkno'n	140 174 1	J4 10	10 13	12 18	12 17	य• es .	7 9	1	5 8	11	6 13	14 32 1	13 14	17 11	18 14
Dec.	Male Female Unkno'n	177 148 4	13 12		9 11	9 9	2	12 16	_	6	15 9	8 6		20 8	14 16	20 20 1
Unk.	Male Female . Unkno'n	22 26 2	1	3	1 2 2	i		5 4	2	* * * *	2	3	3 2	2 4	3	3
Aggregate.	Male Female . Unkno'n	1975 2083 34 4088	119	2	174	168 3 —	23	-14	17	68 87 1 156	1	119 2	261 7	160 156 3 3	199 2	288 5
Parentage.	Americ's Foreign . Unkao'n	3402 260 426	21	22	22	40	2	41	8	5	7	20	26		11	13

included in this table.

# Exhibiting the number of each Sex, at different aga,

TABLE VI.—DEATHS,

	P	OPULATIO	f.	نــا						٠.		١	0
Towns.	Whole No.	Sex		Uniter	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15	15 to 20.	20 to 25.	90 60
Addison.			1	-	i –	-	-	Γ	-	-		-	
Addison,	1000	Ma'es,	512	1		١		ļ	١	١.,	١		١.,
		Females,	448			١٠.	١	١٠.	١٠.	ļ		١	ŀ
Bridport	1298	Males,	618	7	• •	١٠٠			١٠٠	1		١٠.	ŀ
Bristol,	1255	Fem tles, Males,	680 660	2 2		l i	٠٠	ı.	١٠٠	•	ļ.,		ľi
DI 18101,	1000	Females,	695	1		1 *		::	<b> </b> ::	١٠٠	ľ.,		li
Cornwall,	977	Males,	481	2				<b> </b> ::	I: :	ľi	l	i	
	1	Females,	493		1	i	١i	::	ļ	i	1		١.,
Ferrisburgh,	1738	Males,	869	1		١			١	١			٠.
		l'emales,	869	1		1		<b> </b>	١	1		į l	• •
Goshen,	394	Males,	208			٠٠		١	١٠٠	1			
O:11.	700	Females, Males,	186	ļ. •	٠:	٠٠	• •	• •	••		٠٠	1:	۱ ا
Granville,	120	Females,	384° 336		1	i		٠٠	٠.	·;	١	1 1	Ϊ.
Hancock,	44.	Males,	235		••		2			1			1
	1 **	Females,	213	2	::		l	::					
Leicester,	737	Males,	382		I		I						٠.
,	l	Females,	355			١		<b> </b>	ļ.,	١	ļ		١.
Lincoln,	1070	Males,	546	1		١	١	١	1	1		·:	
		Females,	524		1	· •	• •		١			;	1
Middlebury,	2879	M des,	1366			_		1	••	···	ŀi	1	
		Females, Unkno'n.	1513	3	• •		ı	1	· •	٠.	١.		
Monkton,	1123	Males.	568			i	• •	::	١٠.			i	
bronk ton,	1120	Females.	555				::	::		l: :	l		١.
New Haven,	1419	Males,	712		::		ľί	::	I.:				ļ
	-	Females,	707							١.,	1		ŀ
Orwell,	1341	Males,	692		1			<b> </b>	<b> .</b> .	١.,	ļ.,		١.
		Females,	649		1		<b> </b>	<b> </b>	١	١.,		1	ï
Panton,	511	Males,	257			٠.		١٠٠	• •			· · ·	ľ
		Females,	254			٠.	١٠٠	١٠٠	١٠٠	-•	1.	1.,	1
Ripton,	570	Males,	303	3		٠.		••	·:	· ·	1.	١.,	1
İ	1	Females,	267	1	1	١٠٠	١٠٠	١٠٠	1		1.	١٠,	ĺ

### ACCORDING TO AGE.

# In the several Towns and Counties, during the year.

_								7					over.	- F		To	TAL.		.00
. 30 to 30.	1 35 to 40.	40 to 45.	45 10 50.	, 50 to 55.	55 to 60.	i till to 65	05 to 70	1 70 to 75.	15 to 80.	· 80 to 85.	1 85 to 90.	1 90 t. 95.	1 95 and over.	i Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
										1	1				3				
į					4 5					4 5						1		4	
	1			1		2	1	i.	2						16				2.
	1	10						3	1 2	4 4						6		22	
9	1	3				.:	2 2		1	0 1	1		~ *	1	10			******	1.
*	1		4.4	1	W P	1	1		0.0	1	* *			9 4		. 6	* * * *	18	1.
		* 4			- 4	2				0 0	2				7	6		16	1.
ì		i	1	1							2	*.			5	f.			1.
î		. *	1	1	1							1				7		12	
1		* *		1.0		i		i	i				* *		6				2
							1									1		7	2.
										1					3				
	1								1							5		8	1.
									1	1					5				2.
1												. 4			1	3		8	1.
,	44					1 5								1 7					
		p 4		4 4					1	P 4				1 4		1		1	
						1									4				
*		2 11			4.4		v 1	1 .	- 1	1	.:		0 0		****	7		11	1.
	2	1		1	2	1	4	3	-0		1			1 1	26			* * * * * *	1.
1			1	0.0	4	- +	1 1	9	1 1		1 4	1		6 4	9 9 9 4	18	4 4 5 7	45	1.
-			1	1		- 5		5 4	1	4 2	i				9		1	-	1.
		3				1				1	1					9		18	1.
•							2		1			i			5	- AF		4.	1.4
					2							1.		*		A		9	
				1				2	2	12					8				1.
4							1				1					3		11	1.
			1												1				
			1									1				2		3	
٠						1				1				9 A	5				1.
												4 6				3		8	1.

	P	OPELATIO	N.				1						
Towns.	Whole No.	Sex		Under L	1 to 2	2 to 3.	\$ 10 4.	4 to 5.	5 to 10,	10 to 15.	3	劉10 部.	3
Andreson.—Continued. Salubury,	853	Males.	438				1		-				
Shoreham,	1382		413 694	1					10.0				
Starksboro,	1437		688 733	1 1 9	1			40.0	1	i		3 4	i
Vergennes,	1286		704 592	2			• •				, .	= 6 1	
Waltham,	263		694 134 129				• •	::	ï	ì	1.4	9 4 4	
Weybridge,	667	Females. Females.	329 335	1			• •	::				4 1	1
Whiting,	542	Males. Females	268 274	1					1		• •	i	1
Aggregate,		Females.	11984 12020	2× 27	5 5	40 00	43	1	- 00 02	5	3	4	6
Totals,		Unkno'n.	24010	1  56	10	6	7		5	_	3	10	0
Bennington.	1146	Males.	550 590		i	2	1			'n	j	1	y h
Bennington,	4389	Unkno'n. Males. Females.	2102 2287	1 7 9	1	1					1 2	3	3
Dorset,	2090	Males. Females.	1092	4 5	2	2	1 2		1	1	9		, .
Glastenbury,	. 47	Unkno'n Wales. Females.	28 19	1								4 0	p4
Landgrove,	320	Males.	175 145	i			1					4 .	4 4
Manchester,	1688	Males. Females.	818 870	7					i		1		
Peru,	543	Males. Females.	294 249										1
Pownal,	1731	Males. Females.	889 842	3	· ;	ì		• •		i	1		
Readsboro,	930	Males. Females.	487 443				1						y 78 y 78
Rupert,		Malea.	564 539	2	1 9				1	3		i	

### TABLE VI.—Continued.

	P	OPULATIO:	s.										
Towss.	Whole No.	Sex		Under L.	1 to 2	80 S	3 to 4.	4 10 5.	6 to 10.	10 to 15.	16 to 20.	20 to 26.	li
Bennington.—Con'd		Males.	417	1			-	1	1	-		1 .	-
Searsburgh,	262	Females.	38× 140		i	::		1					ŀ
Shaftsbury,	1936	Females. Males. Females.	122 1001 935	6	i				1				
Stamford,	759	Males. Females.	414	4 01 7							1	101	1
Sunderland,	11		284 283			i	* *						
Winhall,			389 352	1 2				::				1	11
Woodford,	397		201 178										44
Aggregate,		Males. Females. Unkno'n.	9845 9591	34 30 2	6 5	4	3 4	1	64			7-0	A.A
Totals,			19436	-	ũ	8	1	2	10	. 1 %	<u></u>	16	Com. in
Caledonia.						ľ							
Barnet,	1994	Wales. Females.	986 1008	1	٠.					1	4 .	1	
Burke,,	. 1138	Males. Females.	560 575	2						• •	1	11	
Danville,	. 2544	Males. Females.	1232 1312	1					i	9		- 04	
Groton,	939		478 461	1 9					.;	1			
Hardwick,		Males. Females.	674 695		1							1	0 4
Kirby,		Males. Females.	234 239		1		ì					3 0	
Lyndon,	11	Males. Females.	868 827	2 3		1			3 4				
Newark,		Ma'es, Females,	304 263	4 4						1		. 4	
Peacham,	1247	Males, Females,	597 650		1							i	1
Ryegate,	1098		553	1					1			91	
	11	Females,	545	1								1	ľ

# DEATHS.

				4		~		over.	VD.		To	TAL.		Pge.
50 to 55.	60 10 65	1 65 to 70.	4 70 to 75.	1 75 to 80.	1 80 to 85.	85 to 90.	90 10 95.	1 95 and over.	i Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
3 4 4 6 8	771	1118	6 7	5 5	1 3	1	2	1 3 1	7	7 1 15 4 1 1 2 148 148	11		16 4 26 10 1 1	1.67 2.31 .71 2.45 1.48 1.17 .96 1.73 .35 .51 1.42 
	1 2 1 1 1 1	3 1 1	1 2	2 3 1 1	1 2 1 2 1 1	1	1			3 8 10 7 5 2 16 4 13	10 18 10 8 6 23	1	7 18 28 17 13 8 39 7	.30 .39 1.42 1.73 .81 1.36 2.16 .74 1.15 .85 2.51 1.84 2.78 1.31 .98 2.18

ţ

	P	MILLIAN	L .			И	П			N	Ш		
Town.	Whole	Ser		I piler I.	3	9 to 3.		4 to 5.	5 to 1tt.	10 to 16.	15 to St.	20 10 25.	25 to 30.
Catabosia Con.	262	Malea.	420	1			П	-	-			-	
Bu Johnsbury,		Females, Mairs, Females.	416 1706 1764	1 7	3		00	1	3		1 2		
Stemard,		Males, Females											**
Better,		Males, Pemales,	52> 462	1	• •					* *	1	1	1
Walden,		Unkno'n. Males, Females.	576 523	3		. 4				1	, .		+ 9
Waterford,	1171	Yales, Females.	59% 57%		* 4					0 v	1		4.8-
Wheelock,	832	Males, Females,	439 395				• •			**	4.6.	1 4	1
Aggregate,		Males, Females, Unknown	10743 10715	20 27 3	4	2	2		8 9	5 4	9	8	
Totals,			21458	_		_	3		17		_	18	15
CHITTENDEN.	615	Males,	322	1									
		Females,	323		1	1				1	4		-
Barlington,		Males, Females,	393	15		2	1	1		4	2		
Charlotte,		Males, Females,	777; 812,			1					, 4		
Colchester,	13041	Males, Females,	1526 1515	17	8 4		2	1	2	9 " "	1	24 04	۰
Easex,	1906	Males, Females, Unkno'n.	929 977	1 2 2	i	i				2		3	-
Hinesburgh,	1702	Males. Females,	874 828	2	i	4 0 4 H	ì			1	b 1	2	
Huntington,	862	Unkno'n. Viales. Females.	437 425	1		· · ·				3 -	1 1		
Jericho,	1669	Males. Females.	827 842	4 9		1							2
Milton,	1963	Males. Females.	973 990	1			ì						. 4
Richmond,	1400	Males.	696		1	1						1 5	

			٦.		,				_				over.	7 L		To	TAL.		.66
50 to 50.	35 to 40.	40 to 45.	45 to 50	1 50 to 55.	55 to 60.	1 60 to 65.	65 to 70.	1 70 to 75	- 75 to 80.	80 to 85.	1 85 ta 90.	1 90 to 95.	95 and over.	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
	1		4.0	1	1	1			2	i 1					8				1.9
3				i	1	ì	3	3	2	4 0	.;				94	4		12	.9
4			1	3	d	1	2		2	1	2	i		1	0.3	42		76	1.9
		. ,											4 8						
1															****	1		1	
			2 2	i						4.4	1			1	9				1.7
				_												8	2	19	1.7
- 4			1				1	1		4 4					- 4		4000		. 6
-				i			2	7 -	1		1				8				1.9
1		2			i	i		1			1		: :		-	9		17	1.5
	1					1	1	1	1						6				1.3
	2		1				1									6		12	1.5
6	4	1	5	4	-6	9	īī	17	14	2	6	2 2		2	142				1.3
3	8	4		7	7	9	6	7		9	7	2	1			174			1.6
•	4 4		4 4	• •	4 *		٠.	D 4									3		
9	12	5	10	11	13	18	17	24	24	11	13	4	1	2				319	1.4
															2				.6
		1				1		4	i	* 1				- :	59	4		6	1.2
1		9		1		3 2	3	1	1	1	1	1		1	99	46	****	105	1.5
	2 0						4 1		1 1	1		1			10.0			100	.6
0		1			1		4 5	- +	2		4 .					7		12	.8
2	1	1		i	2	1	1	1	1						44	7		73	2.8 1.9
21	1 0				9		1			1				1				10	.9
				1	1		3	1			1				9	14			
						1								0.4			2	25	1.4
*						2				1	1					7			9
									1								1		.8
		10.0	1	1				1		·i					4			16	.9
				1					2	1			B 4	, .		5		9	1.1
			2	1		1					* *		* *		0	0		15	
4		i			1		1		1	1	2				11	9		15	1.1
					2	1	1	3								10		21	1.0
							1								1				1.4

		POPULATIO	w.										
Towns.	Whole	Sin	r.	Luger 1	1 10 2	2 to 3.	\$ to 4.	4 to 5.	6 to 10.	10 to 15.	15 to 20.	01	1
CHITTENDEN.—Con.			1	-		=	Ι.	-		-	_	Ī	-
Shelburne,	1178	Males. Females.	617 561	i		- +	1						
South Burlington,		Males. Females.						1	1		1		
St. George,	121	Males.	61				* 5						
Underhill,	1637	Females.	821	1	i								
Westlord	1021	Females.	618	1		1	1						1
		Females.	613	i			* *			1	1		
Williston,	1479	Males. Females.	726 753	2	1				1	1		1 2	
Aggregate,		Males.	13983	47	- 19	3	7		10	6	- 1	R	
J. J.		Females. Unknown	14153	32	15	12	3	3	5	7	4	Ш	-
Totals,			28136	-	-	_	4	-	_ 15	- 13	10	19	1
Essev.						J							
verill,	12	Males. Females.											
loomfield,	320	Males.	180										
righton,	945	Females. Males.	490										r
runswick,	910	Fernales. Males.	1	-							1		
I		Females.	89				- 1						
anagh,	B-10-10	Maies.	230								1.		à P
oncord	1291	Males.	687		3	1	1	1			2	I	
ast Haven,		Females. Males.	604 75	2	- 1		- 1				- 1	-	
rdinand,		Females. Males.	- 1				7					-	# P
unby,		Females. Males.										- 5	
1.	- 1	l'emales.	60				- 4		1				-
ildhall,		lales.				- 1	. 1	4 1					
mington,	207	Tales.	ĝi) ,			4 1			-				
anburgh,	1034	emales.	108.	-								1	+
amana Kali i a i i i a i i		emales.		il.				1	- 1				1

	,	,	ا و		,			,	,			ver.	.p.		To	TAL.		
35 to 40.	40 to 45.	1 45 10 50,	1 50 to 55.	55 to 60.	1 60 to 65.	65 to 70	70 to 75.	75 to 80.	80 to 85.	1 85 to 90.	1 90 to 95.	4 95 and over.	Urknown.	Males.	Fem.	Unk.	Total	Percentage.
1	1 4 4	2	3 2	1 2 7 9	3	10 6	1 1 2	48	1 1 1 1	4 2	1	1		6 10 9 6 8 189	6 5 2 10 6 8	3	12 15 3 19 12 16	1.66 3.3 1.00 1.22 .99 1.10 1.30
9 5	8	5	5	_	_	_	_	_		_	_	-	7		****		360	1.2
1			* * * * * * * * * * * * * * * * * * *		2		1	4 A A A A A A A A A A A A A A A A A A A	1	1				1 14	3		4	
* * * * * * * * * * * * * * * * * * *					1	* * * * * * * * * * * * * * * * * * * *				1		***		1	2		2	3.0

	P	OPULATIO:			И					,			
Towns.	Whofe No.	Sex		Under	1 to 2.	2 to 3.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	15 to 20.	20 to 25.	į
Essex.—Continued. Mardstone, Norton, Victory, Aggregate,	32 212	Males. Females. Maies. Females. Males. Females. Males. Females.	145 114 25 7 113 99 3088 2698 5786	1 3	1 3 2		1 1 2	1	1 1 3 4		24.02		
FRANKLIN.  Bakersfield,  Berkshire,  Enosburgh,  Fairfield,  Fairfield,  Franklin,  Georgia,  Highgate,	1987 2497 916 1781 1547	Females. Males. Females. Males. Females. Males. Females. Males. Females. Males. Females. Males. Females. Males. Males. Males. Males. Males. Males.	745 706 955 935 1022 1044 961 1026 1235 1262 464 904 877 770 777	1 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		1 2	1	12	1	
Montgomery,		Females. Males. Females. Males.	1244 645 617 672	1 2		2	1		1	1.		3	
Sheldon,		Females. Males. Females.	666 854 801								* 2	1	

	P	OPULATION											
Towns,	Whole No.	Sex.		Under I	1 10 2	10 S	3 to 4.	4 10 5.	5 to 10.	10 to 15.	0	1 20 to 25.	99 98
FRANKLIN.—Continued St. Albans,		Males. Females. Males. Females.	1827 1810 1362 1316		2233:	1	1	ì		1	1	151	See Con See .
Aggregate,		Males. Females.	13686 13545		13	9	3	3	4 5			15	5 15
Totals,			27231	51	21	14	4	4	9	4	17	19	et
GRAND IALE.	1793	Males.	908 885		0			1	1		A.A.	No.	eb.
Grand Isle,	708	Males.	352								- 4	21,	10
Isle La Motte,	564	Females. Males.	356 296	2	i				1		4.5	1 60	i.b
North Hero,	594	Females. Males.	268 362			-	* 4		2.0				10
South Hero,	617	Females. Males. Females.	292 320 297		1		**			**			r P
Aggregate,		Males, Females,	2178 2098				- 1	1	1		1		
Totals,	4 * 1 7 0		4276	5	4	1	1	2	2		1	4	1
Lanoille,													
Belvidere,	266	Males. Females.	191 175	1100			:	2	1				
Cambridge,	1784	Males. Females.	892 892	Maria A					1				11
Eden,	919		483									1	40
Elmore,	602	Males.	306	1		1.				-		100	11
Hyde Park,	1409	Females.	296 720	١		-							1.
Johnson,	1526	Females. Males. Females.	689 772 754				1						

DEATHS.

TABLE VI.—CONTINUED.

			7				).		over.	VD.		To	TAL.		ee.
50 to 55.	55 to 60.	00 to 65	US to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90	90 to 95.	1 95 and over.	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
1			2	1	2		• •	1	1	1	15	31		68	2.02 1.71 1.10 1.06
1 3 4		8 - 11	6	8	13 6	4	2	3 - 6	1	5 6 11	149	162		*****	1.08 1.19 1.10
4			1	1	· · · · · · · · · · · · · · · · · · ·	1				1	3 7 1 1 21	6 4	* * * * * * * * * * * * * * * * * * *	16 9 7	.81
1	1		1 1 1	1 1	1 2		2			1	6	13 3 11		10 11 19 5 17	4.18 1.14 .44 .78 1.24 2.98 .65 1.01 .83 1.61

	P	OPULATION	g.					l	Į		
Towns.	Whole No.	Sex.		( pder ]	1 10 2.	2 to 3.	3 to 4.	4 10 5.	5 to 10.	10	15 to 24.
LAMOILLE.—Continued Morristowa,	1751	Males. Females.	877 874	2					Ī		
Stowe,	2046	Males.	1010	2	1		1		11		1
Waterville,	747	Females. Males.	1036	2			* * *		2	H	2
Wolcott,	1161	Femules, Males.	399 602	2	1 1		1				
		Females.	559	1	**	1					1
Aggregate,		Males. Females.	6201	8	4 5		1 2	2	2 4	010	1 7
		Unknown		1							
Totals,			12311	19	9	4	3	2	6	- 4	8
				H	П			ı	ı	۱	
ORANGE,							ı	K	ı	ı	
Bradford,	1689	Vales. Females.	816 873	1	1	2.2					1
Braintree,	1225	Males. Females.	626 599	1 2		1					
Brook field,	1521	Males.	751	1		ï	1				
Chelsea,	1757	Females.	770 842	1	1			1			
Corinth,	1627	Hemales.	915 824	1		i	1			• •	L
		Females.	803	1						E	
Fairlee,	549	Males.	282								1.0
Newbury,	2549	Females. Males.	267 1221	2	2	i	i				
Orange,	936	Females.	1328 428	1	1				F	1	11
Randolph,	2502	Females.	448 1255	2	1	1	ï	**			
1000		Females.	1247	2	1						3
Strafford,		l'emales.	768 738	3						22	
Thetford,		Males. Females.	935 941	i	* *						1
Topsham,	1662	Males. Females.	833 829	1 2				4		1 1	
Tunbridge,		Males. Females.	814	2							
~		remalei.	732	12	1			4.4		1	-1

	,		,		2			,	2			Wer.	'n.		To	TAL.		.66
1 35 to 40.	1 40 to 45.	45 to 50,	j 50 to 55.	55 to 60.	1 60 to 65.	65 to 70	70 to 75.	75 10 80.	1 80 to 85.	i 85 to 90.	90 10 95.	95 and over.	i Unknown,	Males.	Fem.	Unk.	Total.	Percentage.
		-1		. :	1		2			2 2				9	****		******	1.03
1	1	2		1		2	3	2 2		2				14	10		19	1.14
i	2	1					1	2	i						19		33	1.8
			7 0				4 0				0 1			2	2		4	.5′ .50
2		**	1		1	**	2	2		i		* *		11	4			1.8
				1											6		17	1.0
1 8	-	-	-2	1	1	5	10	-0	2	4		-	1	68	,	_		1.0
2 2	5		1	3		3	3	6	4	6		ij	i		87			
																1		1.4
3 7	1 6	6	3	4	2	8	13	15	6	10	-	1	2				156	1.2
	1			1								1			••••		100	
,	2	2					2			1	1 4			12				1.4
1					3	i	1	i	1	1	1 4				13		25	1.4
2 0		1 1	i	1	i	i		1	0	1				5	12		17	2.0
4		1.		1		li	1		2	1		11	2	8	12			1.0
1.			1			1			1	1					10		18	1.2
*	1	2	1	2		1			1		i	i		6	9		15	.7
1.					1	1	4 0	i		2				11				1.3
	1 3	100			1		1	٠.	1						8		*****	
i.				1:		i		ì	i			1		4		1	20	1.4
4 4	4						1			i					1		5	. 3
2	i		* 6	10.0	-:	3	i	2		1		i		13	11		24	1.0
		1					1	1			* *	1		4			224	8.
4		i		1	1	1							1 7		4		8	.8
1	2		1 2	1 2		3	1		4 4	2	1		• •	19	23		42	1.5
k .		_	1				2	2 2 2	2 2				* *	7			42	. 9
7 1		1	1		1 1	2		2	2						14		21	1.8
1		1	1	1			1	4		1:	4 4			11	18		29	1.1
		4 8	2		1		l	1	1		i		2.0	8			25	. 9
	2 1				1	1	1	1	i		1			,	16		24	1.9
	1 )	1	1.		1 2		2				1			10	16		26	2.1

	P	OPULATIO:	N.	U		Ш					_,
Towns.	Whole No.	Sex		Under 1	0	S 10 S	8 to 4.	4 10 5.	5 to 10.	10 to 15.	16 10 20.
ORANGE.—Continued.	1054	Malea,	565					_			
,		Females.	489								
Washington,	1249	Males,	634								
West Fairlee,	830	Females. Vales, Females,	615 425 405				1				1
Williamstown,	1377	Males, Females,	687 690			1					
Aggregate,		M sles, Females,	12766 12689			5	2 3	1 2	1		4 12
		Unknown		1				-	. ,		p 1
Totals,			25455	31	10	5	5	3	1	8	16
ORLEANS. Albany,	1224	Males, Females, Unknown	627 597	2	1		* *	• •			1 1
Barton,	1590	Vales,	818								]
Brownington,	757	Females, Males, Females,	772 404 35	2		1					1
Charleston,	1160	Males, Females,	586 574								
Coventry,	914	Males, Females,	442 472	1					1		2.1
Craftsbury,	1413	Males,	681		1						
Derby,	1910	Males, Females,	732 952 958	4	1		• •	-			
Glover,	1244	Males, Females,	631	1				-	1		1
Greensboro,		Males, Females,	502 563		٠.	1	1				1
Holland,	748	Males,	388	+ -							
Irasburgh,	1131	Females, Males. Females.	360 568 563		î	1			1		
Jay,	474	Males. Females.	263 211								
Lowell,		Males. Females.	435 378	3	1			2 4			

# TABLE VI.—Continued.

										-	,	ver.	'n,		T	DTAL,		100 100
35 to 40.	40 to 45.	45 to 50.	1 50 to 55.	55 10 60.	60 to 6	65 10 70.	70 to 75.	1 75 to 80.	80 to 85.	1 85 to 90.	1 90 to 95.	1 95 and over.	Usknown,	Males.	Fem:	Unk.	Total	Percentage.
					1		5.1		1					3				.53
			1:	i	ı,		ij	2	1	٠.	1	- +		10	1		4	.20
1.		1		i	1		1		1	1				10	****	* * * * *	17	1.57
1.			1.					i						3				.72
										i					4		7	.98
1	i						1			1	2			7			*****	1.01
L	1	1.	1		1		4.1	1		1					6		13	.86
	6	9		0	8	10	16	13	7	9	5		2	141				1.10
	6 1	3 7	10		15	11	7	12	10	3	4	2			173			1.36
													1.0			1		
1	9 1	116	18	13	02	21	17	05	17	12	9	2	2			_	315	1.23
1		110	100	10	دەت	21	11	20	11	12	3	2	2				919	1.23
	2		1	1 1	1	1 1 1 2 2 2	2		.4	1 1	1		1 3	4 	9 7 6 5 10		13 14 10 11 10 21	1.51 .48 1.16 1.73 1.98 .68 1.04 2.03 .42 .73 .68 1.15 1.04
			1	1	1	i									10		17	1.65
	3	2	i	٠.				1			1		1	9				1.79
		1	1		1	:	i	2	1					6	10		19	1.77
					i			2	i					0	4		10	1.54
1	11.			1	1	1		1				1		8			10	1.49
	2							1	2						10		18	1.77
1				٠.						v .			4 4	3			***	1.14
1	1 .		1		1 1		* *				::			9	4			1.84
1	1	li	1 *	1.		8 4	i		2	7 1	11			3	3		12	2.06

ELEVENTH REGISTRATION REPORT. [186].

	P	OPULATIO:	si.										
Towns.	Whole No.	Sex		Under 1	1 to 2.	2 to 3.	3 10 4.	4 to 5.	5 to 10.	10 to 15.	8	201 to 25.	25. to 30.
ORLEANS Continued.				-	-		-		-		Г		-
Morgan,		Males. Females.	280 268		::	2						100	т.
Newport,	1197	Males. Females.	616 581		1					1			
Salem,	-603	Males. Females.	306 297									1	10
Troy,	1248	Males,	637										93
Westfield,	618	Females. Males.	611 321		i			i				1	1
Westmore,	324	Females. Mates. Females.	297 170 154	1 1		0	-			* *	:		
Aggregate,		Males. Females. Unkno'n.	9627 9354	15 11 2	1 2	3	5		1		9	87	-
Totals,			18983		-	12	7	-	5	-	13	-	-
RUTLAND.													
Benson,	1256	Males. Females.	609 647	4 9	1							1	
Brandon,	3077		1555 1522	1	i		1	1	3.		2	)	
Castleton,	2852	Males.	1412	1						1	1		٠.
Chittenden,	763	Females. Males.	1440 391	2	i	1	1			1		+ 1 + 4	
Clarendon,	11	Females. Maies.	372 642		1							n 4	
Danby,	1419	Females.	595 732	3	1							i	
Fairhaven,	11378	Females. Males.	687 717	2	1				3		•	2 4	
Hubbardton,	11	f'emales.	661 306						1	1		. 1	
Ira,		Females.	300 225	1	1	• •			4 -			4 1	1
		Females.	199 341									1 0	
Mendon,		Females.	292	_		a •				i		. 4	. 0
Middletown,	712	Ma ez, Females,	377 335					9.0	0.4		1		1
Mount Holly,	1522	Males, Females,	802 720								1		

	,	,										,	Wer.	.0,		To	TAL		90
30 to 35.	35 to 40.	40 to 45.	45 to 50	1 5U to 55.	55 to 60.	1 60 to 65.	65 to 70.	1 70 to 75	1 75 to 80.	180 to 85.	1 85 to 90.	1 90 to 95.	1 95 and over.	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
1 1 4 9	7 7	1 1 6 5	1 6 8	4 2	1 2 2	36	8 5		7 8	44. 8	1 1	2		2	6 10 5 1 7  5	3 4		14 8 5 16	2.1 1.1 1.6 .6 1.6 1.0 2.1 3.0 2.9 4.5 1.22
	1					3		1	-1		1 2	1			11	8			1.8
121211	2	1		2		1 1 1 2	3	3 1 2 . 2	2	1				2 1 1	10	28 21		42 31	1.83 $.70$ $1.43$ $.70$
1		1	* * * * * * *	1		1 2 2			1	1	1				8	10		11 16 17	2.15 .93 1.63 1.03 1.3
			1	i		!	1		1 1	1	•••		i	1	5	8		13	1.6 2.6
1	i	1 1			· · ·		# # # # # # # # # # # # # # # # # # #	• •	1	`i				1	3	4		7	1.58 -81 1.36 -5
1	· · · · · · · · · · · · · · · · · · ·		1	1	1	2			4	1	1				7	17		24	.5 .8 2.3

Constant of the Constant of th									_				
	P	OPULATION			1	ı	ı	ł	۱	۱	ı	ı	
Towns.	0			-	61	00	4	9	9	to 15.	2	56.	MC).
	Whole No.	SEE.		Under	2 01	200	10 4	0.0	10	3	3	10	3
	3			õ		<b>₽</b> 4	00	4	2	9	15	500	El I
RUTLAND Con'd.											٦		
Mount Tabor,	358	Males.	200	1							П		
		Females.	158	1							ŧ.		
Pawlet,	1539	Males. Females.	780 759		1								43
		Unknown	195	2	2.5	E	* 1				L		4.7
Pittsfield,	493	Males.	255						1::		R		
		Females.	238										
Pittsford,	1839		922	1		-	1		1			1	1
Poultney,	2278	Females.	917	3 7					2		1	* 1 1	
roundey,	2210	Females.	1157	4	9	* *		i		• •		1	9
Rutland,	7577	Males.	3899	16	14	1				1		4	Q.
		Females.	3678	20	4				3	1	3	1	1
61 1	F.05	Unknown	0000	6					* *				
Sherburne,	525	Malea. Females.	283 242			1		1 4	1			1.	4
Shrewabury,	1175		590			1							
1,000	- 3	Females.	585			1					1	1.	
Sudbury,	696	************	332	2							4.1	×	4
Tinmouth,	690	Females.	344					4.0					
I mmouth,	020	Females.	306					* *		10			
Wallingford,	1747	Maies.	905		1					1			4
		Females.	842	2	2		4 5		1		. 1	3	
Wells,	642	Males.	320 322	3				1.		1.	, .	-	
West Haven,	580	Females.	297			-						"	
it cas mayou,	000	Females.	283	4	1			11	1:	1	1	6)	1
							-	-	-	-	-	-	-
Aggregate,		Males.	18345	40	20	3	1	2	6	4	5	11	10
		Females. Unkno'n.	17601	54	16	4	2	2			10		
		CHKHO II.	****	-		-				-	ä		-
Totals,			35946	101	36	7	3	4	19	10	18	19	15
40								1			1	•	
WASHINGTON.	1930	Males.	926	1			-		2	1	L		
Ватте,	1000	Females.	913	1 2							1	3	3
Berlin,	1545	Males.	776	3								D	
	1040	Females.	769	1		2							
Cabot,	1318	Males. Females.	669 649	1 2	i	1				1	-	1	1
-32	-	Unknown	049	1									
Calais,	1409	Males,	724		1								**
THE HEAD WAY	1	Females,	685	2			١		1	1		1	-
					-								

					_	ار	_		2				OVET.	,D,		To	TAL.		ege ege
30 to 35.	1 35 to 40.	40 to 45.	45 to 50.	1 50 to 55.	1.55 to 60.	1 60 to 65.	1 65 to 70,	1 70 to 75.	1 75 to 80.	1 80 to 85.	1 85 to 90	90 to 95.	95 and over.	Unknown.	Males.	Fem.	Unk.	Total,	Percentage.
!						. ,									1	3		4	1.8
			i			2	i		2						7				.8
				1		1							٠.			6		*****	
ъ.										.:					3 17	4 4 = 0	1	14	1.I
							* *	1		1		9.0			3	2		5	1.1
*				1		2	4	2	i		1				17			5	1.8
0.1		4 0				1	* *	1	3		1			1		12		29	1.3
	2		1				2	2	1:	1				1	20				1.7
4	2 5	3			1		1	1	,	9		1		- 4	54	20		40	1.7
241	i	9	i	i	2	3	i		4	3	1			1					
																	6	114 7 5	1.4
						1			. :	1		- 1			4		444		1.4
2					4				1 0				• •		9	3		7	1.2
1	• •	9 4	1	1 -			* *	1	1	i						8		11	1.3
-															3				.8
	-				1 4	1	· ;	1 .						0 1		2		5	.5
-		s #				1	1		4.4					4 -	2				. 6
1							1								6	2		4	.6
*		1	1	1.	1 0		2	ì	i	i	1	i			6 8	18		24	2.1
1	2					1			1	1					8				2.5
4				1	J										2 2 2 4	5		13	1.5
*						1			1						6			14	$\frac{2.0}{2.8}$
4				"			-		-			1 0		-		- 8	****	14	2.5
1	10		4	6	3	17	12	6	12	12	4	2		5	204				1.1
ī	10								20				1	3		261	40.0		
**											-						7		1.4
12	20	0	11	17	6	32	- 26	18	32	25	10	3	1	-8	_		_	472	1.3
	-		- ^	.,	1	0.4			· · ·		1								1.0
					2		i	1		2	2				9			29	.9
2	2	i	1		2		1 0	2		1			1	2 0	9.73	20		29	2.1
å.							1			2	1	1		1	13	5		18	1.6
	1				i	1			1		1				13	5		10	1.0
										1	2					10			
-		4 0				.:				0.0	2.0						1	18	1.5
L					1	1			1					- 4	5	9		14	.6
庚	100	100	1 8		10.0	1	0 0	1 8	10.0	10.0	1 -	9.0	1	100		1 9		14	1.6

	P	OPULATIO:	N.	,			1		I			1.
Towns.	Whole No.	Sex		I uner I	1 to 2.	2 10 3.	3 10 4.	4 to 5.	5 to le.	10 to 15	15 to 20.	201 16 ES
Washington Con. Duxoury,	1000	Males,	534	2		1						1 2
East Montpelier,	1328	Females, Females,	466 693 635				1		1		1	4)
Fayston,	800	Males, Females.	426 374	3								.]1
Marshfield,	1160	Males, Females,	595 565	1		1	1		1			
Middlesex,		Males, Females,	633 621									2 3
Montpelier,	2411	Females.	1152 1229 720									
Moretown,		Males, Females, Males,	690 2179		1 1 4	1	1	·i	i	1		1 2
Atoringeld,	4020	Females, Unknown	2150	4		.;		i			_	3
Plainfield,		Males, Females,	396 426	2	1	2						
Roxbury,		Males. Females.	560 500	1		1			i	2		
Waitsfield,		Males. Females. Males.	506 499 525	2	* *							ii
Warren,	1041	Cemales.	516	2								
Waterbury,	2198	Males. Females.	1104 1094	3	1		1				1	1 3
Woodbury,		Males, Females,	53) 469			1			ij	1	1	
Worcester,	684	Males, Females,	360	1		i	1				i	i
Aggregate,		Males, Females.	14938 13574	27	+ k 3	5 6	3	1	5	2	4 4	3 14
		Unknown		2		]			-			-
Totals,			27612	53	11	12	7	2	9	8	8	16 21
					1		1				1	
											H	
								Ш	-0			1

TABLE VI.—CONTINUED.

5 100	3		3		-	·	~		OV8	ė		Te	TAL.		ģ
1 50 10 55.	55 10 60.	60 to 65.	65 to 70.	70 to 75.	. 75 to 80.	1 80 to 85.	₹5 to 90.	1 90 to 95.	95 and over.	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
	22		1 2 1 2 1 7	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 108	1 6 3	1	1	5	22 77 5 6 33 9 33 7 5 7 4 15 6 7	5 3 7 7  12 15  6  7  14  15  15	1	21 49 13 11 14 29 16 14	.86 .84 1.22 .94 1.11 .22 1.78 1.51 1.40 .80 1.20 1.33 1.20 1.13 2.13 1.14 2.13 1.14 2.13

	P	OPULATION	N.							
Towns.	Whole No.	Sex		t mare 1	1 to 2.	2 to 3.	8 to 4.	A to 5.	5 to 10,	
WINDHAM.				-			-	-		1
Athens,	. 382	Males.	201							1
	TOPE	Females.	181	- 4						1
Brattleboro,	. 3855	Males.	1849							A
Th 1.15	0.12	Females.	2000	1		1	100		1	A
Brookline,	. 240	Males, Females	123					* *		1
Dover	650	Females, Males,	120 321	1						1
DOVOC 1	. 600	Females,	320		1:	1			1	1
Dummerston,	1021	Males.	528	1		1	1	_		1
L'interestate	-	Females.	493		1		1	100		
Grafton,	1154	Males.	565					1		1
		Females.	589		1					1
Guilford,	. 1291	Males.	66			1			3	1
		Females.	625		1					A
	1	Unknown		2						A
Halifax,	. 1126	Males.	580	3	_				-	A
	20.42	Females.	546	_						A
Jamaica,	. 1541		791	3		1			-	4
7 1 3	1367	Females.	750	1			-		4	A
Londonderry,	. 1901	Males. Females.	717 650	1			1			1
Marlbero,	741	Males.	392	1	* *					1
Auariobio,		Females.	349		1					1
Newfane	1192	Males.	592	1	1 .	1	i			
		Females.	600		100000	1	_			
Putney,	. 1163	Males.	577	-						4
		Females.	586							A
Rockingham,	. 2904	Males.	1421	_			1	1		
	105	Females.	1483			1		2 0		I
Somerset,	. 105	Males.	52							1
Canadan .	200	Females.	53 190				0	10.00		1
Stratton,	. 300	Males. Females.	176		1	-	2			
Townshend,	1376	Males.	682			1				
Townshours as a second	. 1010	Females.	694	1	-			-		
Vernon,	725	Males.	397				i	1		
		Females.	346		1					ı
Wardsboro,	. 1004	Males.	506	1					. ,	1
		Females.	498	1						I
Westminster,	. 1300	Males.	655							1
	1000	Females.	645						_	
Whitingham,	. 1372	Males.	707			1	_		1	
		Females.	665	4	1				1	I

								_	_	٠	_		War.	/II.		To	TAL,		68
80 to 89.	35 to 40.	1 40 to 45.	45 to 50.	1 50 to 55.	1 55 to 60.	60 to 65.	05 10 70.	1 70 to 75.	1 75 to 80.	1 80 to 85.	1 85 to 90.	90 to 95.	95 and over.	J Usknown.	Males.	Fem.	Unk.	Total	Percentage.
		. 1	4 .			. ,			1						2				.9
				2				I				- 1			****	4	****	6	2.9
3	1	1	i		2 5		3-2	4		1 1	2	1			24	25		49	1.
-	* *			* *	9		1			1	1				4	200	***	40	2.4
				-					i	i						3		7	2.
	1														2				
					* *				1	1						3		5	
•	- :	1:	1				P 4		1		1	+ +		1		5			1.
i	1	1	1	• •	i		1			-:					7			11	1.1
2		1.				1	1							* -		6	****	13	1.
	1	1		1. 1	1		2	2	1	2	i	1		4 4	14		****		2.
	1	î	1			2										8	,		
			- :						9.4						****		2		1.:
		i	1		1		i	1	٠.	1	1	2	i			7		15	1. 1.
	* *		::		2		1		2	1	i	-		0 0	ii			15	1.
i	i	1				4 0	i	i	2		1 1	1				12		23	1.
											1 1	1		1.4	4	**** 7		*****	
			1	1						1						7		11	1.
۰				2.0			6 -									3		* *** *** *	,
-	* *	4 *		4 0	i	* "	0	i	1									3	1.
	1	1		2		1	2	1.	1	i		i						17	1.
		1	1	1	1					1	2				5				
				2.4				0 0	2					1		- 11		16	1
1	1	1			3	2	i		3	2	i			2	25	18			1.
ł	1		1		2		1	2		1	1.1			1		18		43	1.
de .			1											* *					
	1				1				1						8				4.
1						1				2						G		14	3.
	1 :			i			2		2		1				7				1.
1	1			_			i		1	1		1 -	1 7	i	5	9	****	16	1.
i		1		-:			2		1	1	1		* 0	1	5	7		12	1.
		1		2 4	i				2		1	1			7			12	2.
				1			1					9 4				4		. 11	
			1			1	1	1	1			4 1		* *	8				1.
	1		1			2										6		14	
	i		1	2		i	1		i	1	i				11			27	1.
		1		1 4		1			1 4	1 4	1 4	100				1.0		21	2.

	P	OPULATIO:	r.									1.	
Towns.	Whole No.	Sex		Under I	1 to 2.	10 to 04.	3 to 4.	4 to 5.	5 to 10.	10 to 15.	9	20 to 25.	2
WINDHAM.—Continued Wilmington,	-	Males. Females. Males. Females.	760 664 340 340	2	1			i				- - - -	10
Aggregate,		Males, Females. Unknown	13594 13388	2× 17 2	37	5 4	1	1	34	6	5000	5	5 8
Totals,	,		26982	17	10	9	6	3.	7	10	13:	16	ij
Windson. Andsver, Baltimore, Barnard, Bethel, Bridgewater,	115 1487 1804	Males. Females. Males. Females. Males. Females. Males. Females. Males. Females.	343 328 62 53 745 742 921 883 653 639	1 3 2		1	1	• •	··· ·· ·		1	0 0	9
Cavendish,		Males, Females, Males,	739 770 1064			1						4 4	 i
Hartford,		Females.  Males.  Females.  Unknown	1062 1189 1207	4 -	1	1	1	1		2		2	3 1
Hartland,	1748	Males. Females.	885 863	1								1	2
Ladlow,		Males. Females.	777 791	3 4						ì	1	1	
Norwich,		Males. Females. Males.	862 897 698	2	i							01 1	
Pomfret,		Females. Males,	554 663			1			1				
Rending,	1159	Females. Males. Females.	713 569 590					1				1	1
Rochester,		Males. Females.	778 729									- 1	, 4

### TABLE VI.—Continued.

							,		-2		7		ver.	rm.		To	TAL.		150
30 10 39.	85 to 40.	40 to 45.	45 to 50	50 to 55	55 to 60	60 10 65.	65 to 70.	4 70 to 75.	1 75 to 80.	1 80 to 85	1 85 to 90.	90 to 95.	1 95 and over.	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
2	1				1		2	1	2		1 2	1		3	10	9		15 11	.73 1.33 2.9-
40	69	6	5 6	3:7	16	4 8	16	10	16 11	11	10	4 5	1	4 5	180	18!	2		1.3
4	15	-	11	_	- 25	_	-	14	27	_	17	9	_	9		• • • •		363	1.34
4	* *	i					1			1					3	3		6	.8
									1		1							2	
	i	::	1		**		4	1	1:	3		i		* *	14	2			3.79
			1		1	1	1			2	1	1				11		25	1.4
i	2		• •	2	1			2 3	1		i	٠.	1		7	17		24	1.9
-	2				î			1							5				.7
i		2		· i		1			1							5	,	10	.7
1					1			1	i	. :	1	2		1	12				1.6
2	2			i	1	1	1		1	1	2		0 -	- 71	19	8		20	1.0
1		i	1	i		1		2	1	2	1				4 5 6 4	21		40	1.9
1	1			1			2	1	1	3	1	1			21				1.7
1				2	. 1		2	1	3		1	1		1		28			
•	1	4.0				ь .											1	50	2.3
i	1			i		ij	2	3	1	2	1	)		1 2	13	25		38	$\frac{1.4}{2.8}$
	l l	1	4 =	i	1	i			3 3		i			1	13	400		90	1.6
i	i	î	7:			1			1	i						14		27	1.7
		1		2		4	1	2	3		P 6	1			17				1.9
1	1	2					2		2	3	i	1	٠.			16		33	1.7
	1						.:		2		1				9				1.2
1	2			1			1	i							3	11		20	1.9
	* *					* *	i				i	i				3		6	.4
•	i							i	1			î			8				1.4
	1							1	2	i						8		16	1.3
9						1		2		1 4					3				. 3
		2		2	2	1		9 1	1	2		1				12		15	1.6

	P	OPULATION	Ta .										,
Towns.	Whole No.	Sex.		Uniter 1	9	2 41 3.	3	4 10 5.	5 to 10.	3	15 to 2u.	20 10 25	9
Wikeson Continued. Royalton,	1739	Males. Females.	895 844								1	2 2	1
Bharon,	1111	Unknown Males Females.	563 549	1	i								
Springfield,	2958	Males, Females,	1410 1548	6	1	•		i	1			- 2	92 90
Stock bridge,	1264	Males, Females,	622 642	2					2			0	
Weathersfield,	1765	Males.	846 919							1	* •	1	
Weston,	932	Males, Females.	476 456	1	1			1			1		1
West Windsor,	924	Males. Females.	481 443		1			• •			1		
Windsor,	1669	Unknown Males. Females.	857 812							3		i	
Woodstock,	3062	Males. Females. Unknown	1457 1605	2		2	1		1	i		1 2	. 04
Aggregate,		Males. Females. Unknown	18554 18639				1		8				
Totals.			37193	89	9	9	3	5	16	10	20	32	2

-													over.	PD.		To	TAL.		.68
30 to 35.	35 to 40.	40 to 45.	US 01 84	50 to 55	55 to 60.	60 to 65,	US to 70.	70 to 75.	. 75 to 80.	1 80 to 85.	85 to 90.	1 90 to 95.	95 and over.	Unkniwn.	Males.	Fеш.	Unk.	Total.	Percentage.
12	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2	2 2 1 1 1	1 2 2	111311111111111111111111111111111111111	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 3 3 1 1 1 5 1 1 5 1 0 1 0 1 0 1 0 1 0 1 0 1	1 2 3 1 1 1 3 1 1 2 2 1 1 7 1 7 1 7 1 7 1 7 1 7 1 7 1	3 1 2 1 2 1  6 1  25 	1 1 2 4	2 - 9	1 1 1 1 9 7	1	3 5	111 300 8 6 9 9 122 277	118 200 111 8 5 5 6 6 222	1	30 21 50 19 14 14 13 18	1.2 2.1 1.7 2.0 2.1 1.2 1.2 1.2 1.5 .7 .8 1.8 1.0 1.8 1.4 .7 1.8 1.4
17	22	19	12	25	25	20	35	39	50	35	21	16	1	8				562	1.5

# TABLE VI.-RECAPITULATION.

	Port	1.					U							
COUNTIES.	Whole No.	Sex.	Under 1	1 to 2.	20 00	9	4 10 5.	5 to 10.	10 to 15	15 to 20.	90 to 95	25 to 80.	35 to 35.	35 to 40.
Addison,		M 1198 F 1202	26 27	5	3 23	4 3	1	3 2	5	8	4 6	6	20.00	20 20
Bennington	19436	U 984 F 959	1 30	6 5	4	3 4	1	6	5 3	4 7	7	6 2	3	5
Caledonia,	21708	U М 1087 F 1088	30 27		9	1 2	1	8	5 4	4 9	8	2 13	6 13	4 8
Chittenden,	28136	F 1419	69 32	15	3 12	7-00	3	10	6	6 4	8	3 12	4 5	4
Essex,	5786	M 300 F 260		3	i	1	1	1	***	9	1 2	,		1
Franklin, .	27231		86 30	18	9	3	3	8	1 3	9 8	15	6 15	6	-
Grand Isle,	4276		78 4	3	··i	1	1	1			4	1	1	l
Lamoille,	12311	M 62	01 8 10 13	5	4	1 2	2	24	9	7	3	5	100	20.00
Orange,	25455	M 127 F 126	89 19	6	5	2	2	i	4	4 12	6 11	6 8	3 6	
Orleans,	18981	M 96 F 93	54 11	5 2	9		3	4	2	4 9	8 7	3	4 9	7
Rutland,	35946	F 176	01 54	20			2 2	6	4 6	B 10	8	5 10	11	10 10
Washingt'n	27612	F   135	74 24	8	0	4	-	5 4	2 6	4	3 13	7 14	10	6
Windham,	26982	F 133	94 28 88 17	7	5	5	2 1	3	4 6	5 8	5	5 8	10	6 9
Windsor, .	37193	F 186	54 49 39 30	5 1		2		8	6	4 16	11 21	11 13	5 12	10
Vt. Asylum		И F		4					• • •				94 04	3
Aggregate		M 1587 F 1563 U		2 80		33	16			-		61	69	1 75
Totals,			98 68			-	-	125		155	213	172		-

# TABLE VI.—BECAPITULATION.

40 to 45.	45 to 50.	2		60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90.	90 to 95.	95 and over.	Unknywn.	Total.				100
			55 to 60.										Males.	Fem.	Unk.	Total.	Percentage.
4 2	4 2	6 2	8	12	12	10 12	10 3	10 6	4 5	1 4	i	1 2	142	110			1.
4	4 3	3	4 4	7	11 8	6	5 5	6 8	2 3	2 4	3	7	148	137	1	262	1.
1 4	5 5	4 7	6 7	9	11 6	17	14 10	2 9	6 7	2 2	1	2	142	174	2	287	1.
.44	1 4	3 2	7 9	10	10	11	4 8	8 2	4 2	2	i	2	189	168	P. C.	319	1.
	1 2 5 9	1 3	2 7	2 2 3 8	1  4 6	1 1 8 8	1 13 6	1 4 4	1 1 1 2		2	5 6	20 149	23	3	360 43 311	1.
1 1 5	3 2 4	 2 1	1 3	 1 1	3 1 5 3	10 3	1 9 6	1 2 4	4 6		 i	1 1 1 1	21 68	17 87	1	38	1.
18	9 7	8	6	8 15	10 11	10 7	13 12	7 10	9	5 4	2	2	141	173	: :	156	1.
5	6 8	4 2	7 6	3	 8 5	4 7	7 8	4 4	4 2	2		4 4	124	119	1	315	1.
3 6	1 7	6 11	3 3	17 15	12 14	6 12	12 20	12 13	4 6	2	· · ·	5 3	204	261	2	245	1.
7	3	5	6 6	6 3	7 10	"ii 11	7 3	10	6 3	1 2	i	6	160	156	7	472	1.
6	5	3	16 9	4 8	16 14	10	16 11	1	10	4 5	ï	4 5	180	181	3	319	1.
4 15	4 8	9 15	11 14	10 10	25 10	22 17	25 25	17 18	9	9 7	i	3 5	269	288	2	363	1.
4-	2	5	2 2	1 5	3	i	j 1	· · ;			• •		18	18	5	562 36	1.
48 75	55 77	59 70 1	74 85	93 94	138 102		137 119	94 100	64 59	33	5 12	47 30	1975	2083	30		1.
23	132	130	159	187	240	234	256	194	123	66	17	77				408>	1.

Exhibiting the number of deaths from different causes, (arranged alphabetically,) at various ages of each Sex, during the year. TABLE VII.-CAUSES OF DEATH.

Uzkaowa. ON 40 UT .07 or 00 .00 e1 ud AGES. 09 of 04 30 to 40. 20 to 30, 02 or 61 10 to 15. D to 10. д тариЛ Linknown WHOLE NO. Females. Rales. several months of the year. 01 01 Telals. A borlion, ..... Ossification of. CAUSES OF DEATH. wounded in umbar Tuneouspuj 'तनस्याधकोनः। November dequapted MONTHS. A nguet .aune .Y.M y bull Manch. Уергоясу. удевинь с Females.
Males.
Females.
Males.
Males.
Males.
Males.
Males.
Males.
Males.
Females.
Males. SEX.

:
OION
· · · · · · · · · · · · · · · · · · ·
* * * * * * * * * * * * * * * * * * * *
여 '여러여 학생이라면 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '
01
: : 04 - : 0 : : = : : : : 04 : : : = : : : : : : : : : : : : : : :
- 1010101
· · = · · · · · · · · · · · · · · · · ·
- and a second of the second o
3: 5: 1: 7: 1: 6: 10: 1: 6: 10: 1: 6: 10: 1: 6: 10: 11: 6: 10: 11: 6: 10: 11: 6: 10: 11: 11: 11: 11: 11: 11: 11: 11: 11
118 :4 : :4 : : :0 :4 : 1 : :0 :0 :0 :0 :0 :0 :0 :0 :0 :0 :0 :0 :
115 - 25 : 15 : 15 : 15 : 15 : 15 : 15 : 15 :
isease of isease of isease of it is is it
Vessel, Rup  Tr. Disease of Disease of Rup  Itis  October  of Bowels  of Face.  of Somate  of Somate  of Somate  its  its  its  its  its  its  its  i
E G M M M M M M M M M M M M M M M M M M
Vesse, Dis. Dis. Dis. Dis. Dis. Dis. Dis. Dis.
llood Vessel, Ruptinder, Disease of ovels, Disease of trains, Disease of trains, Softening of trouchocele, trouchocele, trains and Scalds, trouchocele, trouchoce
Blood Vessel, Rupture Sladder, Disease of Gawels, Disease of Garins, Softening of Ganchitis, Gancer, Gancer, Garbuncle, Garbuncle, Garbuncle, Garbuncle, Garbuncle, Garbuncle, Garbuncle, Galdbirth, Garbuncle, Garbuncle, Garbuncle, Garbuncle, Garbuncle, Galdbirth, G
· · · · · · · · · · · · · · · · · · ·
* * * * * * * * * * * * * * * * * * *
- : : : : : : : : : : : : : : : : : : :
: : : : : : : : : : : : : : : : : : :
: :
· · · · · · · · · · · · · · · · · · ·
· · · · · · · · · · · · · · · · · · ·
Males. Males. Males. Males. Females. Males. Females. Females. Males. Females. Females. Males. Females. Females. Males. Females. Females.
Males. Males. Females. Females. Females. Females. Females. Females. Males. Females. Males. Females. Females. Females. Females.

	1
	1
	ı
0	
9.5	
5	
를	
6	
H	
52	
0	
- 1	
Ŭ	
ĭ	
31	
J I	
1. – C	
VII.—C	
VII.—C	
E VII.—C	
E VII.—C	
E VII.—C	
E VII.—C	
E VII.—C	
E VII.—C	
TABLE VII.—C	
E VII.—C	

_	
	Line Lakaowa.
	.08 Test) { : : : : : : : : : : : : : : : : : :
	Ut or 00 1 or 1: 13 dd 1: 1: 1: 1: 2: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1:
	.00 m 06 / 上:1去去::::::———:151 m : :
at I	03 × 03 1 : 1 = 13 1 : 1 = 13 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1 :
Acrs.	(0) 01 08   : : : : : : : : : : : : : : : : : :
4	.08 of 02   1 : 155 5 : - 1 : 1 : 1 : 1 : 1 : 1 : 1 : 1
	100 m (11)
	01 01 01 1 1 1 2 2 1 1 1 1 1 2 2 1 1 1 1
	d robed i = : Sisa cos me u : - : : - mazza :
	3-4-7 : :01- 01 : : : ::
0.	1
2	ANAMA : 100 15 :0 :1 :0 : : : : : : : : : : : : : : :
WHOLE NO.	. 43 B: 6: : E : 2: B: x: 18: 1 . 1 Males.
W. H	.alatof   - : 36 : 4 : - 8 : 4 : - 8 : - 5 : 5 : -
	редупата по по по по по по по по по по по по по
	A   1   1   1   1   1   1   1   1   1
	ons, Anony
	CAUSES OF D. Cholera Morbus, Cholera Morbus, Consumption, Convulsions, Croup, Cyatitis, Cyatitis, Oisphragmatis, Distribution, Distribution,
	Charles Choler Choler Choler Choler Chorun Choler Chorun C
	amoradal t * * * * * * * * * * * * * * * * * *
	qualitational + + Of the + + + + + + + + + + + + + + + + + + +
	andmayad 1 50.55
	Agents   Agents   Agents   September   Sep
至	100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
MONTES.	.emb   ; ; ; 55 ; ; ; ; ; ; ; ; dune.
×	· yall   - : : : : : : : : : : : : : : : : : :
	Jnq6 (::: \$ : - 0 :::: : 1 : 2 : - : 4 : 4 0 : 4
	15: 1 -: -: 1 -: 1 : 1 : 1 : 1 : 1 : 1 : 1
	. we in it is in it i
	.YTHURS ( : : : 33 : - 4 - : - : : : : × ;
	SEX.  Males, Females, Males, Wales, Females, Wales, Females,
	MAA MAA MAA MAA MAA MAA MAA MAA MAA MAA

ਜ਼ਰੂ-ਜ਼ਰੂ
च्या १०१८ वर्ष र राममामा काला राम र र राम १ र र र र र मा र राम
4
4x - 4x4 03 - 0101014-01 - 1004 1 - 1 - 1 - 1
Has: 1800 14 1914 191940 11 14 1514 11 11 11 11 11 11 11 11 11 11 11 11 1
pho : i=4 := : : = = : : = : : : : : : : : : :
**************************************
HERSEN
T   G   H = 1   1   1   1   H = N   H   1   1   1   N   1   1   1   N   1   1
H - 60 - 60 G - 1 - 1 - 1 - 1 - H - 4 - H - H - H - 1 - 1 - 1 - 1 - 1 - 1 - 1
4-4 :25 :
23 14 15 14 1 18 15 18 18 19 19 19 1 1 1 1 1 1 1 1 1 1 1 1
rowned, yespepsis, yes
edy.  sin,  in,  in,  in,  in,  Typhus  Typhus  Typhus  Yellow  Sore,  of Hip,  of Hip,
stin,  st
ilious iliou iliou iliou ilious ilious ilious iliou ilious ilious ilious ilious ilious ilious ilious ilious ilious ilious ilious ilious iliou ilious ilious ilious ilious iliou iliou iliou iliou iliou iliou iliou iliou iliou iliou iliou iliou iliou iliou iliou iliou i
ry pay
Dropey, Drowned, Dyspepsia, Dyspepsia, Briteritis, Erysipelas, Erysipelas, Fever, Fever, Fever, Typhus  "Typhus
April 1 Sept 1 S
図のは・2の音音・音・2014-2024 ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・
apa : a = - : : a = a : : : a a : : : : : : : : : : : :
and a work it is it is in the attitude it is in a titue
400 (-0 ( : 1 ) : : : : : : : : : : : : : : : : :
F40 144 1 1-01 101444 1 1 1 1444 1 1 1 1 1 1 1 1 1 1
440   [HT   [HT   40H   ]   100   11   HT   11   11   11   11   11   11
AA
© © · · · · · · · · · · · · · · · · · ·
Q.4
Males, Females, Females, Females, Females, Females, Females, Females, Males, Males, Females, Males, Females, Males,
Males, Females,
9

	ı
	ı
2	1
8	ı
	ı
	ı
	Į
-	ı
22	ı
0	ı
23	ı
~	ı
	ı
. 1	ı
	1
98	•
-	۱
	۱
	ı
	ı
	ı
and it	ı
6.0	ı
	ı
	ı

1	Unknown.	
	Over 80.	
,		
	170 to 80.	::01:01-01:07-1:1:01
-	.07 or 00 J	:: : n : n : : : : : : : : : : : : : :
	.00 to 00.	:::::::::::::::::::::::::::::::::::::
22	.06 at 04 )	:::::::::::::::::::::::::::::::::::::::
Acrs.	.04 or 08	1104:14:1004
	20 to 30.	
	02 or 61	1:::::::::::::::::::::::::::::::::::::
	.61 or 01	
	.01 or 8	
	Under 5.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
-	Cuknown,	
No.	Females.	7 :9 : ; : ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
	Foreston	
WHOLE	Males.	1 :01 : 1 4 2 1 1 2 : 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
A	Totals.	: xx :-404 :-xx :-xx :-1200 :-
		111111111111111111111111111111111111111
	CAUSES OF DEATHS.	Is,  It,  It,  I) sease of.  Eypertrophy of.  bage,  of Roweis,  of Navie,  of Navie,  of Stomach  is,
	EAT	of. Prhy of Soweis Stoma
	ñ	
-	do	Se se se se se se se se se se se se se se
	22	is, is, is, is, is, is, is,
	AUS	angren  astritis  out, ravel, ravel, anging eart, D.  c. c. c. c. c. c. c. c. c. c. c. c. c
	0	Gangrene,  Lastritis,  Gout,  Gravel,  Gravel,  Gravel,  Hamoptynis,  Hamorhage,  (  Hemorhage,  (   Hepatitis,  Hernis,  Hernis,
	Unknown.	
	December.	: : : : : : : : : : : : : : : : : : :
	November,	111111111111111111111111111111111111111
	C)Cloper.	;
	September,	::-:::::::::::::::::::::::::::::::::::
- mi	August.	1:4:4::::::::::::::::::::::::::::::::::
H	-Aine	::::::::::::::::::::::::::::::::::::::
Монтня.	June.	1 : : :- : :: : : : : : : : : : : : :
-	May.	
	A pril.	. :0 : : :00 . :- ! : ! : : ! !
	Mareh.	1 : [2] = : : : : : : : : : : : : : : : : : :
	February.	(-:-::::::::::::::::::::::::::::::::::
	.vreunal.	[ -4 : : : : : : 40 : : : - : - : - : : :
		8 8 8 8 8 8 8 8
	Sex.	emales (fales, fales, fales, fales, fales, fales, fales, emales, emales, emales, emales, emales, fales, emales,
	44	Remai Males Males Males Males Fernai Males Fernai Males Fernai Males Fernai Males Fernai Males
		· · · · · · · · · · · · · · · · · · ·

		<u> </u>	. :		: :		: :					
						. 2		+ 1-4		* *		
	:::	: :			-		94 -	0 -	1 :			
				+ + +						1 -		- 63
						-		ত পা	-	0 3	6	1 10
			4		_		-	arg .	-			
	<del></del>					- 91						
	pri + +										4	
			n									
								* *	• •		*	4 4
::= ::	: ; :	1 pml sml			: :	::	: :	1:	:-	4 0	:	
120 : :	84	= e3 :	79 : :		: 64	· ·			٠ :	eo ==	-	
			* *			7 1	1 1	9 8		4 6	-	
H := :00	: : 35	::*	:: 0	::	::	60 :	1 6	15	- 4	-		
10 194 :	의원:	: 6	च च		~ 7	153		- 4	00	ea :	-	ৰ ব
1.00 :00 :		: 22 :	च छ ।		KG	: 63	B B	- 4	ON :	K3 :	* 100	4 00
:0) :	G:	: ":	-			: 04	: '	8	-	13	7	
*			* * *			* =		: :		: :	:	
		:::							: :		•	
	:::			: : :			්රි	: :		: :	:	
						: 6	2	٠ :	٠ ا			<b>:</b>
			1 : :			izease of	2 5	0		9 0		Cormaco
: 급 설		: g		ntemperance,		. ia	ghtning, Stroke of	1	Disease	8	Pustule	
- d - 6	1	Alion		. H 8		. Н	0.0	3	<u> </u>	-2	-	: 5
. 홍 · 중 :		ama ama ama ama ama ama ama ama ama ama	ILY I	De se	B 0	20	- 등	<u> </u>	Ξ.	E =	3 8	9
- 4 - 4	leus, nfantile,	2 44	an an	980	schuria,	H De	: 3	P	50	9		- 5
Eydrocephalus Eydrothorax,	a de	199	fußuenza, fusanity,	9 5	28	Kidneys, Disesse of	3	Liver,	Lungs, D	Malformation,	Malianent	Maraemous
	* 6.3 ==	C1 · ·								1 .	1	1 4
-mm:	120 63	:01 :	1 279	1:		- 80	: :0	10 00	::		: :	
1111	- 00 DD	: F :	: : :				1 1		: :			
	:=-	·	4 1 1			81 m	: 11	-				
		ci	1 100		4		-	- 00	1 4		-	
· · · · ·		의 - •	1 4			+ 04				4 4		
		21-1	: :-	4 4			<b>-</b> :	: -	1 :	: :		
	-011-	.01 .	0	1		: 64		-		- :	1 :	
*****	1-01	જ : =	-	* em/ *	-		7, 7	- 20	: 64	<b>-</b> :		: :
	: 00	1 1 1	-01-		:-	: -	-	7 -	: :	::	-	: : 9
* ******	- 00 00	C4		1 : :		:-		21.04	<b>-</b> :	- :	1	-
:04 : :	:-=	prel 2 4 8 8		::=	-	1 .	<b></b> : •	-	CN :	-	:	: :
100	.1-0	- 64 :				:-		-	- :			64
1 10150	CO	* * ===			_			_	ng me	- :		-
2 2 2		е .		7	-		2 4		-		. 5	_
ales.	aloa. alea. males.	sknown ales. males.	ales. ples, males	ales.	iles.	males.	males.	nales.	nles, males,	nles, males,	known	les.

-
-
and in
720
Barr
line.
200
- 50
92
O
~
- 1
-
-
-
-
M
. 19
3
00
40
7
2

_		
1	1 Unknown.	::-:::::::::::::::::::::::::::::::::
	Over 80.	1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
1	1.70 to 80.	:::0::::88:68-:-::
	1 60 to 70.	- : :- : : : : : : : : : : : : : : : :
	.00 as 06 T	1-11-11111-1119-1111
AGES.	Od at 01-1	101-111-1-11111
Y	.04 01 08 1	
	.08 of 02	
	.02 or 31 1	
	.61 or 01 1	
	Olo di	0100 m · · · · · · · · · · · · · · · · · ·
	Linder 5.	F : ::::: : ::::::::::::::::::::::::::
0.	Unknown	
WHOLE NO.	Females.	
OLE	Mules.	L: :040 :0; :4: :0 :-12: ::10
M	.sistoff ;	8 :4040044 :0 :-5 :-6 :9 :
	# 1	
	<b>Деатн.</b>	
	ñ	Measles,  Mortification,  Mortification,  Nephrits,  Nephrits,  Nephrits,  Nephrits,  Noma,  Noma,  Pomalits,  Percardius,
	40	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	CAUSES OF	Measles,
	and a	Measles,
	0	Measles, Metria Metria Mortificat Nortificat Nort
	Unknown,	
	December,	( a a ) ( a ) ( ) ( ) ( ) ( ) ( a ) ( ) (
	Auvember.	:::::::::::::::::::::::::::::::::
	Ontober	484 - 01
-2	(Janjoualdes)	400-01:
13	younge v	0 m · · m · · · · · · · · · · · · · · ·
MONTES.	dane.	· · · · · · · · · · · · · · · · · · ·
~	May.	-a-a
	sharp.	010101 : : : : : : : : : : : : : : : : :
	Матер.	d :-d-:::-:: ac : .4 -::
	Pebruary.	1 - w 1 : 1 : 1 : 1 : 1 - w : w & : 1 : 1 : 1
	узивике.	וווווווווווווווווווווווווווווווווווווו
	3	
200	SEX.	Males, Ma
		**************************************

HO
@d::::::::::::::::::::::::::::::::::::
00 m · · · · · · · · · · · · · · · · · ·
# 1 :
00
00 4 · · · · · · · · · · · · · · · · · ·
© 1 1 1 1 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1
@## ::: # ::: : : : : : : : : : : : : :
43 43
*** * * * * * * * * * * * * * * * * *
\$0000 : : : : : : : : : : : : : : : : :
101 :01 : H : 10 :00 : H : 1 : H : 1300 : H : H = 100 :
2 : 1 : 1 : 1 : 2 : 2 : 2 : 2 : 2 : 2 :
01
Ä g
onits,  le Gland, Disease of Accident, altiera, an, an, an, an, an, an, an, an, an, a
Gland, Gland, I A coid them, ox, ox, i, Disease of Bow ou, ou,
Post in the contract of the co
Preumonia,  Poison,  Profate Gland, Disease of Pysmia, Rallroad Accident, Rallroad Accident, Rallroad Accident, Serofula, Serofula, Fina Bifida, Spine, Disease of Fina Bifida, Sull Born, Stricture of Bowels,
Poeumonis,  Prostate Gland, Disease of Prostate Gland, Disease of Railroad Accident, Railroad Accident, Railroad Accident, Serofuls, Spins, Disease of pins Bifds, Suil Born, tit tit Stomach, Disease of Stricture of Bowels, Still Born, Still Born, tit tit Stomach, Disease of tit tit Stomach, Disease of tit tit stomach, Disease of tit stricture of Bowels, Suil Born, tit stricture of Bowels, Suil Stricture of Sovels, Suil Stricture of Sovels, Suicide, Suicide, Suicide, Suicide,
CN org
812 : : : : : : : : : : : : : : : : : : :
88 · · · · · · · · · · · · · · · · · ·
00 · · · · · · · · · · · · · · · · · ·
20.30 · · · · · · · · · · · · · · · · · · ·
44 · · · · · · · · · · · · · · · · · ·
Da : : : : : : : : : : : : : : : : : : :
Date
83 · 6 · 1 · 60 · 100 ·
0101
<del></del>
Malos, Females, Males, Females, Males, Females, Males, Males, Females,
Males, Females, Males, Males, Females, Males, Males, Females, Females, Males, Females, Females, Males, Females, Females, Males, Females, Males, Females,
HE WE WE WE WE WE WE WANTE WALL WAS A WALL WANTE WAS A WALL WANTE WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WAS A WALL WALL

	l
00	1
E	1
K	
K	
2	
1	
H	
>	
区	
B	
Z	

		THATTER A TO THE TOTAL OF THE THAT THE THE THAT THE THE THAT THE THE THE THE THE THE THE THE THE TH
		Cocer 80.
ı		
		108 41 07 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
П		02 10 10 10 10 10 10 10 10 10 10 10 10 10
ı		00 00 00 1
П	AGES	06 at 06
ı	4	08 00 08
L	1	04-100
	,	10/4 M 91 1
		91 0/111 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
1	- 4	.e raba'd (4.0) : : : : : : : : : : : : : : : : : : :
		3 asha'1
Г	ö	a was a la la la la la la la la la la la la l
	Z	AMBORT : :4 : .
	WHOLE NO.	. solaM 4 : or in in in in in in in in in
	WE	.slator : 12 : 23 : 24 : 25 : 25 : 25 : 25 : 25 : 25 : 25
The state of the s		
The state of the s		Teathing, Teathing, Throat, Disease of Throat, Disease of Tubercular, Meningiti Tumor,
-	-	nwould
1		nadm=nad { i _ ! : : . : : : : : : : : : : : : : : : :
1		ELL: C. C. C. C. C. C. C. C. C. C. C. C. C.
		Tagendari Steller Co. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		and intuitive )
1	MONTHS.	Sand Committee C
1	Lon	-aubt : : : : : : : : : : : : : : : : : : :
1	M	.vaM
		Ing A I ::::::::::::::::::::::::::::::::::
		-dorable   : : : : : : : : : : : : : : : : : :
		: Sail and a line in the bound.
		утивиту ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;
		SEX.  Males.  Females.  Males.  Females.  Males.  Frmales.  Males.  Males.  Males.  Females.  Males.  Females.  Males.  Females.  Females.  Females.  Females.  Females.

	••	e were	ar, ther	the year	during	re died	who ha	ards,	adn pu	e plo	d year	hundre	if aged people, one hundred years old and upwards, who have died during	doed p	Of age	OPLE.	AGED PROFIE Of aged people, one hundred years old and upwards, who have died during the year, there were:	Aeı
Females.           Eating Honey,   1       1       1	-		:	:	-	-		*	еў,	g Hon	Batin	:	=	:	:	*	:	emales
	:	*		:	53	00 (	:	:			3 .	-	1	1	:	. 1	:	Females
					60	7	-			28,	Worn		-	500			Wortha	Tales.
B .	:	-	:		819	. 5	DG F-	* * *	ough,	Ding (	¥ pox	. 6		00 P	: >0	4, 1-	- C	Males,
1 I Want of Care. Dis. of	: :		* 1		CII	24	01		Salan S	0	WAD		1 0	1 :				Males.

Thomas Still, of Sandgate, died in April, aged 102 years. Nathan Smith, of St. Albans, died in April, aged 102 years.

		1 .0	-000-0	IG IO PLOS	10.50	000
with	Percentage	100.00	22.91 27.92 28.88 16.14	22.55	5.85	10.49
	Totale.	4088	887 1081 1118 625 100	-101100	854	400 173 314
together	Windsor.	562	151 101 101 101 101 101	8 :::	101	320
T. ified,	Windham	399	12 12 12 12 12 12 12 12 12 12 12 12 12 1	Z ::33	88	292
class	.notgnidasW	308	E 51 52 52 52 52 52 52 52 52 52 52 52 52 52	2	58	21-12
GEN	Ruthand.	472	901 82 82 82 82 82 82 82 82 82 82 82 82 82	100	32	824
ATH—CLASSIFIED ARRANGEMENT. in the several Counties, statistically classified, Percentages.	Orleans.	25.5	88880	1 2 48	16	242
AR.	Orange.	315	104	55	815	278
DEATH—CLASSIFIED use, in the several Counties the Percentages.	Lemoille.	156	28224	63	80 80	200
SSIF	.olal busti	38	010941	9	-0	7 :-
LAS severa	Franklin.	311	C 20 30 4 00	हैं लिख	13	Z a S
ITH-CLA in the seven Percentages	,хэвел,	43	91 17	55.	~ 00	נט י נט
	Chittenden,	3360	118 67 89 80 80 80	118	13	35.0
DE.	Caledonia.	300	52099	56	15	왕쪽제
S OI	Bennington.	287	25 66 63	9	200	2002
USE om	Addison.	262	448.451 514.53 551	4 : : -	14	828
TABLE VII.—CAUSES OF DE. Exhibiting the number of deaths from each cause, the	CAUSES OF DEATH.	ALL CAUSES,	Gasses.  I. ZYMOTIC. II. CONSTITUTIONAL, III. LOCAL, IV. DEVELOPMENTAL, V. VIOLENT,	Orders.  1.—1. Masswatic, 2. Enthetic, 3. Dietic, 4. Paratitic,	II. DIATRETIC,	III.—I. NERVOUS SYSTEM,

1	Percentage.	00.00	22.91 27.92 28.88 16.14 4.10	22.55	5.85	10.49 4.46 8.13
	Totals.	4088	887 1081 11118 628 160	e) (1) (2)	854	406 173 314
1	.TosbaiW	562	8111 88 101 81 81 81 81 81 81 81 81 81 81 81 81 81	8	101	35
	WindbniW.	399	109 109 21	36 · · · · · · · · · · · · · · · · · · ·	86	222
	Washington.	308	15 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	5-	28	272
1	Rutland.	472	923 828 828	100	33	824
I	.enselt()	25.00	9236	48	16	1245
	.egastO	315 298	104 38 6	55	85	418
1	Lemoille.	156	F8224	63	200	385
	.olal buant)	38	1000	9 !!!	-0	- :-
0	Franklin.	311	0.0000.40	5 00	13	200 X
	Essex.	34	90 1 41	24 ::	<b>→ 30</b>	נט י נט
	Chittenden.	336	118 67 54 89 89	118	13	300
	Caledonia.	300	1248 8 to	56	15	822
	Bennington.	287	25 55 55 55 55 55 55 55 55 55 55 55 55 5	69	55.53	2002
	Addison.	262	24280481	4 :	14	878
	CAUSES OF DEATH.	SES, D CAUSES,	MOTIC, NSTHUTIONAL, SAL, VELOPMENTAL,	HETIC,	SERCULAR,	CRYOUS SYSTEM,

10101

201000

a Old Propie.

DISEASES OF NUTRITION, .....

10

V .-- 1. Accident or Negligence, .... BATTLE, ..... Номісірк, ....

IV .-- 1. DEVELOPE'T. DIS. OF CHILDREN,

DIGESTIVE ORGANG.

ORGANS OF LOCOMOTION, ...... INTEGUMENTARY SYSTEM,....

GENERATIVE ORGANS, ....

286.23

Whooping Cough,....Typus [and Infantile Fever], or Puerperal Fever,

Small Pox, .... Scarlatina, [Including Diphtheria,] . . .

I.-1. Miasmatic.

Quinsey, .....

## TABLE VIII .- CONTINUED.

Percentage.	1.03	9 8 8	20.00	.02
Totals.	174 56 7 3	61	H 10 00 →	
.TosbaiW	8400		9 9 9 9	
.madbaiW	2000		1 1 1 1 1	20
Washington	C1 ::			
Rutland.	2431 :11			
Orleans.	-			
Orange.	- ::	7 - :- :	:::	H .
Lamoille.	80.			
Grand Isle.	- :- : : : :			
Franklin.	22001		6101	04
Essez.	PMM : : :			
Chittenden,	112 6			
Caledonia.	4 6	: ::::		
Bennington.	0000	: !!!!	: ::::	
Addison.	977	11111		
CAURES OF DEATH.	12. Dysentery. 13. Diarrhess. 14. Cholera Infantum, 15. Cholera, 16. Ague, 17. Remittent Fever,			• 14

.18	5.86 .02 2.68 2.78	18	22. 25. 26. 26. 26. 26. 26. 26. 26. 26. 26. 26	33.148 1.67 1.888 1.67 1.05 1.05 1.05 1.05 1.05 1.05 1.05 1.05
- 2-	1001	200	2820 28 €	
	9 :55	- फ	101	Nous 4 : grand
100	ลานยา	- 21	S 22 4 5 7	5 8 9 4 : W : W :
8 8	⇒ :en	· ==	S 20 .00	50 :104 : : : : : : : : : : : : : : : : : : :
	130	9 :	75: 12	10 10 PM 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
-	16		8 : 30	5 :04 : 11 :00
1 1	15	* (g=4) 6	15 cl : 18	# :34 - :01-00
**************************************	83 . 83		36 : : 36	
	ੇਲ ਮਰ ਮ	1 1	0	
(S)	13	: :	65: 25	
		: :	ac • • ac •	
	# :00 to		40 :00	
		::	67: -20	
11			13 ct : 44	9 : 0100 : ; = m
	4 :0%	::	50	8 - m - m - m - m - m - m - m - m - m -
			Lung. 1	0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
Thrush, Worms,	II.—I. Diathetic. Gout, Dropsy and Anemia,	Mortification	II.—2. Tubercular.  Scrofula.  Tabes Mesenterica.  Phthisis.   Consumption of the Lungs.	III.—1. Norvone System. Cephalitis, Totals, Apoplexy, Paralysus, Insenty, Chores, Piplepsy, Convulsions,
	-ide:		는 하는 한 보	

# TABLE VIII.-CONTINUED.

Регоепияде.	4.46	4.46	8.11	21.88.65.48	3.61	0.00
			:			
Totals.	173	100	314	273 273 6 6	40	::
Vindsor.	39	33	85 85		. <u>e</u>	
.madbai N	16	16	22	16.23	-:	
Washington.	1-	1	123	:: 73	58	
Butland.	6	[2]	4.		-	
Orleans.	14	71	13	113::	===	
Orange.	14	14:	23	0101-01-	16	
Lamoille,	90	- 00	17	1. 16	9:	
(-rand Iele.			-	:::::::::::::::::::::::::::::::::::::::	. 61	
Franklin.	GC .	:00	26		:	
Essex,			গত :		:	
Chittenden.	9	9	22	30.	12	
Caledonia.	18	1.5	22		H 40	
Bennington.	00	: 00	24		H	
Addison.	14	14:	88		9 :	
CAUSES OF DEATH.		2. Aneurism. 3. Heart Diseases, &c.,		2. Laryngitis, 3. Brompitis, 4. Pieurisy, 5. Preumonia, 6. Asthma,	7. Lung Diseases, &c., III. Digestive Organs.  1 Gastrilis.	2. Enteritis, 3. Peritonitis, 4. Ascites, 5. Ulreration of Intestines, 6. Hernis,

78

.... 10 Onege TABLE VIII.—CONTINUED. 5 . . . .... President 2 0 0 0 ......... Towns. : 01 01 Chittenden. a P 워 Caledonia :00 13 . . . . . . . . . . . . . . . Bessington. gostpb & 2. Childbirth, (see Metria,)..... IV. - 3. Dev. Diseases of Old People. Ulcer, .... Spina Rifda, ..... Totals, ..... Phlegmon, ... Infantile, Premature, &c., ..... Other Malformations..... Stillborn Cyanosis ..... IV .- 1. Dev. Diseases of Children. IV .- 2. Dev. Diseases of Women. III .- 8. Integumentary System. CAUSES OF DEATH.

-- ಬಿಣಕ್ಕು

<b>90.</b>	5 14 124 3.5	1 19 .49	4.00	2 10 74 1.13	1 .02	2 5 12	6 5 24 .6	0.00	201 00	1 1 6 .15	. 1 9 .23	16 17 208 5.37
4	ଛ	-	- 61	:4	:	-	-		:=	*	•	11 1
9	ã	- 20	2	10	-	1	:	0 W	* 1	**	geri.	22
7	00)	:01	~~	4	:	*	F	- 100	::	:	64	23
q	40	-	-	. 63	,		1	:-		:	4	13
		14	11	:-	*	_			:==	-	-	4
4	r)			;-	*	-:	01	* *		Ç1		133
4	-	* *				P.		. ,	::	:	-	64
4	1-	* *	1	. 9	:	*	100		: :		-	23
-	10	- 00		* +==	*		1	• 🖂	* *		à	19
*	8	H 7	- 00	:52	:	*	60	: 65	1 t	64	*	15
4	11		03 64	1/2		6 6 6	01	pro) 0		:	9 1	22
To described and Debnick,	V1. Accident or Negligona.	1. Fractures or Contusions, 2. Burns and Scalds,	S. Poison, 4. Drowning,	5. Buffocation, 6. Otherwise,	V-2. Battle,	V -3. Homicide,	V 4. Swieide. Totals.	1. Drowning, 2. Hanging.	2. Shocing,	V6. Violent Deaths, not classed,	Sudden, cause unknown,	Cause, not specified,

## TABLE IX.—OCCUPATIONS.

Exhibiting the number of persons pursuing different avocations, living in the State, according to the Census of 1860; also, the number of deaths occurring in each class, together with the ratio of the same to the living, and the aggregate and average ages.

				ving.			AGES.	
OCCUPATIONS.	Living.	Deaths.		Ratio to Living.		Given.	Aggregate.	Average.
Agents,	41	6	1	in	. 7	6	262	43.66
Artists,	169	1	1	in	169	1	32	32.00
Bakers,	50	1				1	57	57.00
Barbers,	49	1	1	in	49	1	34	34.00
Blacksmiths,	1317	12	1	in	109	12	814	67.83
Bridge Builders,	4	1				3	111 36	33.33
Brokers,	154	2	1	in	77	2	75	37.50
Carpeniers,	2739	28	î	in	97	28	1611	57.53
Cashiers of Banks,	44	1	î	in	44	1	23	23.00
Clergymen,'	631	9	1	in	70	9	482	53.99
Clerks,	876	9	1	in	97	9	207	23.00
Clock Repairers,	5	1				1	67	67.00
Clothiers,	35	2	1	in	17	2	148	74.00
Conductors, R. R.		3				3	86	25.33
Cooks,		1				1	60	60.00
Coopers,	254	9	1	in	28	9	562	62.44
Corriers,	12 31	1	1	in	31	1	26	26.00
Editors,		1	1	110	91	1	56 40	56.00
Engineers, R. R	1259	5	1	in	252	5	180	36.00
Farmers,	38967	711	1	in	55	706	43111	61.06
Founders,		2		143		2	133	66.17
Fruit Growers,		1				ī	76	76.00
Gardeners,	15	2	1	in	7	2	136	68.00
Gentlemen,		3				2	211	70.33
Grocers,	131	2	1	in	65	2	51	25.50
Gunsmiths	22	1	1	in	22	1	65	65.00
Harness Makers,	266	5	1	in	53	4	151	38.00
Hatters,	21	1.	1	in	21	1	63	63.00

## TABLE IX.—CONTINUED.

Herse Dealers,					_	_	_	_
Hotel Keepers,	1111			me.	0		AGE	
Herse Dealers,	OCCUPATIONS.	Living.	Deaths.	Ratio to Livi		Given.	Aggregate.	Average.
Inventors	Hotel Keepers,			1 in	49			56.40
Jeweilers							-	
Laborers						- 6	1000	52.66
Lawyers,			1	1 in	83			
Lumber Dealers,	-	494	9	1 in	55	8	438	54.75
Manufacturers, not apecified,         478         10         1         in         48         10         476         47.6         64.0           Marble Dealers,         2         2         128         64.0         64.0         66.0 <td></td> <td></td> <td>2</td> <td></td> <td></td> <td></td> <td>121</td> <td>60.50</td>			2				121	60.50
Marble Dealers         2         128         64.00           Mechanics, not specified,         633         28         1         in         23         28         1441         51.40           Merchants,         1273         23         1         in         55         22         1027         48.63           Millers,         381         9         1         in         32         9         571         63.4           Millers,         126         1         in         126         1         64         64.00           Miners,         108         3         1         in         36         3         87         29.00           Moulders,         125         1         in         36         3         87         29.00           Moulders,         12         1         1         38         38.00         10.5         1         28.80         10.5         1         128         28.00         10.5         1         10.5         1         10.5         1         10.5         1         10.5         1         10.5         1         10.5         1         10.5         1         10.5         1         10.5         1	Machinists,	478	3	1 in	159		123	41.00
Mechanics, not specified,         633         28         1         in         23         28         1441         51.46           Merchants,         1273         23         1         in         55         22         1027         48.66           Millers,         381         9         1         in         32         9         571         63.4         66.4         66         40         66         66         40         66         66         66         66         60	Manufacturers, not specified,	478	-	1 in	48			47.60
Merchants,         1273         23         1 in 55         22         1027         48.69           Millers,         381         9 1 in 32         9 571         63.4s           Millwrights,         126         1 in 126         1 64         64.0g           Miners,         108         3 1 in 36         3 87         29.0g           Moulders,         125         1 in 36         3 88.0g           Overseers,         29         1 in 194         2 81         40.5g           Painters,         581         3 I in 194         2 81         40.5g           Peddlers,         347         4 1 in 87         4 251         62.7g           Physicians,         594         8 1 in 74         8 44         56.3g           Printers,         115         1 in 115         84         84.0g           Powder-makers,         2         2         60         33.9g           Quarrymen.         557         2 I in 278         2 73         36.5g           Ralroad Employees,         881         8 1 in 110         7         250         34.2g           Saloan Keeper,         1         1         25         25.0g           School Teachers,         1951						_		64.00
Millers,         381         9         1 in 32         9         571         63.4           Millwrights,         126         1         in 126         1         64         64.0           Monders,         108         3         1 in 126         1         64         64.0           Monders,         108         3         1 in 36         3         87         29.0           Monders,         20         1         1         38         38.0         29.0           Painters,         581         3         1 in 194         2         81         40.5           Painters,         581         3         1 in 194         2         81         40.5           Painters,         581         3         1 in 194         2         81         40.5           Peddlers,         347         4         1 in 57         4         251         62.7           Physicians         594         8         1 in 74         8         451         56.3           Printers,         115         1 in 115         1         84         84.0         60.5           Powder-makers,         22         1 in 278         2         2         36.5					-			51.46
Milwrights,         126         1         1         in 126         1         64         64.00           Miners,         108         3         1         in 36         3         87         29.00           Moulders,         125         1         38         38.00           Overseers,         20         1         28         28.00           Painters,         581         3         1         in 194         2         81         0.50         7           Peddlers,         347         4         1         in 87         4         251         62.77           Physicians,         594         8         1         in 74         8         451         56.37           Physicians,         594         8         1         in 74         8         451         56.37           Physicians,         594         8         1         in 74         8         451         56.37           Physicians,         594         8         1         in 74         8         4.00         60.37           Quarrymen,         557         2         1         in 278         2         7         3         5.50         3         5.				-				
Miners,		-	-				-	
Moulders,         125         1         38         38.00           Overseers,         29         1         1         28         28.00           Painters,         581         3         1         in 194         2         81         40.52           Peddlers,         347         4         1         in 87         4         251         62.7           Physicians.         594         8         1         in 74         8         451         56.3           Printers,         115         1         in 115         1         84         84.0           Powder-makers,         2         2         66         33.9         93.9           Quarrymen.         557         2         1         in 278         2         73         36.5           Ralroad Employees,         881         8         1         in 110         7         250         34.2         25         32.0         34.2         32         36.50         36.0         36.0         36.0         36.0         36.0         36.0         36.0         36.0         36.0         36.0         36.0         36.0         36.0         36.0         36.0         36.0         36.0								
Overseers,         20         1          1         28         28.00           Painters,         581         3         I         in 194         2         81         40.56           Peddlers,         347         4         1         in 87         4         251         62.7°           Physicians.         594         8         1         in 74         8         451         56.3°           Printers,         115         1         in 115         1         348         84.00           Powder-makers,         2         2         60         33.90           Quarrymen.         557         2         I         in 278         2         73         36.56           Ralroad Employees,         881         8         1         in 110         7         250         34.2°         2         73         36.56         56.3°         36.56 <td></td> <td></td> <td></td> <td>1 10</td> <td>201</td> <td></td> <td></td> <td></td>				1 10	201			
Painters,	The state of the s							
Peddlers,				I iv	194		-	
Physicians         594         8         1         in         74         8         451         56.3           Printers         115         1         1         in         115         1         84         84.0           Powder-makers         2         2         66         33.9         33.5         33.5         36.5         33.5         36								
Printers,         115         1         1 in 115         1         84         84.00           Powder-makers,         2         2         66         33.90           Quarrymen.         557         2         1 in 278         2         73         36.50           Radroad Employees,         881         8 1 in 110         7         250         34.2           Saloon Keeper.         1         25         25.00         36.2         36.50		594	8					56.37
Powder-makers,		115	1	1 in	115			84.00
Quarrymen.         557         2         1         in         278         2         73         36.56           Rairoad Employees,         881         8         1         in         110         7         250         34.2;         25.06         34.2;         25.06         36.56	Powder-makers,		2				66	33.90
Saloan Keeper,   1   25   25   00   00   00   00   00   00	Quarrymen					2		36.50
School Teachers,       1951       3		881	-				-	34.27
Scythe-maker,       1       48       48.00         Ship-builder,       21       1       38       38.00         Shoemakers,       1290       26       1 in 50       25       1522       60.83         Soldiers,       2       2       49       24.50         Spinners,       31       1 in 31       28       28.00         Stage Drivers,       2       78       39.00         Station Agents,       3       3       126       42.00         Stone Cutters,       347       2       1 in 173       2       122       61.00         Stone Layers,       1       61       61.00 <td< td=""><td></td><td></td><td>1</td><td></td><td></td><td></td><td></td><td>25.00</td></td<>			1					25.00
Ship builder,       21       1       38       38.0         Shoemakers,       1290       26       1 in 50       25       1522       60.8         Soldiers,       2       2       49       24.5         Spinners,       31       1 in 31       1       28       28.0         Stage Drivers,       2       2       78       39.0         Station Agents,       3       126       42.0         Stone Cutters,       347       2       1 in 173       2       122       61.0         Students,       528       3       1 in 176       3       58       19.3         Tailors,       294       2       1 in 147       2       113       56.5         Tauners,       160       2       1 in 80       2       137       68.5         Teamsters,       344       3       1 in 115       3       173       57.6         Tinsmiths,       208       1       1 in 208       1       30       30.0         Toll-Gate Keepers,       1       1       38       38.0         Upholsterers,       4       1       38       38.0		1951	3					60.00
Shoemakers,         1290         26         1 in 50         25         1522         60.88           Soldiers,         2         2         49         24.56           Spinners,         31         1 in 31         1 28         28.06           Stage Drivers,         2         2         78         39.06           Station Agents,         3         126         42.06           Stone Cutters,         347         2         1 in 173         2         122         61.06           Students,         528         3 in 176         3 58         19.3           Tailors,         294         2 in 147         2 in 36.56         55           Tauners,         160         2 in 80         2 in 137         56.56           Teamsters,         344         3 in 115         3 in 115         3 in 173         57.66           Toil-Gate Keepers,         208         1 in 208         1 in 208         1 in 208         1 solution 38           Upholsterers,         4         1         38         38.0		01				100		
Soldiers,       2       49       24.5         Spinners,       31       1       1 in 31       1       28       28.0         Station Agents,       2       78       39.0				1 1	50			
Spinners.     31     1     1     in     31     1     28     28.0       Stage Drivers,     2     78     39.0       Station Agents,     3     126     42.0       Stone Cutters,     347     2     1     in     173     2     122     61.0       Students,     528     3     1     in     176     3     58     19.3       Tailors,     294     2     1     in     147     2     113     56.5       Tauners,     160     2     1     in     80     2     137     68.5       Teamsters,     344     3     1     in     115     3     173     57.6       Toll-Gate Keepers,     1     1     in     208     1     1     in     208     1     3     38.3     30.0       Upholsterers,     4     1     3     38.3     30.0     30.	W. V. W.			-	30	-		
Stage Drivers,     2     78     39.0       Station Agents,     3     126     42.0       Stone Cutters,     347     2     1 in 173     2     122     61.0       Students,     528     3     1 in 176     3     58     19.3       Tailors,     294     2     1 in 147     2     113     56.5       Tauners,     160     2     1 in 80     2     137     68.5       Teamsters,     344     3     1 in 115     3     173     57.6       Tinsmiths,     208     1     1 in 208     1     30     30.0       Toll Gate Keepers,     1     3     38.3     38.0       Upholsterers,     4     1     3     38.3					31			
Station Agents,     3       Stone Cutters,     347       2     1       In 173     2       1     61       1     61       1     61       1     61       1     61       1     61       1     1       1     1       1     1       1     1       1     1       1     1       1     1       1     1       1     1       1     1       1     1       1     1       1     1       2     1       1     1       2     1       2     1       2     1       3     1       4     1       1     1       2     1       2     1       3     1       3     1       4     1       2     1       3     1       3     1       3     1       4     1       4     1       4     1       4     1       4			-		-			
Stone Cutters,     347     2     1 in 173     2     122     61.0       Stone Layers,     1     61     61.0       Students,     528     3 1 in 176     3 58 19.3       Tailors,     294     2 1 in 147     2 113     56.5       Tauners,     160     2 1 in 80     2 137     68.5       Teamsters,     344     3 1 in 115     3 173     57.6       Tinsmiths,     208     1 in 208     1 30     30.0       Toll-Gate Keepers,     1     3 83.0       Upholsterers,     4     1     38 38.0	- 0					3		
Stone Layers,     1     1     61     61.0       Students,     528     3     1     in     176     3     58     19.3       Tailors,     294     2     1     in     147     2     113     56.5       Tauners,     160     2     1     in     80     2     137     68.5       Teamsters,     344     3     1     in     115     3     173     57.6       Tinsmiths,     208     1     in     208     1     30     30.0       Toll-Gate Keepers,     1     3     83.0       Upholsterers,     4     1     3     38.0		347		1 in	173	2		61.00
Students,			1					61.00
Tailors,		528		1 in	176	3	58	19.33
Tauners,		10000	2	1 in	147	2		56.50
Tinsmiths,	Tauners,	-				2		68.50
Toll-Gate Keepers,								57.66
Upholsterers,				1 in	208			30.00
			-				100.00	83.00
Waterman Co. and a second and the line of the second and the second seco								38.00
				7 30	60			75.0 <sub>0</sub> 55.0 <sub>0</sub>
** Beelwrights,		400	0	1 10	00	0	1000	00.00

222222222222222

00
7-3
0
=
0
-
-
0
1
- 3
×
5-3
1
=
四
-
H


Exhibiting the number of Divorces granted by the Suprame Court, during the year ending December Blut, 1867, with the Bull po sore causes therefor; also, the number of Marriages in said year, and the ratio of Duarcas to Marriages. K Sing II "Salahing" LIBELLENY TAL DE Hestand Same? quiding of Learning CAUSER OF DIVORCE, Serent. sideraloral Frend. Desertion Severity. pare Adeltery Desertion bas TissilabA Adultery. COUNTERS.

OF ALL = 2×57 -3-3××3288 150 47 35 Franklin, ...... Caledonia, ..... EBSOX, ................ Grand Isie, ...... Chittenden, ..... Orange, ..... Lamoille, ....... Windham, ..... Washington, ..... Addison, ...... Rutland, ..... Bennington,

### TABLE XI.—DIVORCES.

Exhibiting the number of Divorces granted during the year ending December 81st, 1867, arranged by Counties, with special reference to the Libelant in each case, and the cause therefor.

				CAU	ES	OF	Dive	orce,			L	BEI	LANT
COUNTIES.		Adultery.	Adultery & Desertion.	Adultery & Severity.	Desertion.	Fraud.	Intolerable Severity.	Retusal to Support.	Severity.	Wilful De-	Husband.	Wife.	Total.
Addison,	Males,	3								3	6	5	i
Bennington,	Females, Males,	1			i		4				2		
Caledonia,	Females, Males,	3			1	i	2			3	4		
Chittenden,	Females,	4					1			1 2 4			1
(ssex,	Females, Males,	1				::					1	8	
ranklin,	Females, Males, Females.	1 3								1.3	2	8	i
rand Isle,	Males,									1	1		
amoille,	Females, Males, Females,	4 2			4 2	» »					8	4	
range,	Males, Females,	1					i			4 2	6	_	
rleans,	Males, Females,	5			1		2				5	3	
lutland,	Males, Females,	9					3	2		5	14	-	
Vashington,	Males, Females,	24 33		2	1 5		2	3	i		3	16	
Vindham,	Males, Females,	3					2				7	13	
Vindsor,	Males, Females,	4 2		i			3	2		2 7 5 3	9	11	2
	Males, Females,	34 25	i	3	6 9	ī	4 21	<del>-</del> 7	- i	26 21	71	88	,
Totals,		59	1	3	_ 15	1	25	7	- 1	47		_	15



## SUMMARY OF OBSERVATIONS.

Eleven years have passed away since the first record of three important events in the social life of the inhabitants of this State—Births, Marriages and Deaths—was made. Annually since then, those events have been recorded, and are accessible to all whose interest or curiosity shall prompt to an investigation. Their importance increases from year to year, and the more complete and perfect in detail they are, the more valuable will they become.

From the first these reports have been improving in completeness and accuracy, till the tables of the present report contain returns from all the towns in the State, save five, having an aggregate population of 3,158. These towns are: East Haven, Bloomfield, Brighton, Woodford and Fair Haven.

Doubtless, as the Physicians of the State shall be induced to pay more attention to the matter of certifying as to the "Causes of Death," as required by law, the returns under that head will be more complete and accurate. In some towns, the Town Clerk invites a resident Physician to aid him in making out his returns to the Secretary of State, a practice which is highly commendable. And now that blanks are furnished to each Physician in practice, no other excuse can be offered for failure in accuracy in reporting causes of death, in every case, than that the State asks for information, and affixes a penalty for non-performance of duty in giving it, when it proposes no compensation for the labor required. And yet, the Physician who carefully studies these registrations from year to year, will find in them a vast store of information and profit, in the facts which they record in regard to the "influence of density of population and of various occupations upon mortality; the distribution of diseases between the sexes; the influence of seasons and of age;" the comparative exemption of certain localities from epidemics and the presence of them in others, and the causes therefor, whether or not, in the peculiar constitution of the season or the year; and will gain through them an invaluable guide to judicious treatment. And the more he studies by classification and analysis the vital statistics which these reports furnish, the better will he understand the influences which affect the public health, and the better be enabled to meet the growing demands of the community upon his professional skill and ability.

The prevention of disease is becoming a subject full of interest to the popular mind. Its practicability, to some considerable extent, has been already demonstrated. But the conditions necessary to effect it must be clearly shown by the inexorable logic of facts, such as the statistics embodied in these reports present. It may be difficult to collect these facts; it may be wearisome to analyze and arrange them so as to deduce from them the lessons they teach; the formal array of figures may be forbidding, and exhibit neither form nor comeliness which should cause them to be desired;—but beneath all these, lies the fact, the essential truth necessary to be known and understood, before the practical result—the prevention of disease—shall be attained.

## GENERAL SUMMARY.

The tables embodied in this report show that, during the year ending December 31st, 1867, the whole number of births, in this State, was six thousand, four hundred and sixty-eight, (6,468); of which 3,272 were males, and 3,144 were females. Of 52, the sex is not stated.

During the same period, the marriages were 2,857 couples, or 5,714 persons; a number less by 144 couples, or 288 persons, that were reported in 1866, but considerably greater than the number reported for any year previous to that.

The number of deaths, for the same period, was 4,088, of which 1,975 were males and 2,083 females. Of 30, the sex is not given.

Compared with 1866, the number of births was 64 less; 115 greater than in 1865 and 715 greater than in 1864.

The deaths were 247 greater than in 1866, when 3,841 were reported; 770 less than in 1865; 1,205 less than in 1864, and less by 219 than the average for eleven years past, 1857-67.

The population of the State being 315,098, there was during the year one birth to every 48.7 of the inhabitants, against one to every 48.2 for 1866.

One person out of every 55.1 was married during the year, against one in every 50.8 for 1866; and there was one death to every 77 persons living, against one to every 82 persons last year.

The average number of births daily was 17.72;—last year, 17.62. The number of marriages was 7.82 daily, against 9.43 in 1866; and of deaths, 11.2 against 10.52 last year.

The average age of those who died was 38.14, last year 38.48.

#### POPULATION.

The period is approaching when the Ninth Census of the United States will be taken, by the authority of Congress. Calculations based upon the census of 1860, will, therefore, be of little value, farther than in directing attention to the manifest errors of that census in reference to Vermont, and in introducing a tabular statement or two which may aid us in deducing results, when that census shall be announced.

According to the U.S. Census of 1860, Vermont had remained nearly stationary in population, her increase being only 978 in ten years. By the small margin of "one third of one per cent.," she was saved from a positive loss of inhabitants.

That the State has lost in population during the past few years by emigration, there can be no reasonable doubt, and the ninth census may show an absolute decrease in her population. To illustrate this point more fully, we give below a table showing the number of births and deaths which have occurred during the past eleven years, as recorded in the Registration Reports of the State:

YEARS.	WHOLE NO. BIRTHS.	WHOLE NO. DEATHS.	RECESS OF DEATHS.	Excess or Bintus.
1857	6412	3512		2900
1858	6477	3581		2896
1859	6545	3725		2820
1860	6451	3897		2554
1861	6567	4038		2529
1862	5505	4836		669
1863	5369	5710	341	
1864	4753	5293	540	
1865	5353	4858		495
1866	6532	3841		2691
1867	6468	4088		2380
Totals,	66,432	47,379	881	1,9934

Taking these figures as the basis of calculation, it appears that the State has apparently increased in population 19,053 in eleven years, or has made a mean annual increase by excess of births over deaths of 1,732. Yet, it should be noted that the U. S. Census makes only an annual increase of 97, from 1850 to 1860. During one half of the period covered by that census, the excess of births over deaths was equal to an annual increase of 2,285. Statements differing so widely can hardly both of them be true. And yet, as we consider the matter further, we may be able to reconcile them.

Vermonters are found in every State and Territory of the Union. The tide of emigration flows steadily away from our borders. The bone and sinew, intelligence, enterprise and worth of the Green Mountain State, are giving character and energy to the rising institutions of the great West and the sunny South.

To give some idea of the magnitude of this emigration, as well as to exhibit more plainly the extent of the depleting process by which Vermont is constantly being deprived of the choicest and most enterprising classes of her inhabitants, we have compiled the following table from the U. S. Census of 1860.

Table showing the emigration from Vermont to other States, and from other States to Vermont.

TO, PROM VERMONT.	STATES.	ENIGRATED FROM, TO VERMONT	EMIGRATED TO, FROM VERMONT.		FROM, TO VERMONT.
374	Alahama,	86	849	New Jersey	158
	Arkanssa,		46,9(K)	New York,	8.6UB
8.419	California,	31	503	North Carolina,	11
1,662	Connecticut,	2,788	11 650	Ohio,	259
20	Delaware,	4	201	Oregon	9
77	Florida,	-4	4,276	Pennsylvania,	160
245	Georgia,	33		Rhode Island,	521
18,258	Illinois,	347	56	South Carolina,	9
8.539	Indiana,	66	229	l'ennesses,	1
7,581	Iowa,	29	298	Toxes	1
902	Kanens	9	265	Virginia	34
200	Kentucky,	14	19,184	Wisconsin,	160
217	Louisiana,	22	10t	District Columbia,	
1,293	Maine,	1,214	875	Colorado,	
154	Maryland,	69	17	Dakota,	1
18,652	Massachusetts,	11,918	821	Nebraska.	1
13,779	Michigan	100	132	Nevade,	1 3
4,208	Minnerota,	18	26	New Mexico,	
205	Mississippl	6	326	Utab,	
1,835	Missuari,	18	131	Washington,	3
	New Hampshire,	18,682			-
			174,765		45,198

From this table it appears that Vermont has lost more than one hundred thousand of her inhabitants by emigration alone, within the ten years comprised in this census. If this rate of depletion has continued since, the Ninth U. S. Census will show a large actual decrease of our population, and also that while the excess of births over deaths is correct, still emigration absorbs all that excess, and largely over balances the apparent increase.

The importance of absolute correctness in the census about to be taken is obvious, for without it no accurate calculations or deductions can be made from the statistics which it presents. And it would add greatly to the value of these deductions for sanitary purposes, if the census of the State should be taken every five years as in Massachusetts. We would commend this matter to the attention of the Legislature.

#### BIRTHS.

The whole number of births recorded, during the year 1867, was 6,468. The number for the eleven years during which Registration Reports have been published, together with the birth rate, population to birth, and sex, is shown in the following

TABLE.

YEARS.	Whole No.	BIRTH RATE,	POPULA- TION TO 1 BIRTH	MALES.	FEMALES
1857	6412	2.04	49.1	3285	3071
1858	6477	2.06	48.6	3294	3142
1859	6545	2.11	47.7	3351	3155
1860	6451	2.05	48.8	3225	3186
1861	6567	2.08	48.	3354	3170
1862	5505	1.75	57.2	2831	2650
1803	5369	1.70	58.7	2719	2624
1864	4753	1.68	61.	2439	2264
1865	5353	1.69	58.8	2761	2564
1×66	6532	2.07	48.2	3376	3113
1867	6468	2.05	48.7	3272	3144
Totals,	66,432			33,939	32,683
Average annual,		1.93	52.25	3,085	2,916

The total number of births in eleven years, as appears from this table, is 66,432, which exceeds the number of deaths in the same period by 19,053. The average annual number of births is 6,039, which is 1,732 more than the average annual number of deaths for the same period. The excess of births over deaths, for 1867, is 2,380, or 63.2 deaths to every 100 births. The average for eleven years, 1857-67, 72,73 to every 100 births.

It is interesting to note the variation of the birth rate during the period embraced in these reports. It was the highest in 1859, being 2.11 or one in every 47.7 of the population, and the lowest in 1864 and 5; the close of the war and the first year of peace, when the State had been drained of thousands of her patriotic citizens, and the survivors were returning to their homes. During these years the birth rate was 1.68, 1.69 respectively, or one to 61 and 58.8 of the population. In 1866 it rose to 2.07, sinking again to 2.05 in 1867, or one to about 48.7 of the inhabitants. The average for the eleven years was 1.93.

In England, with a population of eighteen millions, during 26 years, from 1838 to 1863, the average birth rate was 8.33. In Massachusetts, with a population of 1,267,031 the highest birth rate was 2.90 in 1852-58; 2.85 in 1856-60; the lowest in 1862-5, the war period, 2.46; and in 1866 rising to 2.69.

Sex.—The returns for this year show the birth of 3,272 males and 3,144 females, or in the ratio of 1,040 males to 1,000 females, which is smaller than for 1866 when it was 1,081 males to 1,000 females, or for the ten years, 1857-66, when it was 1,059 males to 1,000 females. Of 52 the sex is not give.

The proportion of the sexes born in the State, for the years 1855-67, inclusive, is as follows:

YEARS.		1888.	1859.	1860.	1861.	1862.	1868.	1864.	1865.	1866.	1957.
Males to each 100 Females,	106.8	104.8	106.2	100.1	105.8	106.8	103.2	107.7	107.0	108.1	104.

This gives for the whole eleven years 105.5 males to each 190, females.

The following table shows the number of each sex by counties with ratio of males to females:

Counties.	Males.	Females.	Males to 100 Females,	Counties.	Males.	Females,	Males to 100 Females.
Addison,	247	219	109	Lamoille,	124	112	110
Bennington	257	222	115	'range,	197	215	91
Caledonia,	210	215	97	Orleans,	172	204	84
Chittenden,	357	331	107	Butland,	457	457	100
Essex,	37	40	10%	Washington,	249	249	100
Franklin,	294	280	105	Windham	263	211	124
Grand Isle,	42	39	107	Windsor,	373	350	106

From this table it appears that the counties were prolific in the following order: Rutland, where the sexes were equal; Windsor, Chittenden, Franklin; Washington, where the sexes were equal; Bennington; Windham, which shows the largest disproprotion of sexes; Caledonia, Orange, Orleans, Lamoille, Grand Isle and Essex.

Season. The largest number of births occurred in October, 480. last year September;—next in order, are December, July, January, November, April, September and August equal, May, June, February and March. The smallest number was in March, 431, last year in January. The number for the third quarter is largest, 1,687. That of the first quarter is 1,441,—much less than either of the others.

\* Plural Births. One hundred and thirty plural births are recorded, among which were four cases of triplets, viz: in Moukton, two females and one male; in Whiting and Benson, each three males, and in West Haven, three females. Of these births, 71 were males and 59 females. This is one to every 99.5 of all births. In 1866, the number was 66, or one to every 98 of all births.

The following table will exhibit the number of these births, during the years 1857-67, inclusive; the sex, and number to all births.

YEARS,	1857	1858	1859	1800	1861	1862	1863	1964	1865	1866	1887
Number, Males, Females, Number to one birth,	59	701	115 7= 87 118	77.5	713	44 51	61 45	40	58 86 92 184	71 61	180 71 59 99

Average for eleven years 115, which is exactly the number of plurals to all births for 1862, the middle year of the period.

Illegitimates. Forty cases are recorded, of which 21 were males and 19 females, including one twin case. This is the same as last year, and is one to every 161.7 of all the births. During ten years, 1857-66, the average annual number was 50, or one to every 20 of all births.

Stillborn. The number recorded for this year is 82, or one to every 78 births. In 1866, the number recorded was 90, or one to every 72 births. Probably this is somewhat under the true number. The practice of procuring abortion, by self infliction, or by the aid of the infamous abortionist has become so common as to be an alarming evil, and the attention of the people, as well as of the Medical Profession, has been directed to its remedy. During the session of the Legislature for the present year, a very stringent law was passed, which, though it may not entirely suppress the evil of criminal abortion, will yet check it to some extent. It has already resulted in some good. The press of Vermont, to their credit be it recorded, have resolved to admit to their columns no advertisement which comes within the prohibition of the State law.

Parentoge. Of the whole number of births, 4,467, or 69.68 per cent. are recorded as of American parentage; 1,665, or 25.74 per cent. of Foreign parentage and 336, or 5.2 per cent. as Unknown. Last year, the per cent. was 66.97 American; 26.39 Fereign, and 6.63 Unknown. The percentage of population is 89.6 Americans to 10.4 Foreigners. The percentage of births to population is 63 of the former to 20 of the latter.

The important facts connected with this subject are grouped together in the following tables.

Table showing the population and number of births by counties, the number of inhabitants to a birth, parentage and per cent. of American and Foreign births:

Countres.	Population.	Birtha, American.	Births, Foreign.	Unknown.	Total.	Percentage,	Percentage, Foreign.	Population to 1 birth.
Addison	24010	324	119	17	460	70.4	25.8	52.
Bennington,	19436			21		70.6		
Caledonia,	21708	333	76	22		77.2		
Chittenden,'	28171	343	305	44	692	49.5	44.	40.
Essex,	5786	60	7	10	77	77.9	9.	75.
Franklin,		312	229	47	588	53.	38.9	46.
Grand Isle,	4276			6	81	64.1	28.3	52.
Lamoille,	12311			9		83.1		
Orange,				16		90.		
Orleans,	18981	257	106	16		68.3		
Rutland,	35946	1		25		54.5		
Washington,			96	20		76.3		
Windham,	26982		32	37		85.6		
Windsor,	37193	590	94	46	730	80.8	12.7	50.
Totals,	315098	4467	1665	336	6458	••••		
Averages,						70.	22.3	51.42

The following table shows the parentage of all the children born in the State, whose parentage is recorded for the eleven years covered by these Registration Reports, with per cent, of each to population of each class. The population of Vermont, by the U.S. Census of 1860, was divided as follows: American, 282,365; Foreign, 32,743.

Parentage.	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867
American,	4164	4359	4523	4496	4804	3850	3904	3400	3680	4373	4467
Foreign, Births to every 1000 population.											1
American, Births to every	14.7	15.4	16.	15.9	16.9	13.	13.8	12.	13.	15.4	15.8
1000 population Foreign,	41.	49.	50.	46.	47.	40.	36.	31.	40.	52.	50.

Average American for eleven years, 14.7.

Average Foreign for eleven years, 48.

An examination of the foregoing table shows that the greatest proportion of American births to each thousand of the population, was in 1861, the first year of the war, when it was a fraction short of 17., and the smallest proportion was in 1864, the year before its close, when it was 12. Since the latter period it has been gradually increasing, but has not yet reached that of 1861. The average for eleven years is nearly 16.

On the other hand the greatest percentage of Foreign births was is 1866, when it reached 52. in every thousand of the population of that class. The smallest percentage was in 1864, when it was 31. The average for eleven years was 43. The figures, for 1867, show an increase of American births and a decrease of those of Foreign parentage; yet, the latter numbered 50. in every thousand in that year, while the former numbered only 15.8. So that the births among the Foreign population are actually three to one of the native population, a fact which, unwelcome as it is, forces itself upon our consideration, and, to some extent, verifies the fears entertained by some, that the Foreign population may erelong outnumber the American by natural increase. Still at the present ratio of increase, the time when, by natural generation, Foreigners shall be sufficient in numbers to assume the control of our State Government, is far distant in the future. In no county of the State have the birds of Foreign parentage exceeded those of the native population.

#### MARRIAGES.

The number of Marriages recorded is 2,857, or 5,714 persons. This is less by 144 than last year. Of these, 3,441 are recorded as Americans; 490 as Foreigners, and 1,783 as Unknown. The latter class ought to be reduced in numbers. A little more painstaking in the record would do it.

The following table shows the number of Marriages during each of the eleven years, with the ratio to the population, and average for the whole period.

YEARS.	1857	1858	1850	1860	1861	1862	1963	1864	1865	1866	1867	Total 1857-67.	Aver'ge 1867-67.
Marriages,	1041	2315	2169	2179	9188	1962	2007	1804	2509	3001	9957	24,992	29.75
Number of Persons,	2832	4680	4388	4358	4576	3934	4014	8098	5188	600/2	5714	49,984	45,44
Ratio to Population	81	68	73	79	79	80	78	87	61	52	55	8	72.8
Americans	1812	2764	2646	2858	3074	2818	2674	2016	2948	9442	3441	80,793	97.9
Foreign,	290	392	394	380	376	332	420	272	464	649	490	4,289	8.88
Unknown,	1780	1474	1298	1120	996	774	910	1090	1726	2011	1798	14,829	18.47

The counties rank as follows: Windsor, Rutland, Windham, Franklin, Washington, Orleans, Orange, Addison, Caledonia, Bennington, Chittenden, Lamoille, Essex, Grand Isle. The months as follows:— November, January, October, September, December, March, February, July, June, August, May, April.

There were 756 Marriages in the first quarter; 514 in the second; 660 in the third, and 897 in the fourth. The ratio of marriages to population is one to 110, or one person married to every 55 persons living. The average for eleven years, 1857-67, is one to 141.6, or one person married to every 70.8 living.

Of all the marriages recorded, 1,710 were of bachelors to maids; 90 of bachelors to widows; 258 of widowers to maids. One hundred and ninety-five widowers married widows, and of 604 the condition is not stated.

In 796 instances, (last year, 765,) the bride was under 20 years of age; in 76, (last year, 85,) the groom was under 20, and in 57 instances, (last year, 62,) both parties were under 20. Twenty-two men (last year, 17,) and two women were over 70 years of age. Three widowers, over 70, married maids over 40, 60 and 70 respectively.

It would be interesting and profitable, in this connection, to study the effect of marriage upon the longevity of the sexes, but unfortunately the statistics given in our Registration Reports do not show so accurately the married or single condition of those who die, as to afford us data upon which we can safely base our calculations or inquiries.

This subject has undergone a thorough investigation in Scotland, and from an able paper written by James Stark, M. D., the accomplished and learned Chief of the General Registry Office of that country, and sent to the American Statistical Association, and communicated to the Boston Medical and Surgical Journal for publication; we quote the following:

TABLE 1.—Married and unmarried men at each quinquennial period of life in Scotland, 1863; the deaths at the same ages; and the percentage of deaths to the living at each age, (year 1863.)

	Husbande	a Win	OWERS	BACHELORS, (UNMAR'ED)				
Ages.	Number Living.	Deaths	Per centage	Number Living.	Deaths	Per		
20 under 25,	22946	137	.597	108587	1251	1.17		
25 to 30,	54221	469	.865	48618	666	1.36		
30 to 35,	66153	600	.907	25962	383	1.47		
35 to 40,	63858	690	1.080	15857	253	1.523		
40 to 45,	62045	782	1.248	12311	208	1.689		
45 to 50,	54505	869	1.594	8824	173)	2.02		
50 to 55,	49501	880	1.774	7636	205	2.08		
55 to 60,	38006	929	2.444	5550	142	2.55		
60 to 65,	35920	1216	3.385	5242	207	4,330		
65 to 70,	22021	1134	5.149	2848	150	5.47		
70 to 75,	16029	1291	8.055	2021	205	10.14		
75 to 80,	9716	1135	11.681	1081	157	14.543		
80 to 85,	5477	953	17.400	513		19,689		
85 to 90,	1708	488	28.571	151	32	21.19		
90 to 95,	449	137	30.512	50	21	43.		
95 to 100,		40	38.835	6	3	50.		
100 and above,	28	15	53.576	3				
Not stated,		4			5			
All ages,	503376	11769	2,338	243259	4194	1.75		

This table presents some very startling results, which would perhaps be fully confirmed by a like analysis of the Registration Reports of this State, if the data could be as accurately obtained. Note the immense difference between the mortality of the married and unmarried. At every period, from 20 to 85, the death rate of the married men is much smaller than that of the unmarried. Of

every one hundred thousand unmarried men, between the ages of 20 and 25, 1,174 died during the year; while of a like number of married men only 597 died, or about one half the number. In other words, the death rate of bachelors between those ages was almost double that of the married men. And so as the age increases, the death rate still shows a marked difference in favor of the married men at every period of life; and even at the extreme age of 80 to 85 years, while 19,688 died during the year, out of every one hundred thousand bachelors, only 17,400 died out of a like number of married mea. The influence of marriage upon the male mortality is thus shown to be of the most potent kind, and bachelor life to be more destructive to the male sex than the most unwholesome of trades.

This fact is rendered still more striking if we calculate the mean age at death of the married and unmarried men. Taking the figures of this table as our basis, we find that the mean age at death of the married men was 59% years; whereas the mean age at death of the bachelors was only 40 years! The married men have, therefore, a chance of living 19% years longer than those who remain bachelors. The provision of nature herein is not only a wise one, but specially designed to protect the heads of a family, in order that they may provide for their offspring and superintend their rearing.

Grouped together in another table, we find the same general facts exhibited in relation to married and unmarried females,—showing that although the proportion of deaths among the married and unmarried women differed slightly during several of the periods, there is no disagreement in the ultimate results of the comparison. Marriage tends to lengthen the life of both sexes.

But space forbids our following this interesting array of facts upon this subject further. We can only hope they may arrest attention and lead to further investigation.

#### DEATHS.

The whole number of deaths, during the year ending December \$1st, 1867, was 4,088, which is 247 great than 1866, and 219 less than the average for eleven years, 1857-67.

The following table shows the whole number of deaths during eleven years, with percentage, ratio of deaths to the living and the average age of those who have died.

YEARS.	1857.	1658.	1859.	1860.	1861.	1562.	1963.	1864	1865.	1866	1867.	Total	ATC (1
No. Deaths,	8512	85-1	87%5	8997	4038	4820	5710	5:93	4958	3841	4085	47378	4307
Percentage,	1111	1135	1182	1287	1292	1536	1818	1711	1541	1212	1503		1007
Living to 1 Death	89	87	84	21	78	65	55	80	62	82	20		74
Ayerage Age,	88.25	88.57	36 55	35.44	35.53	30.65	31.01	29.22	35.28	38.48	36.76		35.87

The average annual number of deaths, for the past eleven year, is 4,307, or one to every 74 inhabitants; for the year 1366, one death to every 82 inhabitants.

The death rate for the year is 1.29. The average for the clevel years, 1857-67, is 1.36. Comparing this with the birth rate for the year, which is 2.05, we reach the very gratifying result that the birth rate has exceeded the death rate by 0.76 per cent., and exceeded the average death rate for eleven years by 0.69 per cent.

The counties of the State rank in healthfulness, as follows: Windsor, 562; Rutland, 472; Windham, 399; Chittenden, 360; Washington and Caledonia. each 319; Orange, 315; Franklin, 311; Bennington, 287; Addison, 262; Orleans, 245; Lamoille, 156; Essex, 43, and Grand Isle, 38.

Ages. The ages are given of 4,058, of those who died during the year, leaving 30 whose ages are not stated. The average age is 36.76 years, being less than 1866, but greater than any year previous and greater than the average (35.07) for the eleven years, 1857-67.

The following table shows the number and percentage of deaths at the specified ages, with the rates of the living at each period.

Ages.	Male.	Female.	Aggre- gate.	Percent age.	Living to 1 Death.
Under 1 year,	342	312	654	15.99	10
1 to 5,	214	182	396	9.68	76
5 to 10,	62	63	125	3.05	281
10 to 20,	101	154	255	6.21	265
20 to 30,	141	244	385	9.41	132
30 to 40,	140	166	306	7.48	125
40 to 50,	103	152	255	6.21	123
50 to 60,	133	155	288	7.04	85
60 to 70,	231	196	427	10.44	39
70 to 80,	265	225	490	11.98	16
80 to 90,	158	159	317	7.75	8
100,	38	45	83		
)WB, ******	47	30	77	1.88	

From this table it will be observed that the deaths under one year are increased nearly one hundred (92) over last year. Those under five years are increased 23, while those under ten are lessened by 40. Between the ages of 20 and 30 there is an increase of 55 over last year; and between those of 60 and 80, there is an increase of 74. More than one-third of all the deaths in the State occur under the age of ten years.

Sex. Of all the deaths, 1,975 were males and 2,083 were females, an excess of 108 females.

The excess of deaths in each of the sexes during the eleven years, 1857-67, is shown by the following table:

1857										
Males, 209	234	192	103	125	170	13	245	22	24	108

The average for the eleven years shows a mean annual excess of 53 females. For the year 1866, the ratio was 99 males to 100 females. For 1867, the ratio is 90 males to 100 females. Sixty-six persons died between the ages of 90 and 95—the sexes being equally divided. Seventeen deaths occurred in persons above 95, five males and twelve females. Five deaths are recorded of persons one hundred years old and upwards, two males and three females.

Nativity. There are recorded 3,402 deaths of Americans, 260 of Foreign and 426 Unknown. Probably the greater portion of the "auknown" may be set down as "foreigners."

Seasons. The order of months in fatality differs somewhat from last year. It is as follows: September, 471; August, 438; October, 366; April, 359; March, 337; December, 329; November, 315; July, 309; May, 298; January, 283; June, 268; February, 265. In 1866, August gave the largest number of deaths, and July the least.

The order of quarters is third, fourth, second, first;—last year, third, first, fourth, second. There is, however, but slight variation from the average of several years.

The number of deaths during the year is equal to 1.29 per cent. of the whole population. Last year, it was 1.21 per cent. The per cent. during the eleven years, 1857-67, is shown in the following table.

1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1865.	1866.	1867.	
1.11	1.13	1.18	1.23	1.28	1.53	1.81	1.68	1.54	1.21	1.29	

Average, during eleven years, 1.36. In Massachusetts; the death rate for 1866, is 1.86. The rate for all England is about 2.21, and the standard of normal mortality in that country has been generally recognized to be 1.70 per cent., or seventeen in a thousand, and as the mortality ranges above or below this point, so it is reckoned healthy or unhealthy. This standard is not, however, absolutely fixed. It is liable to change with succeeding generations. Assuming this, however, as the normal rate of mortality, a rate, however, which is hardly ever maintained for a series of years in any country, the results of our Registration Reports must be regarded as highly satisfactory, and as indicating that the prospect of long life in Vermont is as good to-day as that of the inhabitants of any civilized country.

#### CAUSES OF DEATH.

No desolating epidemic has swept over the State during the year, and yet the number of deaths has increased. This increase pertains to all the classes of diseases, save the violent, as shown by the following table, which exhibits the fatality from each class with the percentage of the whole during eleven years, 1857-67:

	ZYM	OTIC.		TITU-	Loc	AL.	DEVE	Violent.		
YEARS.	D'tha.	Pr.Ct.	D'ths.	Pr.Ct.	D'ths.	Pr.Ct.	D'ths.	Pt.Ct.	D'ths. Pr.C	
1857 1858 1859 1860 1861 1863 1864 1865 1866 Average,	804 960 933 1085 1879 2584 2176 1799 843 887	19.26 23.08 26.06 25.54 28.62 41.20 48.44 44.48 39.96 24.52 22.90 31.27	973 1027 1088 1025 967 1046 938 1024 951 1081	31.97 27.35 27.86 29.78 29.78 21.23 19.61 18.97 22.61 27.66 27.92 25.58	1013 993 1054 1025 1053 1096 1132 1108 1081 1118	28.5 29.07 26.94 28.85 27.03 23.11 20.54 23.14 24.47 31.47 28.88 26.55	576 575 432 520 476 434 393 447 309 625	8.03	124 8.4 131 3.5 146 4 136 3.5 178 3.0 164 3.0 262 5.3 149 3.2 163 4.7	

CLASS 1. Zymotics.—The total number of deaths recorded 45 belonging to this class is 887, or 22.90 per cent. of all deaths.

Diphtheria.—Whole number of deaths from this cause, during the year, is 73; last year, 190. Of these, 37 were males and 36 females. Thirty-two, or about one-half were under five years of age; and 21 were under ten. This disease reached the climax of its fatality in 1863, when 1,225 deaths were recorded. Since that period, deaths from this cause have gradually decreased, until it is now hardly more fatal than many other diseases and has ceased to be dreaded as a desoluting epidemic. The pathology of the disease is now better understood, and its treatment more effective.

Scarlatina.—Twenty-one deaths are recorded from this disease, 15 males and 6 females, all of whom were under ten years of age. This is a much smaller number than in any previous year.

Dysentery.—The fatality from Dysentery is larger than last year. One hundred and seventy-four (174) deaths are recorded, against 139 last year, of which 73 were males and 101 females.

The number of deaths reported of this desease for the eleven years, 1857-67, the per cent. and average, are shown in the following table:

YEARS.	1837	1858	1850	1861	1861	1860	1863	1861	1895	1866	1867	Total
Whole Number Per cent. of all deaths,	71 2,19	97	79	79	64 1.56	2.04	148	170 8.21	9.1a	189	174 4.25	15.65

Average, for eleven years, 142, or 2.99 per cent. of the whole mortality.

One hundred and one (101) were under five years of age; 9 between 5 and 10; 34 between 10 and 60; 28 between 60 and 80. Twenty-one died during the first seven months of the year; 60 in August; 58 in September; 26 in October, and 7 during November and December. In the order of counties, the fatality was Ru:land, 24; Washington and Franklin, each 22; Windsor, 20; Windham, 18; Chittenden, 15; Orango, 11; Orleans, 10; Lamoille, 8; Essex, 7; Addison and Bennington, each 6; Caledonia, 4, and Grand Isle, 1.

Typhoid Fever.—The whole number of deaths specially recorded from this cause are 190, of which 87 were males and 103 females. Of these, 48 occurred during the first seven months of the year; 19

in August; 43 in September: 37 in October; 32 in November, and 9 in December. Sixty-four were under 20 years of age; 33 under 30; 30 under 50; 36 under 60; 29 under 80, and 5 over 80. By counties: Rutland has the largest mortality, 35, and Essex the least, 1. Last year the number of deaths from this cause was 158. Of all classes of fevers designated in the Registration Reports, 286 deaths are recorded, or 7.38 per cent. Last year, 228, or 6.63 per cent.

Regarding all fevers as only different phases of the same disease, whether designated as Billious, Camp, Congestive, Typhus or Typhoid, we group them all together in the following table which shows the mortality and percentage of deaths from this cause during eleven years, 1857-67.

YEARS.	1857	1856	1850	1890	1861	1802	1863	1864	1666	18036 1	864	Total
Number,	174 5.19	16	251 6 04	8 (12	183	*.08	551 9.09	7.80	578 (2 9)	6 11	35	25.2

The average annual number of deaths from this cause is 313.07 6.6 per cent. of all deaths.

In order more fully to show the habitude of this disease, in regard to locality and fatality in different sections of the State, we give below a table showing its mortality by counties.

COUNTES.	1657	1556	1559	1900	1863	1862	1968	1864	1665	1866	1867	Totals.	Average by Cutter
Addison	10	-	91	21	10	33	43	18	3	18	235	230	10.
Bennington,	201	7	311	18	11	25	301	2.	34	16	19	213	19.3
Caledonia,	94	13.	21	16	9	46	34	IN	40	14	2%	258	\$3.
Chittenden	11	8	3.5	13	19	38	47	22	39	251	19	241	21.
Essex,	15.	3	2	2	3		1		6	11	1	91	1.0
Franklin	13	8	23	17	31	18	32	52	35	37	19	211	18
Grand Isle,			2	3	2	5	8	31	1	2	15	333	8.5
Lamoille,	1 2	1	11	16	10		16			R.	18	154	14.
Orange,	16	26	239	39	33			18F		34s.	21	350	3
Orleans,	6	5	6	14	12		55	11	26	31	20	150	14.
Rutland,	37	21	3	19	설기	36	57	31	46	253	NA	357	30.
Washington,	111	20	29	21	- 11	45	Sh			31	25	241	
Windham,	14	10	25	23	254	27	76		20	21	30	375	
Windsor,	81	25	32	99	14	45	65	39	70	80	335	4,2	. Si.
	-	-	-		-	-	-	-	-	- Darbon	-		
Totale,	174	161	251	239	183	E 111	561	325	673	725	Znek	11:2	>

An inspection of this table shows that the counties bordering upon the Connecticut river, exhibit the greatest mortality from fevers. Windsor, Orange and Windham rank highest on the list. Next in order is the interior county of Washington, then Rutland in the south western part of the State, and then Caledonia on the upper Connecticut; Chittenden, Addison, Bennington and Franklin, on the eastern shore of Lake Champlain follow next in order. And last are Orleans, Lamoille, Grand Isle and Essex.

The largest proportion of deaths from this cause occurred in those months of the year, when the dense fogs are most prevalent along the borders of the Connecticut and the Lake. Whether the prevalence and mortality of fevers in those localities, depends upon the peculiar condition of the atmosphere, or the foul exhalations arising from the stagnant waters in the coves and low lands adjoining those bodies of water;—or whether, as Dr. Saulsbury claims to have proved they arise from the spores of palmellae, a vegetable of the lowest order, resembling upon the earth an incrustation of saline matter or brick dust;—or whether, as Dr. Putnam, in Medical Transactions of Vermont for 1866, suggests, "fevers arise from foul exhalations about our homes," are subjects eminently worthy of study and investigation, from which important results in a sanitary point of view might well be expected. We commend them to the attention of every Physician in the State.

Forty deaths from Diarrhaa are recorded, against 29 last year; 50 of Cholera Infantum, (last year 47), 39 of which occurred in August and September. Every county, save one, in the State reports deaths from this cause. Puerperal Fever caused the death of 14 persons, seven during the first five, and seven during the last four months of the year. Twenty-seven died of Erysipelas, 73 of Whooping Cough, last year 31. Deaths are reported from this cause in every month of the year, and in every county of the State save Essex;—23 were males and 50 females, and all save two were under five years of age. Seven deaths from Cholera are recorded, one each in Franklin, Orange, Rutland, Washington and Windham counties and two in Windsor county. Privation is credited with the death of 3 persons, two in Franklin and one in Orleans counties; Intemperance with one in Orange county, and Delirium Tremens which, last year, caused the death of two persons,—none,—a gain of 200 per cent.

CLASS 2. Constitutional Diseases.—The whole number of deaths recorded in this class is 1,081, or 27.92 per cent. In 1866, 951, or 27.66 per cent. In 1865, 1,024, or 22.61 per cent.

Of the first order in this class, Diathetic, 227 deaths are recorded, or 5 86 per cent. of the whole, an increase of 29 over last year. Of these, 104, or 2 68 per cent., are recorded as of Dropay and Anemia, 50 males and 54 females, last year 81. Cancer caused the death of 108 persons, 38 males and 70 females, every county being represented save Essex and Grand Isle. Of these, 2 were of the Bowels; 6 of the Breast; 5 of the Face; 1 of the Mouth, and 15 of the Stonach. Deaths from this cause are reported in every mouth of the year, average 9 each month. Of the second order, Tubercular, 854 deaths are reported, or 22.01 per cent. of the whole number of deaths. Of 18,—10 males and 8 females—from Scrofula, and 26—15 males and 11 females—from Hydrocephalus.

But of all the diseases which afflict the human race, no one proves destructive to so many lives as Consumption. An epidemic like Cholera and Diphtheria may sweep over the land, and carry off more in a given year, but none compares with Consumption in its annual ravages. Year after year it invades about the same number of households, and consigns about the same number of victims to an early grave. It takes the lead of all the long line of causes which arrest the current of life, not only in Vermont, but in twenty-one States of the Union. The whole number of deaths reported from Consumption by the U.S. Census of 1860, was 49,082, which is greater by 21,988 than that of any other disease mentioned. And if we connect with it all other descriptions of Lung disease, the deaths from these combined, largely outcomber any one other class in all the States and Territories of the Union, save Kansas, Nebraska and New Mexico, where fevers were most prevalent in 1860.

The number of deaths from Consumption in Vermont for the year ending December 31st, 1867, was 792, or 20.63 per cent. of all deaths. Of these, 332 were males and 460 femnles, a larger disproportion of the sexes than previously recorded. Deaths are reported from this disease from every county in the State, and is every month of the year. The number is larger by 80 than last year and larger by 37 than the average for eleven years, 1857-67.

A comparison of the annual mortality from this disease, with percentage, and ratio of living to one death, together with the same

statistics in relation to deaths from all tubercular diseases, will be found in the following table:

YEARS.	11-57.	1858.	1859.	1860.	1861.	1662.	1808.	1884	1865.	1866.	1867.	Tot'le	Aver-
	THE							r90.				£311	765 18.57
Death, All Tubercu-	401							456	-	100			417
	25.:3	22.78	22 24	23.7.	22.02	17.15	15.86	14.98	17.60	21.09	22 116		20.55 391

An inspection of the above table shows that for the eleven years, 1857-67, the average annual number of deaths from Consumption was 755, or 18.57 per cent. of all the deaths and of all tubercular diseases, the annual average was 812, or 20 56 per cent. of all deaths.

Arranged by counties, the order of fatality from this disease is as follows:—Windsor, 101; Windham and Washington, each 90; Rutland, 86; Caledonia, 79; Orange, 67; Orleans, 66; Franklin, 65; Chittenden. 54; Bennington, 53; Addison, 50; Lamoille, 36; Grand Isle, 9; Essex, 8; or, if equally distributed, nearly 55 to each county.

Arranging the fatality by months in the same manner, we find it as follows:—April, 80; March, 79; May, 71; September, 70; August, 68; December, 62; October, November and January, each 60; July, 58; June, 57; February, 54. Thus, April shows the greatest fatality and February the least. Last year the greatest number died in March, and the least in October. Or, reckoning by quarters, we find the second and third quarters of the year exhibiting the greatest mortality—208 and 196 respectively, while the first and last quarters show the least—193 and 182 respectively. The average for each month of the year is 64.8 Between the ages of 20 and 30, there were 183 deaths, 68 males and 115 females, or one in 43 of all the deaths from this disease. Between 30 and 40, there were 139 deaths, 55 males and 84 females. By far the largest proportion of the deaths from this cause, for the last eleven years, occurred between these periods, embracing nearly one half of the whole number.

From these statements then it may be fairly concluded that,

in Vermont, Consumption is most likely to carry off its victims, before they arrive at the age of thirty years. It does its work of destruction in the prime and vigor of life. If, however, the consumptive tide over this period, he will hardly pass the next decennial. Beyond fifty, the number of deaths is less with only an occasional one at eighty.

The geographical distribution of Consumption is about equal through the counties of the State, in proportion to the population. Its distribution among the towns of the State would form an interesting subject for investigation, as bearing upon the opinion expressed by Dr. H. I. Bowditch, of Boston, "based upon very extensite observation, that soil moisture is chief among the causes of consumption in New England, and that localities quite near each other, and even in the same town and neighborhood, may, chiefly from this cause, be possessed of influences upon this disease quite opposed to each other." Dr. Bowditch's theory is a plausible one, and is strongly corroborated by inquires made in England in 1865-6, into the " effect of drainage works and other sanitary regulations designed to promote the public health." In the progress of this inquiry, it was found "that the drying of soil which has in most cases accompanied the laying of main sewers in the improved towns, has led to the diminution, more or less, considerable of phthisis."

A similar investigation of the localities in this State, where consumption is most prevalent, might or might not corroborate the same opinion. In any event, it is a subject worthy of the study of the physician, especially since the attention of the medical profession is now turned so strongly in the direction of change of climate as a possible remedy for the disease, and since it affords so tich a field for the worthless nostrums of the quack.

CLASS 3. Local Diseases.—Of this class 1,118 deaths are recorded, or 28.88 per cent. Diseases of the Nervous System are the most fatal of this class. Four hundred and six (406) deaths are recorded, against 375 last year, an increase of 31. The average in this class for eleven years has been 353 annually.

Of the deaths in this order, 15 were from Cephalitis; 65 from Apoplexy, an increase of 19 from last year; 122 from Paralysis, last

year 101; 11 from Epilepsy; 50 from Convulsions, and 125 from Brain Diseases, &c.

Under Diseases of Organs of Circulation, 173 deaths from Heart Disease, &c., are recorded, an increase of 27 over last year. The records of the last eleven years show a small but gradual increase of deaths from this cause. The annual average is 147.

Under the head of Respiratory Organs, 314 deaths are recorded, against 290 last year. Of these, 273, 151 males and 122 females, are recorded as of Pneumonia, or 7.05 per cent of all deaths. This is an increase of 20 over last year. Of these, 84 were under five years of age; 84 were over 60; and 24 over 80. The month of greatest fatality was April, last year February, the smallest was July. Every county in the State is represented, Rutland having the largest number, 42, and Grand Isle the least, one. Last year, Windsor county ranked highest and Rutland was third in the list. This year, Windsor is second and Chittenden third. The greatest mortality occurred in the first quarter, 92; second quarter, 81; fourth quarter, 64; third quarter, 31. Thirteen deaths of Lung Disease are recorded, which, a strict classification, would probably place in the class Pneumonia or Phlhisis. Eleven from Pleurisy; 6 by Asthma; 6 by Bronchitis, and 5 by Laryngitis.

Class 4. Developmental Diseases.—Under this class, 297 deaths from Diseases of Children are recorded, of which 82 are reported as Stillborn; 197 as Infantile, Premature, &c., and 8 as Teething. Old Age is assigned as the cause of 263 deaths, or 6.79 per cent. of the whole; last year, 247. Of these, 4 were under 70; 48 between 70 and 80; and 201 over 80. Five of the decedents were 100 and over;—125 were males and 138 females.

CLASS 5. Violent Deaths.—One hundred and sixty deaths are recorded in this class, of which 5 were Homicide; 24 Suicide, viz: Drowning, 3; Hanging, 9; Shooting, 2; not stated, 10. Of the 124 deaths from Accident, 4 were from Fractures or Contusions; 19 from Burns or Scalds; 4 Poison; 22 Drowning; 1 Suffication, and 74 from the somewhat apocryphal cause Otherwise. Of 208, the cause is not specified.

Among what may be termed rare diseases, we find 4 deaths from

Cyanosis, or blue disease, 1 male and 3 females, all under five years of age; 1 from Gallstones, female; 1 from Glanders; 3 from Hydrothorax, 2 males and 3 females, all over 20; Ilcus 2, males; Intususception 1, male, over 40; Malformations 5, 3 males and 1 female; Obesity 1, female; Spina Bifida 1; Sunstroke 1; Tetanus 3, 2 males and 1 female; Tubercular Meningitis 1; Want of Care 2, both males, and under five years of age, one in Bennington and one in Windsor counties. We would give the town and school district, if the data were at hand; Eating Honey 1, female over 40 years of age.

#### DIVORCES.

The Secretary of State added, to the Tenth Registration Report, several tables, showing the number of Divorces granted by the Supreme Court, during the five years ending Dec. 31st, 1866, Imm which it appears that the whole number granted during that period was 571, or an average of one divorce to every 20 marriages. As a partial index to the domestic morals of a portion of the inhabitants of the State, these tables are valuable; but, as showing that divorces are becoming more frequent from year to year, they are creditable neither to the virtue, morality or christianity of the State. Ill assorted marriages will occur in every community, and if only such were divorced the number would probably be comparatively small, but the tables show that among the causes of divorce, Wilful Desertion ranks highest, numbering 248; Adultery next, 171; then Intolerable Severity, 131, while all other causes combined number only ! .. During 1867, the whole number of divorces granted was 159, or one in 18; in 1866, it was 155, or one in 19 of all the marriages. Of these, the libellant, in 71 cases, was the husband, and in 88 the wife. Of the causes, Wilful Desertion has 62; Adultery 63; Intolerable Severity, 26; all others, 8. The counties rank as follows: Lamoille. one in 11 marriages; Rutland, one in 13: Washington and Windham, each one in 14; Chittenden, one in 15; Windsor, one in 16; Caledonia and Addison, each one in 20; Franklin, one in 21; Orange, one in 29; Orleans, one in 31; Grand Isle, one in 33; Bennington, one in 34, and Essex, one in 37. The average for all the counties is one to every eighteen marriages.

# APPENDIX.

## CLASSIFICATION OF DISEASES.

The following classification of the Causes of Death has been adopted for the Vermont Registration Reports, in order that they may conform as nearly as possible with those of other countries, thereby securing to them much greater value for the comparison of facts, both at home and abroad. It is that recommended by William Farr, Esq., M.D., of England, with the sauction and approval of the most eminent medical wen of Europe, and adopted in Massachusetts, and will probably be used by many other States, as well as upon the European continent,

[Norg.—The Latinized names of classes and of orders are derived from Greek roots, which may help the memory and suggest, but will never define the classes.]

#### CLASSES.

- I. Zymotic Diseases:—Zymotici. ( $Z\dot{v}\mu\eta$ , leaven.)
  - Diseases that are either epidemic, endemic or contagious; induced by some specific body, or by the want of sufficient nourishment or by the the bad quality of food.
- II. Constitutional Diseases: Cachectici. (Καχεξία, bad habit of body.)
  - Sporadic diseases; affecting several organs in which new morbid products are often deposited; sometimes hereditary.
- III. Local Diseases:—Monorganici. (Mόνος, alone, without others; Οργανον, organ.)
  - Sporadic diseases, in which the functions of particular organs or systems are disturbed or obliterated, with or without inflammation; sometimes hereditary.
- IV. DEVELOPMENTAL DISEASES:-Metamorphici. (Μεταμόρφωσις, change of form.)
  - Special diseases, the incidental result of the formative, reproductive and nutritive processes.
  - V. VIOLENT DIAEASES OR DEATHS:—Thanatici. (Θαντάοι, violent deaths)
    - Diseases which are the evident and direct results of physical or chemical forces, acting either by the will of the sufferer, of other persons, or accidentally.

#### ORDERS.

#### CLASS I.

- 1. Miasmatic diseases :- Miasmatici. (Μίασμα, stain, defilement.)
- 2. Enthetic diseases :- Enthetici. ("ErBeros, put in implanted.)
- 3. Dietic diseases :- Dietici. (Alarra, way of life, diet.)
- 4. Parasitic diseases:-Parasitici. (Παρασῖτος, parasite.)

#### CLASS II.

- Diathetic Diseases:—Diathetici. (Διάθεσις, condition, diathesis.)
- 2. Tubercular diseases :- Phthisici. (Φ9ίσις, wasting away.)

#### CLASS III.

#### Diseases of-

- 1. Nervous system :- Cephalici. (Κεφαλή, head.)
- 2. Organs of circulation: Cardiaci. (Καρδία, heart.)
- 3. Respiratory organs:-Pneumonici. (Πνεύμων, lung.)
- 4. Digestive organs :- Enterici. ("Εντερον, intestine.)
- 5. Urinary organs:-Nephritici. (Νεφρός, kidney.)
- 6. Organs of generation :- Aidoici. (Αὶδοῖα, pudenda.)
- Organs of locomotion:—Myostici. (Μῦς, muscle; Οστέον, bone.)
- 8. Integumentary system :- Chrotici. (Χρώς, skin.)

#### CLASS IV.

- 1. Developmental diseases of children :- Paidiaci. (Παιδία, youth.)
- 2. Developmental diseases of women: Gyniaci. (Γυνή, woman.)
- Developmental diseases of old people:—Geratici. (Γῆρας, old age.
- 4. Diseases of Nutrition :- Atrophici. ('Ατροφία, atrophy.)

#### CLASS V.

- 1. Accident :- Tychici. (Tuxn, chance.)
- 2. Battle:-Polemici. (Πόλεμος, a battle, fight.)
- 3. Homicide: Androphonici. ( Ανήρ, man; Αυτος, self; Φονείω,
- 4. Suicide:-Autophonici. I murder, kill.)
- 5. Execution :- Demiotici. (Δημιώτης, executioner.)

# STATISTICAL NOSOLOGY.

Norm.—This page and those that follow contain two lists of causes of deaths. The first—that on the left side—may be called the TABULAR LIST, and comprises all the heads which it is proposed to admit into the complete tables, and under which ALL deaths, from whatever cause, must eventually be distributed. It represents those diseases which, under the same terms, or terms strictly synonymous with them, are found in practice to occur most frequently.

The SUPPLEMENTAL List is subordinate to the first, and contains the principal special diseases which it may be considered desirable to note. But it should be observed, that every case marked here is also to be enumerated under one or other head in the tabular list. The tabular head under which it is proposed to place such special cases are shown by references in figures. The special cases are referred to those heads to which they are most nearly allied. It will be found that the special cases are few, and will not affect the larger numbers in the tables to any important extent.

#### CAUSES OF DEATH.

	JUAN	LI	ST.				SUPPLEMENTAL LIST.
CLASS 1,	ZYMO	TIC :	Disi	ASE	В.		Of Diseases of a Special Character, or rarely fata!
Order	I.—1	Miasn	natic				
L. 11. Smallpox,		-	-	-	•	•	I. 1.—1. Vaccination not stated.
2. Measles,	-	-	-	-	-	-	Variola,
3. Scarlatina,	•	-	-	•	-	-	After Vaccination,, (Vario
4. Diphtheria		-	•	-	-	-	Brysipelas, &c., after vacci-
5. Quinsy,	•	-	•	-	-	-	netion
6. Croup,	-	-	•	-	-	-	
7. Whooping	Cous	zh.	-	•	-	•	Miliaria.
8, Typhus (at	nd Ini	fantile	e) Fe	ver.	-	-	2. Rubeola.
9. Erysipelas,		-	_	-	-	-	8. Angina Maligna.
10. Metria (or		peral	Feve	er).	-	-	5. Mumps. Tonsillitia.
11. Carbuncle.		•	-	•	-	-	8. Typhoid fever.
12. Influenza.	-	-	-	-	-		9. Phiebitis.
13. Dysentery.		-			-	-	Pyemia.
13. Dysentery, 14. Diarrhœa,	_	-	-	-	-	-	Hospital gangrene.
15. Cholera In				-	-	-	Erythema.
16. Cholera,	-	_,	-	-	-		10. Childbed fever. 11. Anthrax.
17, Ague, -		-		-	_	-	
18 Remittent		٠	-		-		17. Intermittent fever.
19. Rheumatis		" <b>-</b>			-		18. Yellow fever. 19. Rheumatism, with pericardi
	,						tis, or disease of heart.
Orde	<b>B</b> 2 -	_ R:n/1	hatic				li di discuso di nomini
L 2.—1. Syphilis,	<b>.</b>	- <b>1</b> 21144	ш.	_	_	_	I. 2.—1. Gonorrhœa,
2. Stricture of	e TT-	shra	-	-	-	•	Purulent ophthalmia.
3. Hydropho		7641 By	•	•	•	-	4. Necusia, (usually from dis
4. Glanders,		•	-	•	•	•	section wounds.) Malignant pustule.

TABULAR LIST.		SUPPLEMENTAL LIST.
CLASS I.—(Continued.)		
Onoun 3.—Dietic.		and the same of th
L. 31. Privation,		L 31. Want of Breast Milk.
a Duennes and Consus		2. Rickets,
3. Delirium Tremens, (Alcoholism		Brouchocele,
4. latemperance, (Alcoholism		
ORDER 4Parasitic.		
l. 41. Thrush,		L. 42. Porrigo.
2. Worms,	-	Scabice.
		Tupe-worm. Hydatids,
CLASS II. CONSTITUTIONAL DIBEAS	ES.	
ORDER 1.—Diathetic.		HIRO Manager
II. I1. Gout		II. 13. Soft cancer.
2. Droosy and Ausmis.		Sweep's cancer.
13. Cancer, 4. Noms (or Canker), 5. Mortification,		Melanosis.
4. Noms (or Canker),		Other kinds of cancer.
5. Mortification,		l'olypus (part not stated). Lupus.
	-	5. Bed sore.
0 0		Dry Gangrens,
Onden 2 Tubercular.		
II. 21. Scrotula, 2. Tabus Mesenterica,		II. 1,-1. Peons abacess.
2. Index Mesentorics,		Lumbar abscess. White awelling.
8. Physicis (Consumption of Lung-	3/1	Cretinism.
4. Hydrocephanus,		2. Tubercular peritonitis.
	_	8. Hamoptysis. 4. Tubercular meningitis.
CLASS III. LOCAL DISEASES.	_	a market bar backling odds,
Onder 1 Nervous System.		III. 1 1. Myelitis, Phrenitis.
III. 11. Cephalitia,		Cerebro-apinal Mentagitta.
2. Apoplexy,		4. Fright,
3. Paralysis,		Grief. Melancholia.
4. Insunity,	-	Rage,
5. Chorea,	-	6. Hysteria.
6. Epilepsy,		6. Laryugismas stridulus.
7. Tetanus,	-	9. Neuralgia, Ophthalmia
8. Convulsions, 2 9. Brain Diseases, * frc		Otitis.
J. Druin Discuses, " grc		Disease of apinal marrow.
		Necrencephalus (Softenin of Brain-Ramolfisement
		III. 21. Carditis.
Onder 2 Organs of Circulation		
II. 21. Pericarditis,		Endocarditia.
III. 2.—1. Pericarditis,		Endocarditis. 3. Hypertrophia.
II. 21. Pericarditis,		Endocarditis.  3. Hypertrophia.  Angles pectoris.  Syncope.
II. 2.—1. Pericarditis,		Endocarditis.  3. Hypertrophia.  Angles pectoris.  Syncope.
III. 2.—1. Pericarditis, 2. Ancurism, 3. Heart Diseases,* &c.		Endocarditis.  8. Hypertrophia.  Angins pectoris.
III. 2.—1. Pericarditis, 2. Aneurism, 3. Heart Diseases,* fc.  [Order 3.—Respiratory Organs.		Endocarditis.  8. Hypertrophia. Augins pectoris. Syncope. Arteritis. Hydroporicardium.
III. 2.—1. Pericarditis, 2. Aneurism, 3. Heart Diseases,* &c.  **CORDER 3.—Respiratory Organs.** III. 3.—1. Epistaxis,		Endocarditia. 3. Hypertrophia. Anglias pectoria. Syncope. Arteritis. Hydroporicardium. III. 3.—2. Œdema glottidis.
III. 2.—1. Pericarditis, 2. Aneurism, 3. Heart Diseases, * &c.  (ORDER 3.—Respiratory Organs. III. 3.—1. Epistanis, 2. Laryoguis,		Endocarditis.  8. Hypertrophia. Augins pectoris. Syncope. Arteritis. Hydroporicardium.
III. 2.—1. Pericarditis, 2. Aneurism, 3. Heart Diseases,* fc.  (Order 3.—Respiratory Organs. III. 3.—1. Epistaxis, 2. Laryoguis, 3. Bronchitis,		Endocarditia.  3. Hypertrophia. Angina pectoria. Syncope. Arteritia. Hydroporicardium.  IU. 3.—2. Œdema glottidis. 4. Empyema. Hydrothorax. Diaphra-unitia.
III. 2.—1. Pericarditis, 2. Aneurism, 3. Heart Diseases,* &c.  **CORDER 3.—Respiratory Organs.** III. 3.—1. Epistaxis, 2. Larynguis, 3. Bronchitis, 4. Pleurisy,		Endocarditis. 3. Hypertrophia. Abgina pectoris. Syncope. Arteritis. Hydroporicardium.  III. 3.—2. Œdema glottidis. 4. Empyema. Hydrothorax. Diaphra-unitis. Ppeumothorax.
III. 2.—1. Pericarditis, 2. Aneurism, 3. Heart Diseases,* &c.  [Order 3.—Respiratory Organs. III. 3.—1. Epistaxis, 2. Larynguis, 3. Bronchitis, 4. Plearisy. 5. Preumonia,		Endocarditia.  3. Hypertrophia. Angina pectoria. Syncope. Arteritia. Hydroporicardium.  III. 3.—2. Œdema glottidis. 4. Empyema. Hydrothorax. Diaphra-unitia. Preumothorax. Endocarditia.
III. 2.—1. Pericarditis, 2. Aneurism, 3. Heart Diseases,* &c.  **CORDER 3.—Respiratory Organs.** III. 3.—1. Epistaxis, 2. Larynguis, 3. Bronchitis, 4. Pleurisy,		Endocarditia.  3. Hypertrophia. Angina pectoria. Syncope. Arteritia. Hydroporicardium.  III. 3.—2. Œdema glottidis. 4. Empyema. Hydrothorax. Diaphra-unitia. Preumothorax. Endocarditia.
III. 2.—1. Pericarditis, 2. Aneurism, 3. Heart Diseases,* fc.  (Order 3.—Respiratory Organs. III. 3.—1. Epistaxis, 2. Larynguis, 3. Bronchitis, 4. Plearisy. 5. Preumonia, 6. Asthma,		Endocarditis. 3. Hypertrophia. Abgina pectoris. Syncope. Arteritis. Hydroporicardium.  III. 3.—2. Œdema glottidis. 4. Empyema. Hydrothorax. Diaphra-unitis. Ppeumothorax.

<sup>&</sup>quot;outer threates of the brain, or discusses of the nervous system, not otherwise distinguished are, referred to this head. Mutatis mutandis, the note applies to the corresponding heads in other orders of this class.

TABULAR LIST.	SUPPLEMENTAL LIST.
CLASS III.—(Continued.)	
ORDER 4.—Digestive Organs.	
2. Enteritis,	- III. 4.—1. Glossitis.
2. Enteritis,	- Stomatitis.
3. Peritonitis,	_   Pharyngitis.
4. Ascites.	Œsophagitis.
5. Ulceration of Intestines,	6. Perforation of 6. Congenital.
6. Hernia	Femoral.
7. Ileus,	- Inguinal,
8. Intussusception,	. Scrotal.
9. Stricture of Intestines	Timbilies1
10. Fistula,	Ventral.
11. Stomach Diseases, * fe.,	7 Constipation, 11. Dyspepsia.
10 Bananana Disassa * las	11. Dyspepsia.
12. Pancreas Disease,* &c.,	Fyrosis.
13. Hepatitis,	·   Gastralgia.
	- Hematements,
15. Liver Disease, * &c,	- Mehena.
16. Spleen Disease, * &c.,	. Hemorrholds.
	14. Gall-stones.
	to Chinosia.
ORDER 5 Urinary Organs,	
1. Nephritis,	TIT K - 9 Albuminaria
2. Ischuria,	LEG D. O. ZEIGHININETIN.
3. Nephria, (Bright's disease), .	6. Cystirches. 7. Dinresis.
4 TVI have	H-manat-min
5. Diabetes,	Dis of prostate
5. Calculus (Gravel, &c.),	Dis, of prostate, Dis, of bladder,
8. Cystitis,	- I Dinger.
7. Kidney Disease, # &c.,	-
ORDER 6Generative Organs,	
1. Ovarian Dropsy,	
0 Disease of Times & for	" III. 62. Orchitie.
2. Disease of Uterus, * &c.,	Hydrocele.
	Hysteritis (Inflammation o Womb),
	Womb),
	Ovarian tumor.
	Uterine tumor,
	Potypus uterl.
ORDER 7 Organs of Locomotion.	
-1. Arthritis,	III. 7.—f. Ostitis.
2. Joint Disease, * fre.,	Periostitis,
The state of the s	2. Fragilitas ossium,
	Molfi osslum,
	Carles,
	Necroels,
	Exostosis.
Onnes 6 Telegramenters Contan	
ORDER 8 Integumentary System.	TIT O & Absence friend and others
-1- Phlegmon,	III. 8.—I. Abscess (part not stated.) Boil.
2. Ulcer. 3. Skin Diseases,* frc., -	Whitlow,
J. Skin Diseases, Frc.,	3. Roseola.
	Urticaria.
	Eczema.
	Herpes.
	Pemphigus,
	Ecthyma.
	Impetigo.
	Psoriasis.
	Ichthyosis.
	Tumor (part not stated.)

TABULAR LIST.	SUPPLEMENTAL LIST.
CLASS IV. DEVELOPMENTAL DISEASES.	
ORDER 1.—Developmental Diseases of Children. IV. 1.—1. Stillborn. 2. Premature birth, and Infantile Debilty. 3. Cyanosis, 4. Spina Bidds, 5. Other Maiformations, 6. Tecthing;	IV. 1.—2. Atelectaris. 5. Anna imperioritai. Cleft palare. Idiocy.
ORDER 2,- Developemental Diseases of Women.	
IV. 2.—1. Parmenia. 2. Childbirth, (See Metria I. 1.—9.)	IV. 2.—1. Chloroete Chimacteria, Menorrhagus 2. Miscarriagus Abortian, Purperal Manta. Phieconsista dotest. Constrian operation.
ORDER 3.—Developmental Diseases of Otal	Extra uterine festation: Flooding.
IV. 8.—1. Old Age,	Presentation of Placents  Presentation of placents
ORDER 4.—Diseases of Nutrition.  IV. 4.—I. Atrophy and Dobility,	Deformed Pelvis. Breast abscess.
CLASS VVIOLENT DEATHS.	}
ORDER 1.—Acoident or Negligence.	
V. I.—1. Fractures and Contusions,	\$
3. Burns and Scalds,	
5. Drowning,	5
6. Suffocation,	
ORDER 2.—Battle.	2
Ondan 3.—Homicide.	
ORDER 4.—Suicide.	
V. 4.—1. Wounds;	
2. Poison,	
4. Hanging -	8
AN AN A	1
V. S1. Hanging,	
Violent Deaths, not classed,	
Dudden, Chune unsectimined, * * * *	1

Nors.—Where a person is "found drowned," the coroners, as in some other cases not always succeed in discovering whether the case is a suicide, a murder, or an accident and the case are thesed under "accident or negligence." Cases of "infantile fever classed with those of typhoid, relapsing, and other continued fevers, under one in typhos." Cases of "rhematic fever" are classed with "rheumatism;" of "her hage "and "abscess," with the diseases of the organs affected. Cases of "magict," "cold," except when the result of privation. (Class I. 3.—1.) are placed (with notes) der deaths by "accident or negligence," (V. 1.—7.) As "atricture of the ureths" is a inviarably the result of gonorrhea, it is classed as I. 3.—2.

<sup>\*</sup> Including "Railroad Accidents,"

# LAW OF THIS STATE

RELATING TO THE REGISTRY AND RETURNS OF BIRTHS, MARRIAGES AND DEATHS.

AN ACT RELATING TO THE REGISTRY AND RETURNS OF BIRTHS.

MARRIAGES AND DEATHS.

SECTION 1. The clerks of the several towns of this State shall, annually, in the month of June, transmit to the Secretary of State a certified copy of their record of births, marriages and deaths, which have occured in their respective towns during the year next preceding the first day of January. The births shall be numbered and recorded in the order in which they are received by the clerk. The record of births shall state in separate columns the date of the birth, the name of the child (if it have any), the sex of the child, the place of birth, name and surname of one or both the parents, residence of the parents, occupation of the father, and the time when the record was made. The marriages shall be numbered and recorded in the order in which they are received by the clerk. The record of marriages shall state in separate columns the date and place of marriage, the usmes and surnames of the groom and bride, the residence of each at the time of marriage, the age of each, occupation of the mau, and time when the record was made. The deaths shall be numbered and recorded in the order in which they are received by the clerk. The record of death shall state in separate columns the date of the death, the name and surname of the deceased, the sex, condition (whether married or single), age in years, months and days, the place of death, the disease or apparent cause of death, the occupation, if a male over fifteen years of age, the place of birth, the name of the parents, and the time when the record was made.

- SEC. 2. The clerks in the several school districts in each town shall, annually, in the month of February, ascertain, from actual inquiry or otherwise, all the births and deaths which have happened in their respective districts during the year next preceding the first day of January, together with such facts concerning the births and deaths as are required by the preceding section of this chapter, and shall make an accurate return thereof to the clerk of the town in which such school district is situated, on or before the first day of March; and the district clerk or other person or persons anthorized to perform his duties and make such returns, shall be entitled to receive from the treasury of such town five cents for each and every birth and death so returned. And if such person shall neglect or refuse to make the returns required by this section, he shall be liable to a fine of not less than five dollars for each neglect or refusal.
- SEC. 3. Every justice of the peace or minister of the gospel shall make a record of each marriage solemnized before him, and every clerk or keeper of records of the meetings wherein any marriage among the people called Friends, or Quakers, shall be solemnized, shall make a record of such marriage, together with all the facts relating to marriages required by the first section of this chapter; and such justice, minister or clerk, shall annually, in the month of February, or from time to time, return a copy of the record for the year next preceding the first day of January, to the clerk of the town in which the marriage was solemnized; and every such person who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than ten dollars for each neglect or refusal, to be recovered on the complaint of a grand juror of such town.
- SEC. 4. The clerk of each town shall be entitled to receive from the treasury of the town five cents for recording each birth, death and marriage; provided, said clerk shall comply with the provisions of this chapter in all respects.
- SEC. 5. It shall be the duty of the clerks of the several towns to make such distribution of the blank forms of returns as shall be designated by the Secretary of State.
  - SEC. 6. The Secretary of State shall, at the expense of the State,

prepare and turnish to the clerks of the several towns in this State, blank forms of suitable quality and size, to be used as books of records, according to the provisions of this chapter, and also blank forms of returns, as hereinbefore specified, and shall accompany the same with such instructions and explanations as may be necessary and useful.

- SEC. 7. Every physician who shall have been in attendance upon any deceased person, shall leave with the town clerk a certificate containing the name of the disease or cause (if known) of such death, within fifteen days after the interment of the deceased. Any such medical attendant who shall neglect or refuse to give the certificate required by this section, shall, for such offense, pay a fine of three dollars, for the use of the town where such offense shall be committed.
- SEC. 8. It shall be the duty of the Secretary of State to receive the returns made in pursuance with the first section of this chapter, and he shall cause the same, at the expense of the State, for each year to be bound together in one or more volumes, with indexes thereto; and with such assistance as may be voluntarily rendered by any authorized committee, appointed by the Vermont Medical Society for that purpose, prepare therefrom such tabular results as will render them of practical utility, and make a report thereof annually to the Legislature, and generally shall do whatever may be required to carry into effect the provisions of this chapter.
- SEC. 9. The Secretary of State shall cause prosecutions to be commenced, in the name of the State, in an action on the case, founded on this chapter, to recover any penality or forfeiture imposed by any provisions therein.
- AN ACT IN AMENDMENT OF SECTIONS ONE, TWO AND THREE OF CHAPTER SEVENTEEN OF THE GENERAL STATUTES, RELATING TO REGISTRY AND RETURNS OF BIRTHS, MARRIAGES AND DEATHS.
- SECTION 1. That chapter seventeen, section two, of the General Statutes, shall be amended by striking out of the ninth line in said section the word "March," and by inserting therein the word "February," and that the word "February," in the second line, be stricken out, and the word "January" inserted.

Sinc. 2. That from the shird section of the same chapter there shall be stricken out the word "February," and inserted therein in word " January."

SEC. 3. That from the first section of the same shapter then shall be stricken out the mord "June," and the word "March" inserted.

SEC. 4. This act shall take effect from its passage. Approved, November 15th, 1866.

# TWELFTH REPORT

TO THE

# LEGISLATURE OF VERMONT,

RELATING TO THE

# REGISTRY AND RETURNS

OF

# Births, Marriages & Peaths,

IN THIS STATE,

FOR THE

YEAR ENDING DECEMBER 31ST, 1868.

PREPARED UNDER THE DIRECTION OF GEORGE NICHOLS, Secretary of State.

RUTLAND: TUTTLE & CO., PRINTERS. 1670.

IN SENATE, November 17, 188

On motion of Senator William R. Hutchinson, the Tweifth Annual Reportabling to the Registry and Returns of births, marriages and deaths for the year ending December 31st, 1868, communicated by the Secretary of State, was ordered to be and the Secretary directed to procure, the printing of one thousand copies for the

use of the General Assembly.

HENRY CLARK, Secretary.

## REPORT.

### STATE OF VERMONT,

Office of Secretary of State, \ Northfield, Oct. 1st, 1869.

#### To the General Assembly:

In compliance with the requirements of the laws of the State, I have the honor to transmit herewith the Twelfth Annual Report, relating to the Registry and Returns of Births, Marriages, Divorces and Deaths that have occurred in the State during the year ending December 31st, 1868.

For the first time since the system of Registration was established in Vermont, returns have been received from every town in the State, though perhaps not in all cases with that fullness and accuracy of detail that is especially desirable in a work of this character; yet an important point has been gained, and now with an increase of the persistent determination that has characterized former efforts, aided by the salutary provisions of an act, entitled "An Act relating to the fees of School District Clerks," approved Nov. 19, 1968, it is confidently expected that more desirable results will be obtained. The attention of your Honorable Body is respectfully solicited to the urgent necessity of a better and more judicious law relating to marriages. Under the present code, records of marriages are so imperfectly made, that the primary object for which such laws were enacted—the preservation and consequent perpetuation of facts that should surely and satisfactorily establish questions of legal descent and inheritance—is oftentimes rendered so obscure, that the benefits expected are never realized.

The present, as compared with former reports, is more complete with all matters pertaining to a proper Registration. This fact may be attributed to the recognition which the State, as well as individuals, are giving the subject, and when the State shall have fully thrown around the present system its strong support, we may hope to add to the field of science and scientific pursuits a valuable contribution; a contribution that shall reflect honer upon our Commonwealth, and credit upon those who first conceived and shall have developed it.

In addition to the ordinary matter comprising the Annual Reports, there have been added tables of Meteorological Observations, made, and kindly furnished for this Report, by Professor McKendree Petter, of the University of Vermont and State Agricultural College, which cover a period embracing a greater portion of the time since the Registration Reports of this State were established. The relation

which atmospheric influences may sustain to the vital statistics of the State, is one of deep interest, and must open a wide field for investigation, and certainly the observations themselves cannot fail to impart a very great addition to the value of these Reports.

Again is the State indebted to the pen of Dr. L. C. BUTLER, the worthy and efficient Secretary of the State Medical Society, for the interesting and highly practical deductions made from the tabulated statistics that comprise this Report.

To the consideration of all those who do not believe in the alleviation of suffering simply, but in a proper knowledge of human development, modified by the various influences that exist in communities, this report is commended.

Respectfully submitted,

GEORGE NICHOLS,

Secretary of State.

# CONTENTS.

	I ADDES.	
I.	GENERAL ABSTRACTS.—Population in 1860, Births, Marriages and Deaths, registered in each town, distinguishing the sex and parentage of Births, the nativity of Marriages, the sex, aggregate and average ages, and the percentage of Deaths,  *Recapitulation* of General Abstracts,	2-17 18-19
E.	BIRTHS.—Showing the number of each sex, in the several counties, during each month,	20-21 22
	B. Supplement.—Illegitimate Births, by counties, by months and by sex,	23
	MARRIAGES.—By counties and by months,	24
	PERSONS MARRIED.—By ages, and by conjugal conditions, .  DEATHS.—By countles, by months and by sex,	25-27 28-29
	DEATHS According to Age.—Showing the number of each sex at different ages, in each town and county, with the population and percentage,	
	CAUSES OF DEATH.—Alphabetically arranged—showing the number of each sex, dying at different ages, during the several months, with the various diseases,	62-73
	CLASSIFICATION OF THE CAUSES OF DEATH.—By counties, with the totals and percentage,	74-81
	Occupation.—Showing the number of those pursuing different avocations, the number of deaths in each, the ratio to the living, and the aggregate and average ages of those dying,	
	DIVORCES—Exhibiting the number granted, with the causes therefor; also, the ratio of divorces to marriages,	84
	DIVORCES.—Exhibiting the number granted, arranged with special reference to the Libelants,	85-86

METEOROLOGICAL OBSERVATIONS.	PAGI	-8
Importance of in relation to disease,		87
Record of temperature, moisture, weight, direction and condition atmosphere for years 1858–68 inclusive,		<b>9</b> 1
SUMMARY OF OBSERVATIONS.		
Returns complete, from every town,		<b>9</b> 1
Comparison of Births, Marriages and Deaths with previous years,	•	<b>9</b> 3
Comparison with Rhode Island and Massachusetts,	•	94 94
	•	-
Births.		
Whole number for 1868,	•	93
Table of Births, aggregate for twelve years, with the annual birth ramean birth rate and sex.	ite,	94
Province Division of Development of the Control of	•	94 95
Excess of Births over Deaths in this State,	•	95
Sex, ratio of males to females,	•	95
Comparison with Massachusetts and Rhode Island,		95
Table showing each sex by counties, and the ratio of males	to	
females,		95
Births to population in each county,		96
Season,		96
Plurality Births,	•	97
Illegitimates,		97
Influence of national religion on illegitimate births,	•	98
Stillborn,		99
Parentage.		
Ratio of native to foreign parentage,		99
Table showing parentage of children born during the last twelve year	ars,	
with per cent. of each to population of each class, .	•	ñõ
Comparison with Massachusetts and Rhode Island,		100
MARRIAGES.		
Whole number in 1867,		100
Table showing the number for the last twelve years, with the ratio	) to	
the population and average,		101
Social condition in life and ages of those married,		101
Divorces.		
Whole number,		101
Ratio of divorces to marriages,	-	102
Oauses of divorce,		102

ATHS.	LGES
Whole number in 1867,	102
Table showing the whole number for the last eleven years, with the	102
percentages and the ratio of the living to the dead.	102
Average number of deaths annually,	102
Comparison of mortality between east and west counties of the State.	101
in tabular form.	102
Comparison by counties, with death rate for each,	103
Comparison by large towns with number of deaths to population.	103
Comparison by cities of the State,	103
Comparison of birth rate and death rate in the State for twelve years,	103
also of Massachusetts and Rhode Island,	104
Average age of decedents,	104
Sex, nativity and season,	104
Sex, nativity and sonson,	104
USES OF DEATH.	
Table showing fatality from each class of diseases, with percentage of	
the whole during twelve years,	105
Table showing the number of deaths from sixteen principal causes,	100
	. 107
Remarks upon different diseases,	108
Diphtheria, its relative position,	108
Scarlatina, " "	108
·	108
Dysentery, "	108
Fevers, their rank in the list,	
	109
Where fevers are most prevalent in the State,	109
Connection between fevers and decomposition of organic substances,	109
Decaying vegetables in cellars, influence of, on fevers,	110
Infantile diseases, their increase,	110
Shall the increase be ascribed to the weather?	110
Dr. E. M. Snow upon the subject,	111
Causes of Stated,	111
Old age, number of decedents in 1868,	112
Pneumonia, its rank "	112
Time of greatest fatality from it	112
Consumption, number of decedents in 1868,	112
Dispropertion of sexes	113
Comparison of annual mortality, percentage of deaths, etc., tubercular diseases.	113
Order of counties in fatality,	113
Comparison of east and west portions of the State, by counties.	
•	114
Comparison of lake and river counties,	114

1	7	٥	o	٥	
	1	8	0	o	L

# VIII. TWELFTH REGISTRATION REPORT.

					PAGES
Comparison of interior and south-western counties,					. 115
Mortality in each county in proportion to population,					116
Conclusions reached,					. 116
Comparison with Massachusetts and Rhode Island,					116, 117
Results of investigation stated,					117, 118
Mortality from various other diseases,		•		•	118
APPENDIX.					
Classification of diseases,					. 171
Statistical Nosology,					123
Law of this State relating to the Registry and Returns	of	Bir	ths,	M,	AT-
rieges and Deaths					12

# REGISTRATION

# IRTHS, MARRIAGES AND DEATHS

VERMONT

щ

THE YEAR ENDING DECEMBER 31, 1868.

# TABLE I.—BIRTHS,

# Returned to the Secretary's Office,

### ADDISON

	1860.	BIRTHS.						
Towns.		No.		Sex.	PARESTAGE			
	Population in	Whole	М.	F.	Un.	Am.	For. Un.	
Addison,	1600	2	10	15		20		
Bridport,	1298	30	17	22		24	15	
Bristol,	1351	23	12	1 1	1	21	9	
Cornwall,	977	31	14	17		20	111	
Ferrisburgh,	1738	37	23	14		26	10	
Goshen	394	10	6	4		8	2 -	
Granville,	720	32	13	19		2:	10/-	
Hancock,	444	5	1	4		5		
Leicester,	737	23	1.1	12		8	14	
Lincoln,	1070	31	14	17		21	11	
M.ddlebury	2879	61	27	34		32	24	
Monkton	1123	23	10	13		16		
New Haven,	4419	29	22	7		14	15	
Orwell,	1341	22	11	11		1.3	10	
Penton,	50ii	10	7	3		64	1	
Ripton,	570	11	7	4		9	1	
Sa isbury,	850	7	1	6		5		
Shoreham,	1382	32	17	15		26	1 12	
Starksboro,	1437	45	21	20	4	31	1	
Vergennes,	1286	7	4	3		2		
Waltham,	263	8	4	4		E		
Weybridge,	667	12	5	7		9		
Whiting,	542	*	7	1		6		
Totals,	24010	531	264	262	-5	346	17	

## MARRIAGES AND DEATHS.

# For the year ending December 31st, 1868.

### COUNTY.

M.	IARRIAGES, DEATHS.										
40,	N/	TIVIT	ry.	No.		Sex.			AGE.		ge.
Whole No.	Am.	For	Un.	Whole 1	M.	F.	Un	Ages	Agg²te.	Average.	Percentage.
8	12	2	2	7	5	2		7	258	36.58	.70
- 8	16			18	5	11		18	894	49,66	1.38
11	16	3	3	11	3	>		11	569	51.72	[8]
12	21	3	1	17	7	10		17	750	44.11	1.7
10	16:		. 4	29	16	13		20	1451	50.03	1.63
3	5	1		12	8	4		12	514	42.83	3.0-
4	8			7	4	3		71	338)	48.28	.97
4	8			5		5		5	221	44.20	1.03
4 4 7 5	8	4	2	- 8	5	3		8	294	36.74	1.08
5	10			16	10	- 6		15	71×	47.86	1.49
52	Gti	21	17	43	17	26		42	1338	31.85	1.49
12	22	2		15	9	6		15	794	52.93	1.34
14	23	5		25	11	14		23	607	26.39	1.76
5	10			15	8	7		15	717]	47.80	1.1
5 2 4 4	2	2		6	3	3		6	255	42.50	1.19
4	2 8 2			7	1	6		6.7	244	34.×5	1.25
4	2	1	5	Ð	4	5		4	338	37.55	1.08
Çı	16	2		19	15	7		199	515	27.11	1.39
13	20	- 3	3	31	31	16	4	29	1247	43.00	2.13
				1		1		1	18	18.88	.08
2	4			35	1	2		3	77	25,66	1.1-
4	5		3	10	4	6		10	281	28,10	1.50
1	2	4 4 7 4		12	8	4		12	358	29,83	2.2
194	300	49	39	320	154	168	4	320	12796	30.99	1.3

## TABLE I.—CONTINUED. BENNINGTON

	860.			BI	RTH	IS.		
Towns.	Population in 1860	No.		Sex.		Pat	EKTA	GE.
	Popula	Whole	M.	F.	Un.	Am.	For.	Un.
Arlington,	1146	31	15	16		22	6	3
Bennington,	4389 209	600	67	79	1	92	54 38	
Dorset,	47	2	1	1		1	130	1
Landgrove,	32	8	5	3		8		
Manchester,	1688	53	24	29		33	19	
Peru,	543	16	7			15	1	
Pownal,	1731	54	28	26		35	14	5
Readsboro,	930	25	17	1		23	2 3	
Rupert,	1103 805	24 16	10	14		20	_	1
S-ndgate,	262	10	6 5	10		16		
S-araburgh, Shafusbury,	1930	69	31	38		48		
Stamford,	759	12	5			7	5	
Sinderland,	567	20	12	8		15	1 4	
Wishall,	741	14	8	9		16	1	
Woodford,	379	8	3	5		7	1	
Totals,	19436	570	275	294	-	380	168	10
10000,	10400	010	210	2013	-	uos	100	1
	CALED	ONL	A			,		
Barnet,	1994	18	9	9				
Burke,	1138	29	15	14		200		
Danville,	2544	48	21	27	****			
Greton,	939	30	18	12		0.1		_
Hardwick,	1369 478	10	9	17		1 20		
I y dop,	1695	43	24	19		0.5	_	
Nowark,	567	12	7	5		-		
Peacham,	1247	2	12			0.00		
Ryegate,	1095	19	11	18		17		
Sheffield,	836	21	8	13				
St. Johnsbury,	3469	118	67	51				
Stannard,		3	7	2			-	
Sarion,	987	17		7	3	1		
Walden,	1471	23	15			2.0		
se weet styles a second second as a	832	19	12			1		
Wheelock								
Wheelock,	005				1111	نظرا		

# 1368.] BIRTHS, MARRIAGES AND DEATHS.

# TABLE I.—Continued. COUNTY.

M	ARR	IAGI	.82					DEA	THS.		
No.	N	NATIVITY.		No.		Sex.			Sex.		99
Whole	Am.	For.	Un.	Whole 1	M.	F.	Ua.	A ges Piven.	Agg'ie.	Average	Percentage.
13	21	3	2	16	li	6		16	584	36,50	1.39
56	52	27	3:	93	45	48		93	357×	33.09	2.11
	15	10	5	22	14	8.		19	536 44	2×.21 14.66	1.08
3	6			3	1	3 2		3	17)	57.00	.93
15	21	9		34	14	20		31	871	28.09	2.0
2	4		****	4	1	3		4	171	42.75	.78
2 30	68	5	5	20	9	9	2	20	474	23.70	1.14
				9	4	5		9	250	27.77	.96
5	6	4		10	4	6		10	409	40.90	.96
3	6			15	3	11	1	15	663	44.20	1.86
10	17			3	13	1		3	6h	22.66	1.14
4	5	0	1	30	10	17		29	923 12	31.82 12.00	1.5
5	5	2	3	14	5	9		14	353	25.21	2.40
8	15	ī		8	4	4		8	318	39.75	1.0
2	4			4	4			3	183	61.00	1.08
180	247	64	49	289	134	152	3	281	9108	32.41	1.48
	,				-	COU	NTY	•		'	_
12 16	16	4 2	4	17	8	8		17	285 626	31.66 36.82	1.49
10	18			41	16	22	3	41	1459	35.34	1.6
9	17	1		7	2	3	2	6	27.2	45.33	.7-
12	23		2	18	11	6	1	18	718	39.88	1.3
1	2			3	2	1		2	79	26,34	.63
30	54	6	1 1 4 1	21	5,	16		21	828	39.43	1.2
1	2	1	2	8	5	3		8	351	43.87	1.43
10	17	1	2	24	14	9	1	22	1178	53.45	1.99
5	17	3		7	5 4	5		7 9	501 339	71.57 37.66	1.07
52	83		B	59	35	24		59	1196	20.27	1.7:
1	2			1	1			1	67	67.00	4.1.
2	4			11	6	5		9	463	51.44	1.1
2	4			14	9	5		14	514	36.71	1.2
1984											
14	22	4	2	16 13	7 6:	9 7		16 13	692 514	43.25 39.53	$\frac{1.30}{1.50}$

18 278 139 131

273

10082

36.93

1.18

## TABLE I.—Continued. CHITTENDEN

C	HITTE	NDE	N							
	800.	g BIRTHS.								
Towns.	Population in 1860.	No.		Sex.	PABENTAG					
	Populat	Whole	M.	F.	Un.	Am.	For.	Un		
Bolton, Burlington, Charlotte, Colchester. Tasex, Hinesburgh Huntington, Jeriche Milton, Richmond, Shelburne, South Burlington, St. George, Underhill, Westford, Williston, Totals,	645 7713 1589 3041 1906 1702 862 1669 1963 140: 1178  121 1637 1231 1479	3 328 24 119 50 42 11 43 56 19 20 22 5 48 32 33 855	2 171 12 65 28 15 4 23 30 7 8 12 4 23 15 20 4 23	1157 122 644 222 277 7 200 266 122 100 1 125 133 133 1412	4	3 101 15 50 34 33 8 24 29 10 9 7 3 19 20 18	223 9 67 15 9 3 19 20 9 11			
	ESS	X.	'					_		
Bloomield, Brinswick, Canann, Comeord, East Haven, Graphy, Gud-thall Lemington, Lungaburgh, Mandstone, Victory,	320 945 212 408 1201 130 132 552 207 1034 239 212	11 27 7 12 26 5 3 3 4 23 2 9	8 13 4 6 15 1 1 1 2 1 5	3 14 3 6 10 4 2 2 11 1 4 	1	8 11 4 10 21 4 3 2 23 2 6	16)	1		
	FRANK	LIN			-	-				
Bakersfield, Berkshire, Enosburgh, Bakersfield, Berkshire, Boosburgh, Boosbur	1451 1890 2066	41 35 47	19 16 28	19		27 23 25	11 12 18	- 3 		

3.]

GES.  Oor. U  1	2 189 1 64 3 2; 2 10	M.   1 93 9 30 14 6	F. I 95 10 34	Un.	Pages 2 2 187	Agg'te.	Average. 35.00 19.17	Percentage.
1	2 189 1 64 3 2; 2 10	M. 1 93 9 30 14	F. 1 95 10 34		2 187	Agg'te.	Average. 35.00 19.17	.31
1	10. 2 189 19 1 64 3 2; 2 10	1 93 9 30 14	I 95 10 34		2 187	7 3586	35.00 19.17	.31
28 0 1	t 189 19 1 64 3 2; 2 23 2 10	93 9 30 14	95 10 34		187	3586	19.17	
28 6 1 1	1 64 3 2; 2 23 2 10	9 30 14	10 34					
28 0 1 1 1	1 64 3 2; 23 2 10	30 14	34		19	896	47.15	1.19
1	3 2; 23 2 10	14			63	1383	21.95	2.10
1	2 23		13		27	808	29,92	1.4
1	2 10		17		23	89	38.82	1.3
	1.00	8	2		10	320	32,00	1.10
5	27	17	10		26	901	34.65	1.6
	1 24	15	9		23	802	33.42	1,2
1	14	[ 6]	- 8		14	515	36.7h	1.00
	4 1	2,	6		8	313		. 67
	19	10			19			
	3	1						2.4
4		10						1.83
								1.5
2	1 27	13	12	2	26	1023	39.34	1.8
104	27 505	246	253	6	498	14168	28.49	1.79
			cou	NTY	7.			
			4		6	125	20.83	1.8
	2 24	12						2.5
			1					.4
14			7					3.4
			7					1.3
1	- 1 2	2	1		2			1.4
	- 2	2	4		2			1.5
12					2			.90
	9.0							1.4
								1.9
			1		2	83	41.50	.9
46	27 97	49	46	2	97	3127	32.24	1.6
	225 1 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	104 27 505  25 2 24 1 14 4 14 20 17 1 16 5 2 5 2 5 3 1 16 5 5	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	COUNTY.    19	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	COUNTY.    19

11 8 10

13 8 12

24 17 22

21 37 10

7 2 7 6 16 . . .

776 508 **623** 

23 16 21

33.74 31.75 **29.66** 

### TABLE L-CONTINUED. FRANKLIN

	PEGLAI	CIGILA						
	1860,			BI	RTH	S.		
Towns.	Population in 1860.	No.		Sex.		Pal	RENTI	GE.
	Populat	Waole	M.	F.	Un.	Am	For.	Un.
Fairfax	1987 2497 716	59 49 18	32 20	26 29 7		35 23 12	21 24 5	3 2 1
Fletcher,	1781 1547	30 32	16 15	14 17		18 23	11	1 2
Highgate,	25 26 1 26 ± 1 3 3 8	57 43 26	23 25 8	34 18		38 32 15	19 9 9	22
Sheldon,	1655 3637 2678	37 119 84	17 71 39	19 48 45	1	21 47 35	69 48	3 1
Totals,	27231	677	340	335		374	270	33
G	RAND	IsL	G.					
Alburgh,	1793 708	54 12	25 4	29	i	28 8	25 3	1
Isle La Mott,	564 594 617	23 14 14	13 9 9	10 5 5		12 4 9	10 6 5	4
Totals,	4271	117	60	56		61	49	7
	LAMOI	LLE						
Belvidere,	366	9	7	2		7	2	
Cambridge,	1784 919	24	12 18	11	]	20 23	4	i
Elmore,	1409 1526	15 47 36	21 15	26 21		10 38 33	6 2	3 1
Morristown,	2046	26 43.	16 20	10 23		26 34	8	1
Waterville,	747 1161	15 30	15	15		13 26	1	3
Totals	12311	273	140	132	1	230	32	11

# TABLE I.—Continued.

40.0	ARR	IAGE	18.					DEA	THS.		
No.	N.	ATIVIT	tγ.	No.		Sex.			Age.		sge.
Whole	Am.	Por.	U.a.	While	М.	F.	Un.	s ges given.	Agg'te.	Average.	Percentage.
11	13		4	26	12	14		26	1003	38.58	1.31
33	44	17	5	23	13	10		23	624 250	$\frac{27.13}{31.25}$	.92
29	19	3	36	It:	7	3 10	2	17	497	20.23	1.11
14	26	2		la.	9	9		16	877	54.81	1.16
15		6		. 27	10	17		27	928	34,37	1.06
14		5		18	6	12		18	509	33.27	1.42
16		8	Ü	14	10	4		12	239	19.91	1.04
8		5	.1	15	6	12		15	598	39.86	1.08
61 2*	82 32	34 22	184	69 36	39 17	30,		6a 36	1488 932	21.81 25.88	$\frac{1.89}{1.34}$
284	353	135	80	339	163	173	3	326	9937	30.48	1.24
						COU	NIY	•			
14			7	21	6	15		21	593	28.24	1.17
9	13	3	2	6	3	3		6	123	20.50	.84
5	1 6	3	1	5	7	4 2		5	99 361	19.80 40.11	1.61
3	4		4	8	5	3		8	325	40.11	$\frac{1.51}{1.29}$
1	34	18	12	49	22	27		49	1501	30.63	1.14
32						CUU	NTY				
32								0	128	01.00	
4	6		2	2	1	1		2		64.00	.54
4 15	24		2	15	11	4		15	460	30.66	.84
4 15 4	8 8	4	2	15 16	11 7	4 9		15 16	460 342	30.66 $21.37$	.84 1.74
4 15 4 5	24 8 8	4	2	15 16 8	11 7 4	4 9 4		15 16 8	460 342 384	30.66 $21.37$ $48.00$	1.74 $1.32$
4 15 4 5 17	24 8 8 27	4	2	15 16 8 15	11 7 4 6	4 9 4 9		15 16 8 15	460 342 384 715	30.66 21.37 4×.00 47.66	1.74 $1.32$ $1.06$
4 15 4 5 17	24 8 8 27 26	1 2	2 6	15 16 8 15	11 7 4 6 4	4 9 4 9		15 16 8 15 8	460 342 384 715 321	30.66 21.37 48.00 47.66 40.15	.84 1.74 1.32 1.06
4 15 4 5 17 14 12	24 8 8 27 26 21		2	15 16 8 15	11 7 4 6	4 9 4 9 4 12		15 16 8 15 8 24	460 342 384 715 321 962	30.66 21.37 48.00 47.66 40.15 40.08	.84 1.74 1.32 1.06 .52 1.37
4 15 4 5 17	24 8 8 27 26	2	2 6	15 16 8 15 8 24 23 9	11 7 4 6 4 12	4 9 4 9 4 12 8 3		15 16 8 15 8 24 23 9	460 342 384 715 321 962 780 141	30.66 21.37 48.00 47.66 40.15	1.74 $1.32$
4 15 4 5 17 14 12 23	24 8 8 27 26 21 39	2 6	2 6	15 16 8 15 8 24 23	11 7 4 6 4 12 15	9 4 9 4 12 8		15 16 8 15 8 24 23	460 342 384 715 321 962 780	30.66 21.37 48.00 47.66 40.15 40.08 33.91	.84 1.74 1.32 1.06 .52 1.37

384 148

4

ĺ

# TABLE I.—CONTINUED.

	ORAN	GE.						_
	.860.			В	RTH	15.		
Towns.	Population in 1860	No.		Sex.		Pa	REST.	IGL
	Populat	Wnote	M.	F.	Un.	Am	For.	Ca.
Bradtord,	1689	28	12	16		25	-;	
Braintree,	1225	22	17	5		20		
Brook field,	1521	36	17	19		34		
Chelsen,	1757	32	15	17		27	5	
Corinth,	1627	29	14	15		25	4	
Fairlee,	549	9	2	7		×		
Newbury,	2549	51	22	29		45	5	
Orange,	936	16	9	7		16		
Randolph,	2502	56	24	32		50	4	:
Strafford,	1500	26	9	17		25	1	
Thet ford,	1870	32	16	16		31	]	• • •
Topshan,	1662	34	19	14	1	31	3	• • •
Tunbridge,	1546	28	14	14		23	1	'
Vershire,	1054	18	9	9		15	3	•••
Washington,	1249	26	12			26		• • •
West Fairles,	830	9	5	4	<b> </b> .	8	1	•••
Williamstown,	1377	27	13	14		27	••••	•••
Totals,	2545.	479	229	249	1	436	35	-
	ORLE	INS.						
▲lhanv,	1224	22	7	15		15		! :
Barton,	1590	35	12	23		24	11	•••
Brownington,	757	21	11	10		16	4	
Charleston,	1166	35	17	18		27	5	1
Coventry,	914	28	17	11		14	13	ĺ

1197

 $618^{1}$ 

1248,

11

24 . . . .

13|....

. . . .

Topshan ,	1662	34	19]	14	1
Tunbridge,	1546	28	14	14	
Vershire,	1054	18	9	9	
Washington,	1249	26	12	14	
West Fairles,	830	9	5	4	
Williamstown,	1377	27	13	14	
Totals,	2545!	4791	229	249	1
	ORLE	INS.			
▲lhanv,	1224	22	7	15	
Barton,		35	12	23	
Brownington,		21	11	10	
Charleston,		35	17	18	
Coventry,		28	17	11	
Crafishury,	1413	32	2.	12	
Derby,	191e	40	24	16	
Glover,	1244	23	12	11	
Greenshoro,	1065	29	19		
Holland	748	25	13	12	
Irasburgh	1131	35	19	15	
Jay,	474	19	12	7	
Lowell,	81::'	27	-15	12	
Morgan,	548,	19	10	9	
Newmort.	1197'	54	31	23	

Westmore,.....

TABLE I.—CONTINUED. COUNTY

						-	. 41 1 1				
M.	ARR	IAGE	23.					DEA	TH3.	-	
No.	N	ATIVE	۲۲.	No.		Sex.			Sex.		age.
Whole	۱m.	For.	Uo.	W bole	M.	F.	Un.	Piven.	Agg'te.	Average	Percentage.
30	49	4	- 7	29	13	16		29	1368	46.90	1.71
11	1.7	3	2	19	10	Ð		15	1076	56.63	1.55
5	1	1	2	10	5	5		10	355	35.50	.65
9	18		i	28	7	21		28	1240	44.28	1.59
8	14	1	1	19	10	9		19	926	48.73	1.16
5	9	1		3	1	2	,	3	163	54.33	.54
34	58	7	3	27	31	16		27	1338	49,55	1.05
10	19	1		10	4	6		10	492	49.20	1.06
38	65	11		44	21	23		43	1749	40.67	1.75
19	3~			27	1.6	11		27	1387	51.37	1.79
19	36	2		23	9	14		20	1076	48,90	1.22
7	11	1	2	18	19	G		17	817	48,06	1.08
9	17	1		24	13	11	* * * *	24	1060	44.16	1.54
6	12	* 4 4 *		9	3	(s		9	512	56,88	1.00
4	1		1	15	1.	5		14	333	23.75	1.20
2	4			11	6	5		11	408	37.69	1.32
22	42	2	* * * * .	27	13	14		27	1158	42,89	1.96
238	423	35	18	343	164	179		339	15558	45,89	1.35
						COU	NI	•			
19	16	2	217	15	8	7		15	703	46,86	1.22
27	42	5	711	17	6	-11		17	729	42.8K	1,00
10	14	5	1	1 1	4	7		11	364	33.09	1.45
10	20			11	2	7.	2	11	270	24.54	.94
12	13	2	9	16	10	G.		16	512	32.00	1.75
6	11		1	14	5	8	1	14	G()	42.85	.99
40	37	34	9	29	19	10		28	711	25.39	1.51
21	27	9	6	9	2	7		9	491	54.55	.72
8	14	2		18	2 7	11		15	744	41.83	1.69
7	9			17	2	71		0	393	43.66	1.20
11	14	7	1]]	18	10	- 8		18	672	37.33	1.59
1.	2			- 6	5	1		- 6	35%	25.50	1.27
4	8			12	5	7		12	389	32.41	1.47
3	3,	3		4		4		4	97	24,25	.72
31)	31	19	1:2	2.	12	P	,	20	629.	31.45	1.16
-4	6		2	- 8	3	- 5		H	166	20.75	1.32
33	45	17	4	23	14	()		2.0	870	39,54	1.×4
12	16		2	12	7	- 5		1:	391	32.55	1.94
3	1	5		3	2	1		3	6	22,00	.93
253	329	121	56	255	1 23	129	3	253	8950	35, 37	1,34

1,34

[1868.

# TABLE I.—CONTINUED. RUTLAND

	1860.	BIRTHS.								
Towns.	Population in 1860.	No.		Sex.		PAR	RESTA	GE.		
	Popula	Whole	М	F.	Un	\m	Fur.	En.		
Benson,	1250	27	14	13		23	4	1210		
Brandon,	3017	9.3	41	49	3	44	46	- 3		
Sastleton,	2850	104	43	59	2	45		1		
Jarendon',	1237	32	17	15		23	9			
hittenden,	763	14	8	6		11	ő			
Oanby,	1419	20	12	10		16	4	5		
sirhaven,	1378	4>	25	23		17	31			
fubbardton,	600	9	7	2		7	1	1		
fa,	420	7	4	3		7				
Mendon,	633	17	12	5		10	1			
diddletown,	715	12	6	6		1	2			
dount Holly,	1522	31	18	13		21	10	y m 5		
dount Tabor,	358	10	5	5		8	2			
awlet,	1539	20	16	13		25	0			
ittsfield,	49.	12	6	6		9	1 2 2 3			
'ivsford,	1839	50	31	18	1	27	99			
Soultney,	227	49	0;	99		20	25			
Rutland,	7577	325.	181	144		135				
herburre,	525	15	- 6	31		15				
brewsbury,	1178	28	12	16		00	6			
andhury,,	G06 :	11	3	3		6	-3,			
inmouth,	620		9	7		15				
Valingford,	1747	49	25	24		25		1		
Vells	641	19	9	10		10				
Vest Haven,	58	7	9	4		á	1	_		
Totals,	35946	1036	5.45	495	6	556	459	1 8		

Barre,	18301	321	61	161	301	21.
Berlin,				14		5
Cabot,		26	1	15		1
Calais,		27	0	17	25	
Duxbury,		22	0	12	11	10
East Montpelier,	1328	23	1	10	19	2
Fayston,	8-0	19	3	G	7	12
Marshfield,	1160	19	9.	EO	16 .	
Middlesex	1254	25	4	11	17	6
Montpeher	211	59	0.312	26	200	201.

# TABLE I.—CONTINUED. COUNTY.

M.	ARRI	AGE	S.					DEA	THS.		
No.	N	TIVIT	rv.	No.		Sex.			Aces.		50
Whole	Am.	For.	Un.	Whole	M.	F.	Un.	Ages piven.	Agg'te.	Average.	Percentage.
8	12	2		13				13	481	37,00	1.04
42	12 27	10	47	50	35	24		5.9	1185	20.08	1,91
25	45	6	5	38	16	1910		37	1464	39.57	1.33
5	10			1:	8	- 4		12	39.4	33.00	.97
517755	11	2	1	11	ô	6		31	375	34.15	1,44
7	13		1	1:	4	9		13	304	33.77	,91
7	9	5		2.	11	12		23	361	15.69	1.60
5	7		3	4	2	0		4	293	73.25	.60
5	- 9	1		1	2	4		6	363	60,50	1.43
6	10	1	1	35	9 3 7 1 9	9)		17	5511	32.53	2.84
4	- 8			- (	3	3		6	2451	35.83	_244
7 2 9	12	2		20	7	13		20	711	35,55]	1.31
2	3	1		1	1			1	48	88,00	. 27
0	14	2	1	10	9	7		16	813	50.81	1.00
7	14			10	4	6		1,1	474	47.40	2.00
17	31	2	1	31	15	16		31	1160	37.42	1.68
18	21	4	11	2	9	17		24	750	31,25	1.14
93	80	84	2:	130	76	60		134	3105	23,17	1.79
				1	1	4		5	97	19,40	.98
12	19	2	67	10	7	7	1	14	451	34,36	1.30
7	13		1	5	6	3		9	520	57,77	1.29
9	16	1	3	- 8	5	3		*	417	51.62	1.29
20	38	2		32	15	16	]	30	1330	44,00	1.80
6	10	2		15	- 8	7		15	476	31.73	2.30
5	10			19	• • • •	3		3	97	32.33	.61
337	444	129	101	531	2:17	262	2	521	16505	31.68	1.47

#### \_\_\_\_\_

26	50	2]		18	15[]	33	1476]	44.72	1.79
			12	8	4	11	4 9	37.18	.77
7	JO	2	2 17	9	8	17	761	44.76	1.29
12	22 .		2 15	7	8	1	554	36.93	1.06
3	4		15	8	7	15	418	27,86	1.56
3	6 .		15	6	0	15	601	40,06	1.12
3	5	1	13	. 9	4	1	39.4	30.23	1.65
			11	4	7	11	427	38,81	.94
11	20	2 .	19	12	7	19	904	47.57	1.51
55	41	13	58 37	20	16 1	37	899	24,29	1.50

# TABLE I.-CONTINUED.

### WASHINGTON

Roxbury,   1060   28   14   14   26   2   2   2   2   2   3   3   3   3   3		860.			В	IRTE	is.		
Moretown,	Towns.	tion in 1	No.		Sex.		Pat	Rayt.	AGE.
Northfield,   4329   103   55   48   52   50   1     Plainfield,   822   17   7   10   15   1   1     Roxbury,   1060   28   14   14   26   2     Waitsfield,   1005   36   22   14   23   13     Warren,   1041   21   11   10   18   3     Waterbury,   2198   46   25   21   40   6     Woodbury,   999   25   15   16   25     Worcester,   684   29   17   12   21   8     Totals,   2/612   611   315   296   448   153   10      WINDHAM	_	Populat	Wbole	М.	F.	Un.	۱m.	For.	Ca.
Waterbury.         2198   46   25   21     40   6           Woodbury.         990   25   15   16           25             Worcester,         684   20   17   12           21   8           Totals.         2/612   611   315   296           448   153   10             WINDHAM	Northfield, Plainfield, Roxbury, Waitsfield,	4329 822 1060 1005	103 17 28 36	55 7 14 22	4× 10 14 14		52 15 26 23	50 1 2 13	1
Athens,   382   10   5   5   10	Waterbury	2198 999 6×4	46 25 29	25 15 17	21 16 12		25 21	8 —	
Brattleboro,         3855          82          44          38          64          18            Brookline,         243          5          2          3          5          3          3          4	Totals,	<u>'</u>			290			1 1.101	
	Brattleboro, Brookline, Drover, Dower, Dummerston, Grafion, Guilford, Halifax, Jamaica, Londonderry Marlboro, Newfane, Putney, Rockingham, Somerse', Stratton. Townshend, Vernon, Wardsbore, Westminster, Whitingham,	3855 243, 650 1021, 1154, 1291 1126, 1367, 743, 2904 105, 366, 1376, 1300, 1372, 1424, 680,	822 5 77 211 16 218 23 26 111 19 19 5  7 19 18 23 24 111 19 19 19 10 118 118 119 119 119 119 119 119	444 22 55 111 88 100 8 44 112 77 21 14 12 79 14 15 15	38 3 2 10	1	644 5 6 6 19 16 14 18 21 25 9 19 13 35	18 1 1 1 3 15 2 5	3 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

1868.]

327 596

19

39 378 184 193

1 370

10045

43,36

# TABLE I.—CONTINUED.

### COUNTY - (Continued.)

M	ARRI	AGE	19.					DEA	THS.		
No.	N	ATIVIT	ry.	No.		Sex.			Agε.		99
Whole ?	Am.	For	Un	Whole No.	М.	F.	Un	Адев	Agg³te.	Average.	Percentage.
6 51	11	1 32	10	2 62	28	5 34		12 67	375 2373	31.25 38.22	.88 J.43
8	5	3	2	9	7 6	4	****	10	426 177	47.33 17.7	1.09
11 5 13	18 10 24	4		8	9 4	5	* * * * *	14	562 343	40.14	1.39
40	18			2× 8	15 4 4	13 4 6		28 8 10	1185 264 471	42.32 33.00 47.10	1.27 $.80$ $1.40$
227	313	62	79	348	185	162		347	15420	44.38	1.20
						COU	NTY	•			
97	182	12		7 61	6 27	1 34		7 69	267 1969	38.14 32.81	1.83
1	2			3		4		3 7	149 439	$\frac{49.66}{62.71}$	1.2
4 9	7 15	1	3	24	5 14	10		9 24	445 1258	$\frac{49.33}{52.41}$	2.07
9 20	18 38	2		141 15	7 8	6	1	14 15	663 397	47.35 $26.46$	1.08
12 16	26 20			29 18	15	11		29	1147 776	39.55 43.11	$\frac{1.88}{1.31}$
13 10	15 20		11	7 14 12	6	5 8 6		7 14 12	119 700 690	17.00 50.00 57.50	$\frac{.9}{1.17}$ $\frac{1.17}{1.03}$
3:	57 4	2	9	39	22	17		35	1569 55	44,82 55,00	1.3
14	24		4	10 18	4.	6 9		9 1×	487 892	54.11 49.56	2.73
16	30 30	2	2	20	7 12	4 8		10 20	356 847	$\frac{35,10}{42.35}$	$\frac{1.51}{1.90}$
6. 20	12 37		3	16 20	10 10	11-		15 20	81 895	54.10 44.75	$\frac{1.23}{1.46}$
21 6	37 12		5	18 5	2	12		18	869 243	48.2 48.60	1.20 -73

# TABLE I.—Continued.

### WINDSOR

	860,			В	IRTI	H8.		
Towns.	Population in 1860	No.		Sex.		PARENTAGE		
	Populat	Whole	М.	F.	Un.	Am.	For.	Ca.
Andover	671	13	8	-6		13		
altimore,						1 8 7 5	1111	
arnard,	1487	29	20	1.		26	2	
ethel,	1893	36	17	15		31	4	
ridgewater,		17	- 6	11		37	1101	
wendish,	1205	23	15	10		18	5	
heste <b>r</b>		48	36	12		40	á	
artford,	2896	49	31	177	1	32		:
artlani,	1748	33	1-	14	1	24	4	
udlow	156⊱	48	31	17		32		
rw ch,	1759	30	14	16	* * * * *	58	2	
ymouth,		27	14	13		23	9	
omfret,	1376	29	13	16		25	1	
ending,		11	5	C		111		D.
ochester,	15 6	29,	19	10		24		+
oyal:on,	1739	25	16	- 8	1	20	0	
h (ron,		¥7.	18	- 9		24	3	
pringfield,	2955	73	43)	3		60	Ď.	
iockbridge,	1264	17	7	411		15	2	
eathersfield	1765	23	16	7		19	4	• • • •
česton		2013	- 0	11		1.	2	
est Windsor,	924	15	7	- 8		15		;
i dsor,		36	3.4	21	1	22	19,	
Voodstock,		53	27	26		28		25

# TABLE I.—CONTINUED.

# COUNTY.

M	ARRI	IAGE	28.					DE	THS.		
No.	N	TIVE	TT.	Z.		FEX.	,		Age.		9,0
Whole No.	Am	For	<b>T</b> a	Whole I	М.	F.	Un	Agis piten,	Agg*te.	Average.	Percentage.
2	4			13	4	9		1.	533	41.00	1.9
			4 8 9 9							*******	
6	12			18	24	1		12	714	39.67	1.2
17	27	* 4 4 1	1	27.	16	10	1	20	85.	32.77	$\frac{1.4}{1.2}$
11	200			1/3	7	11	1111	10	815	50.93 33.89	1.2
27	25	1	2	19	6	12		19	644		
	54	9	****	41	22	19		41	1768 1869	44.20	1.7
13	25	2	2	41	2:2	15	1113	41		45,58	1.0
16	30	- 2	1	29	18	10	1	29	1171 1190	49.58	$\frac{1.6}{1.5}$
15		6		24	1.4	10		24			1
13	20	2	1	27 9	1	12	1	27	1230 314	$\frac{45.18}{39.25}$	1.5
8 3	_	4	1	18	7	11	1	18	883	49.05	1.30
4	6	* * - *		14	8	4		14	617	44.07	1.2
15	2		9	22	13	1.	2	22	924	42.00	1.4
15 11	22		0	28	12	16	2	27	161	59.81	1.6
17	31		3	13	6	7		1.5	570	43.84	1.1
27	3.	4	17	49	2	23		49	210.	42,89	1.6
13	23	î	2	10		7		10	365	36.5	. 7
4	7	-	ī	10	3	3	,	10	636	63.60	.51
12	23	1	1	1.4	6			11	635	45.57	1.50
1	2	-		16	9	7		15	789	52.6	1.7
32	4	11)	20	38	19	15	1	37	1679	45.37	2.2
49	82	4	12	40	18	21	ĵ	40	1784	44.60	1.30
327	545	32	77	536	263	266	7	531	236.72	44.61	1.44

### TABLE I. - RECAPITULATION OF BIRTHS,

	1860,			B	IRTI	18.		
Towns.	ion in 1	No.		Sex.		Pal	RENTA	GL.
	Population in	Whole No.	M.	F.	Un.	Am.	For	Ua.
Addison,	24010	531	264	202	5	346	174	11
Bennington,	19436	570	275	294	1	386	168	16
Caledonia,	21458	489	268	218	3	373	102	14
Chittenden,	28136	855	439	412	4	383	460	12
Essex,	5786	132	69	62	1	94	31	1
Franklin,	27231	677	340	335	2	374	270	33
Grand Isle,	4276	117	60	56	1	61	49	7
Lamcille,	12311	273	140	132	1	230	<u>\$-</u>	11
Orange,	25455	47.0	229	249	1	436	35	8
Orleans,	18981	546	290	255	1	384	148	H
Rutland,	35946	1036	535	495	6	556	459	-01
Washington,	27612	611	315	296		448	153	10
Windham,	26982	483	253	228	2	416	48	1
Windsor,	3710.	711	396	311	4	577	87	4
Vt. Asylum,								
Whole State,	315116	7510	3873	3605	32	5064	2216	230

MARRIAGES AND DEATHS, FOR THE YEAR 1868.

M	ARR	IAGI	SS.		·			DE	ATHS.		•
No.	N	ATIVI	ry.	No.		Sex.			Age.		629
Whole	Am.	For,	Un.	Whole	M.	F.	Un.	Ages given.	Agg'te.	Average	Percentage.
194	300	49	39	326	154	168	4	320	12796	30,99	1,35
180	247	64	49	289	134	152	3	281	9108	32,41	1.48
187	319	37	18	278	139	131	8	273	10082	36.93	1.28
204	277	104	27	505	246	253	6	498	14188	28.49	1.79
61	49	46	27	97	49	46	2	97	3127	32,24	1.68
284	353	135	80	339	163	173	3	326	9937	30.48	1.24
32	34	18	12	46	22	27		49	1501	30.63	1.14
110	190	14	16	132	71	61		132	4557	34.52	1.07
238	423	35	18	343	164	179		339	15558	45.89	1.35
253	329	121	56	255	123	129	3	253	8956	35,37	1.34
337	444	129	101	531	267	262	2	521	16505	31.68	1.47
227	810	62	79	348	185	162	1	347	15420	44.3	1.26
327	596	19	39	378	184	193	1	376	16045	43.36	1.40
327	545	32	77	536	263	266	7	531	23692	44.65	1.44
				49	20	20		49	2657	54.23	
2961	4419	865	638	1455	2193	2000	40	4386	164123	37.42	1.41

### TABLE IL—Brands.

if men les form in the several Creaties, during ath

	den.	Whole Number	Vilina	bi mingh a	t abidonta	Chinember	M. sar. A.	Franklin	Cirani Lae.	Lamorth	Orange.	Orleans.	Ru land	Washington.	Windham.	We and work.
	ale -	<u>.</u>	<u>.</u> .	<del>:</del>		-		27		:	!· !	15.	47 21	18	15	3 44.10
	Majoriji Zomiji 1800	27.5 27.5 2	122	11	<u> </u>	;:	 2	<u></u>	<del>2</del> 1 : 3	1 s.	16 21	Ie.	42 34	21	14	
	18 m.	2° -	1.2	**************************************	21	:- 2-	•	21.5	4 5	1	24 2.	21 2	4.	24	15 9f	- B. B. C. Co.
. <b>;</b>			÷	: • - ·	2	٠. ٠٠		2.			다 알	28 25	47 32	6 c)	36 11	1
	और सार होना हरा । जन्म हा	:::f ::2: :1	<u>41</u> 	£	<u>:</u> :	‡ 3.		2.	3 4	0 15 1	25 18	25 28	41	30 18	15	1
: <u> </u>	Male : Letter : :	200 200 1	2 24	<u>6.</u>	21 10	71 3 1	: 7	32 30	;; 5	10	21	25 25	55 29 1	23 31	19	
: { : 1	Male . Fem Unk n	359 321 1	21 21.	26 20	2- 21	4 32	: :: ::	3 . t	- -4 	6 10)	20 15	23 18	40 5	34	0"	
, ( : <i>)</i>	Male . Tem	336 <sup>1</sup> 325	34	0	<u>00</u>	20, 41	1 5	34	8		24 20	31 22	40 57	0.	20 19	
	İ	3 326 3	20	3	27	4× 32 1	6.	40 32	5	1	22 6	26 25	50 41	25 24	10101	

### **\_\_000.**]

# TABLE II.—CONTINUED.

Months.	Stx	Whole Number.	Addison.	Beenington.	Cal-donia.	Chittenden.	EAROX.	Franklin.	Grand Isle,	Lumoille,	Ocunge.	Orleans.	Butland.	Washington.	Windham.	Windsor.
<del>i</del> {	Mate Fem. Uuk	35: 351	21 1	19 39	20 22	36 38	8 2	25	4	15 12	25 28	25 25	45 51	19 29	27 22	37 39
Note.	Male Fem. Uuk	330 310 3	10 22 1	9 23	19 17 1	41 3×	5 (***	30	€ 5	8 9	14 24 1	29 24	48 44	34 27	24 19	30 33
Dec.	Male Fem. Unk	307. 290, 8	19 21	31 54	1112	37 45	5 } 1	34 27	9	14 5	20	24 1.1	39 44 4	20	1.	30 23
Unk.	Male Fem. Uok	8 12 3	2	9	1	3							1		1 1	1 2
Aggregate.	Male Fem. Uuk Tot'ls'	1873 380 3: 7510	204 262 5 131	275 294 1 1	26k 218 :	430 412 4 455	09 61 1	335	60 51 1	182	249	290 255 1 546	535 495 6		25" 228 2 48	396 311 4 711
Parentage.	tm .	3064 2216		 386 168	37 · 102	383 460	94	374	61	230		384 148		448 153	416 48	577 87
7	Unk	23	11	16	14	12	7	33	7	11	8	14	21	10	19	47

### TABLE II.—BIRTHS.

Exhibiting the number of each Sex born in the several Counties, during each month of the year.

Jan.   Months.	SEX.	Whole Number.	Addison	Bennington.	S Caledonia.	Chittenden.	Essex.	13 Franklin.	- Grand Isle.	Lamoille.	S Orunge.	Cleans.	Ru'land.	15 Washington,	55 Windbam,	E3 Windsor.
چ { پر	Fem Uak'u	224	10	13	18	23	6	2	2	10	15	21	21	18	Ir	38
Feb.	Male . Fem Uuk'u	265 233 2	19 12 1	21 15	20 18	30 35	3	19 26	3	16	16 21	16 9	42 34	21 14	11	30 23 1
March.	Male . Fem Uuk n	294 318 1	14 20	26 24	26: 17	34 24	G 4	21 28	5	1! 5:	24 2.	21 20	45	24	15 20 1	
Apr'l.	M de . Fem Uuk'n	293 291 2	20 20	18 24	20 20 1	3() 39 1	4	21 21	4 7	13 	16 28	28 25	47 32	22	20 11	20
Maÿ. }	Male . Fem Unk 'n	329 320 1	34	27	21 16	3.1	5	23 34	5 4	20 18 1	23 18	25 28	41 40	30 18	15 18	20
June.	Male . Fem Uuk'ti	339 295 4	22	23 21	21 13	31 3t	1) 7	32 30	3 5	12 10	21 22	25 25	55 29 1	23 31	25 16	
Jule.	Male . Fem Unk'n	352 321 1	26 26	26 20	25 21	4/- 32	5	35 . 0	4	6 16	20 15	23 18	40 5	34	0	63.99
Ang.	Ma¹e . Fem Unk'u	336 325 2	24 26 1	25 23	22 20	26 41	10 5	23 34 1	8 6	11	24 20	31 22	40 57	20	26 19	1
Ropt.	Male . Fem Unk'n	375 326 3	19 20 1	31 37	27 23	48 32 1	6	40 32	5 4	13	23 16	26 25	50 41 %	25 24		

# TABLE II.—CONTINUED.

1 Months.	Sex	Whole Number.	Arldiann.	Bennington.	Caledonia.	Chittenden.	BARFX.	Franklin.	Grand L.la.	Lumoille.	Omnge,	Orleans,	Rutland.	Washington.	Windham.	Windsor.
- { - }	Male Fem. Unk	35: 351	2h 21 1	19 3:	29	36 38		25 25	6 4	15 12	25 28	25 25	45 51	19	27 22	37
Nov.	Male Fem. Uuk	310 330	15 22 1	28	19 17	41 3×	5 t	32 26,	5	8 9	14 24 1	20 24	44	34 27	24 15	33
Dec.	Male Fem. Unk	307 200 8	19 21	24 31	14 19 1	37 45	5 } 1	34 27	9 7 1	14 5	7 20	24 17 1	39 44 4	29 28	20	30 23
Cuk.	Male Fem. Uuk	8 1:- 3	2	4		65 65	441					1 * *			1 1 1	1 2
Aggregate.	Male Fero.	1873 360 31	264 262 5	275 294 1	265 218	439 412 4	69 65 1	340 335 2	60 51 1	140 132 1		290 255 1		315 296		396 311 4
AE	Touls	751e	531	580	189	×55	132	677	117	273	479	540	1036	611	48	711
Parentage,	Im .	5064 2216	34	384	37 -	383 460	94	374 270	61	230	436 35	384 148	556; 459;		416	577
Par	Unk	23	11	16					7	11	8	14	21	10	19	42

### SUPPLEMENT A .- TABLE II.

### Births-Exhibiting the number of Plurality Cases.

(Included in Tables I and II.)

Months.	Sex.	Whole Number	A. Mison.	themorphy tem.	Chiedonia.	Chitemen.	Ener X.	Frankun.	Grand Isla.	Lamorile.	Огапава.	Orleans.	Burland,	Washing on.	Windham	Winday
Јапингу,	Mules, Females,	6				4					2 4					0
February,	Miles, Females,	1				1									4 40	
March,	Males,	3	***						2		2		1	100		0 0 0
April,	Males,			1	2		. ,				E 4		2			
May,	Males,	520975				1	2		:		2			40	94	
June,	Males, Females,	7		2				1				2	1		I	
July,	Malen Females.	7		*2				4 4					†3			
August,	Males,	9 4 5	4 2	3									4 4			
September,	Males, Females,	5									1		1	1	9	
October,	Wales,	5 7 9	†2 †1					* 1				2		+1		
November,	Vales,	6				2		* *			p 4		1 00		2	1
December,	Males Females,	3	4 1		1		21.0						0	1 6		
Totals,	1	120	14	14	4	12	_	3	2	-	10	×	15	15	10	1

<sup>\*</sup>Mate, still born.

<sup>†</sup>Triplets.

<sup>10</sup>ne of the No. was a triplet.

# SUPPLEMENT B.-TABLE II.

### Exhibiting the number of Illegitimate Births.

(Included in Tables I and II.)

Months.	Sex.	Whole Number.	Addison.	Benni gton.	Caledoria.	Chittenden.	Essex.	Franklin.	Grand Isle.	L-moille.	Urange.	Orleans.	Butland.	Washington.	Windham.	Windsor.
January,	Males,			-									ļ	<b> </b>		
Pebruary,	Females, Males,	2 2	i			٠.	1		:: ::	 	 		  -:			1
March,	Females, Maies,	2 2		• •									 	::	<u>،</u>	::
Apr.1,	Females, Males Females,	3	• •	• •		• •		2	• •				::  -:	1		
May,	Males, Females,	1 7	• •	. 1		1	• •	2		• •	2	1	::  -:	١	::	1
Jane,	Males Females.	2 4	• •	1		• •	• •	i							::	1
Jaly,	Maks, Females.	4 3	1			• •				• •	ij	1 	i	1	::	
August,	Males, Females,	4		• •	• •		• •		: 1	• •	• •		: : : :	2		
September,	Males, Females,	2			ì	• •	`i				٠.	• •			1	
October,	Males, Females,	î			i	• •	• •	• •	• •	•	1	• •		<b> </b>		
November,	Males, Females,	2			• •	• •	•	1	٠.,	•		• •	• •		i	1
December,	Maies, Females,	3			•	i		1		• •		••	٠.	1		
Unknown,	Vales, Females,						• •	•	•			• •	• •	١		
Totals,		50	2	_	_	<b> </b> _	_	12	1	1	4	2	1	1.	4	6

### TABLE III.—MARRIAGES.

# Exhibiting the number contracted in the several Counties, during each mon's of the year.

Months.	Whole Number.	Addison.	Sennington	Caledonia.	( himenden,	E.s.x.	Franklin.	Grand Isto.	Lamoitle.	Orange.	Cr'esna-	Rulland.	Washington.	W rothern.	Windows
January,	276	18	14	14	13	4	18		18	24	24	31	31	26	1
February,	216	14	14	6	17	1	24	5	9	21	17	30	17	22	0
March	218	11	8	16	10	8	15	3	7	23	19	24	16	31	I
April,	185	15	8	c	10	0	16	4	10	20	13	24	14	24	15
Мау,	184	2	14	20	16	6	14	4	6	10	15	20	21	19	17
Jane,	196	1.	10	15	14	2	21	1	8	17	13	20	12	20	24
July,	197	16	14	15	11	3	28	3	4	17	16	13	14	24	19
August,	20%	17	12	17	12	3	24	1	7	14	23	20	12	17	28
September, .	282	21	26	12	21	4	34	3	7	19	26	26	19	30	34
October,	306	20	19	14	24	8	31	2	13	22	32	33	18	39	31
November,	358	25	20	30	33	7	30.	1	14	25	20	39	32	30	13
December, .	315	22	18	22	25	9	26	5	6	26	25	40	21	33	37
Unknown, .	19	1	3				3		1		1	8			3
Totals,	2961	194	180	187	204	61	284	32	110	238	253	337	127	327	127

# TABLE IV.—PERSONS MARRIED.

Distinguishing by ages the number of persons, of different social conditions, who were married during the year.

### (A.) Aggregate.

	per.				AGS	SOF	W	OM	EN.					
AGES OF MEN.	Whole Number	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	5U to 55.	55 (0.60).	60 m 65	65 to 70	Over 70.	Unknown.
bott t	_				-	-	-	-			-	1-	_	_
Whole number,	2961	910	(032	424	167	108	57	:3		17	16	10	4	16
Under 20	75 1135	58 548	498	66	11	1 4 10 -								i
20 to 25	773				11	5	* *	1 2					+ 5	
25 to 30		22	354	100	27		2	1					9 1	
30 დ 35	30	46	100	9.3	46	15			4 4					
35 to 40	160		4	54	21	17	2 33	1				1 4		
40 to 45	98	5	9	21	26	19		2	1		9.0	9 4		
45 to 50	9.5		8	12	21	201	11	9	2	7	4 1			
50 to 55	43	1		5	7	14	9	4 5	3				9.0	
55 to 60	46		1	5	6	13	7	5	3 6	3				
60 to 65	33			3	1	2	7	1	6	3	2	1		
65 to 70	251		1	1		2	97733	9	-	3	6	7		
Over 70	24					1	3	2	2	2	×	2	4	
Unknown	149	4	6)	2										14

### (B.) First marriage of both parties.

Whole number	2093	808	861	266	53	8	2	- 1	 1	 	 93
Under 20	70	57	11	1	1				 	 	 
20 ω 25	1035	518	454	50	4				 	 	 9
25 to 30	645	187	312	120	13						
30 to 35	173	31	60	56	20	5			 	 	 1
35 to 4J	54	10	15	20	6						
40 to 45	20	1	5	6	7	1			 	 	 
45 to 50	6		3	2							
50 to 55	1				1				 	 	 
55 to 60	3			1	1		1		 	 	 
<b>6</b> 0 to 65											
65 to 70											
Over 70											
Unknown,		4	1	1					 1	 	 80

### TABLE VI.—CONTINUED.

# (C.) First of men, but subsequent of women.

	Ser.									A	.G	E	3	01	F	M	Vc	20	E	N.	•						
AGES OF MEN.	e Number.	- 20.			.07			00.		25				40.		450		20		59.	0.0	20.	550		30.	70.	Unknown.
	3	+			2	1		3	1	5	3	1		3		1		0	1	3	Į.	ŝ	3		=	J-A	2
	Whole	Under		8	3		90	S		00	3		6	S		40		ST.		20	1	000	100	3	CD	4	5
***	1.15	-	_	-	n	-	-	-		-	n	-	-	-	-	-	-	-		-		-	-	•		-	-
Whole number	145		9		3	- 1		4			3	10		1	×		G	1	I	2							
Under 20	4		3			2			1								4									1 .	9 4 4
20 to 25	30				1			1				1			1		:				[.						2.00
25 to 30	40		4			8		1				9			4		2				ŀ						
30 to 35	26					1		1				×			6			-	- }		1	٠.		-		2.5	100
35 to 40	11		1			2			4			2			2	1.0	. ]	-	- }						4 9		
40 to 45	12			a					1			2222			3	Н	4		IJ	1	1					1.	
45 to 50	5														2	ь			-	1							1000
50 to 55	12	r 0		=								2	+			-			-		1						2
55 to 60,														. ,							I.						. 41
60 to 65									*										-				1.				
65 to 70				-																	1					2.4	
tiver 70				16								,									1		1.				
Unknown	6																		.				1.				

# (D.) Subsequent of men, but first of women.

Whole Number	342	56	84	71	43	32	19	9	8	1	2	1		)
Under 20														
20 to 25	10	4	4	*?			١.							
25 to 3 ·	51	20	21	H	1	]								
30 to 35	70	11	29	18	11	]								
35 to 40	61	- 6	21	19	5	7	1	I					- 4	1
40 to 45	39	4	3	10	9	7	-5							
45 to 50	45	10	5	5	11	fi	4	3	1					
50 to 55	23			4	3	6	5	1	3					1
55 to 60	11	1	1	-3	2	- 2	-		1					
60 to 65	9			2	1	1	1	1	0	1				
65 to 70	51						1	1	1	1	1 5	1		7.6
Over 70	4					1	1	1)				1		
Unknown	10							l	١	l		Ш.	1.	

### TABLE V .- CONTINUED.

Oct.   Months.	Sex	Whole Number.	Addison.	Rennington.	Caledonia	f hittenden.	Burenx.	Franklin,	Grand Jale,	Lamoille.	Отяпре,	Orleans.	Ruthand.	Was hington.	Windhum.	Windsor.
) oet.	Male Fem. Uuk	165 184 3	5 14	11 11	10 13 1	19 26	3	11 21	3 2	10	14	11 13	20 21	1!	14	27 18 1
Nov.	Male Fem. Unk	150 188 4	15	6 16	8 9 3	14 27	3 1	18 11	3	4	15 15	12 9	20 27	14	13 22	11 23
) Det	Male Frm. Unk	1816 156 4	14 12	12 8	7 11 1	16 10 1	0 4	18 15	3	3	13 9	8 14	19 14	15 15. 1	25 20	19 18
₫. }	Male Fem. Unk	16 10 3	* * * *		2	1		4		1	* * * *	1.	1	j	* * * *	3
Appregate.	Male Fem. Unk	2193 2929 40	154 165 4	134 152 3		246 253 6	49 46 2	163 178 3	22 27	71 61		123 129 3		185 162 3		263 266 7
AFF	Tut'ls	4455	326	289	27 K	505	97	339	49	132	343	255	531	348	*427	536
Parentage.	Am . For .	3876 360	287	256 21	246 16		84		38	121	::15 15	210		31:	387	477
Par	Uak	219	18	12	16	20	5	23		8	13	15	15	14	24	36

<sup>\*</sup>This number includes 49 deaths occurring in the Vermont Asylum for the Insane.

### TABLE V.-DEATHS.

Exhibiting the number of each Sex in the several Counties, during each month of the year.

Months.	Sex.	Whole Number.	Addison	Bennington.	Caledonia.	Chittenden.	Вчянх.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Ru'land.	Washington.	Windham.	Windsor.
Jan.	Male. Fem Unk'n	157 140 3	11 10 1	8 12	9 7	24 11	5 3	11 14	1 	4 2	12 11	7 11	17 19	18 10	14 15	16 15 1
Feb.	Male . Fem Unk n	161 174 1	16 10	5 10	7 10	17 26	5 9	12	1 2	<b>4</b> 5	15 18	9 10 1	18 19	1! 1:	20 16	21 21
March.	Male . Fem Unk'u	190 207 7	16 14 2	7 15	10 9 1	16 22 1	63 92 •••	13 18	çı çı	2	12 10	8 7 1	28 25 1	1º 23	17 17	31 36 1
April.	Male . Fem Uuk'n	186 205 5		13 19	19 7	]> 1+	5 10	4 18 1	S 5 :	eo 1- :	15 29	11 11	29 25	17 8	23 15 1	11 35 2
May.	Male. Fem Uuk'n	152 168	17 	12 16	11 9	17 17		12 12	••• 4 3	4 3	12 13	10 10	18 16	1( 11	17 17	11 19
June.	Male. Fem Uuk'n	146 141 1		11 10		24 13 1	2 1	11 12		4	10 12	7 8	17 17	11		
July.	Male . Fem Unk'n	200 173	15 12	12 11	11 18	24 26	4 1	15 11	] ] 	61.1	16 7	15 7 1	24 19	15 1.	19 24	
Ang.	Male . Fem Unk'n	239 247 4	15 2.,	19 13 14	18 13	29 37	: c. x	17 17 2	 4	4 5	1 22	13 10	23 27	24 18	20 26	
. рерt. }	Male . Fem Unk'n	250 230 4	11 21	19 11 1	21 15 1	27 24	:: 1	18 13	3 I	13 7	15 17	12 18	34 32	21 2.	   18 	22 25 21
			-					· ·					-	l 	<u>.                                    </u>	

hs.	Sex	Whole Number.	ash.	Bennington,	lopin	Chitlenden,	ر-	klm,	Grand Isle.	sille.	£4,	na.	ınd.	Washington.	Windham.	leur.
Months.		Whol	Addison.	Benn	Caledonia	Chjete	Bushy.	Franklin.	Gran	Lymoille.	Огипре,	Orleans.	Ruthand.	West	Wind	Windsor.
Oet.	Male Fem. Uuk	165 184 3	5 14	9 11:	10 13 1	19 26	1 3	11 21	3 2	10 6	14-15	11 13	20 21	12 10	14	27 18 1
Nov.	Male Fem. Unk	150 188 4	15 8	6 16	8 9 3	14 27	3	18 11	3	4 7	15 15	12 9	20 27	14 8	13 22	11 23
) Det.	Male Fem. Unk	181 15ti 4	14 12	12 8	7 11 1	16 10 1	6 4 1	18 15	3	3	13	8 14	19 14	15 15. 1	25 20	19
Talk.	Male Fem. Unk	16 10 3	• • •		2	3		4	4 4 4 4		* * * *	î	1		****	3
Appregate.	Male Fem. Unk	2193 2222 40			131			163 173 3	22 27			123 129 3		162		
App	Tot'ls	1155	326	289	278	505	97	335	49	132	343	255	531	348	*427	536
e f	Am .	3876	287	256	246	410	84	275	38	122	:15	210	451	311	387	477
Parentage.	For .	360	21	21	16	75	8	41	11	2	15	24	65	22	16	23
E	Unk	219	18	12	16	20	5	23		8	13	15	15	14	24	36

<sup>\*</sup>This number includes 49 deaths occurring in the Vermont Asylum for the Insane.

### TABLE V.-DEATES.

Exhibiting the number of each feet in the actional Committee, during each ments of the year.

Moutha	Sex	Winder Number	Addienn	Dennington	Calerbourn.	Cantenden,	E not	Pranklm.	Grand Isle.	Lameille	Orange.	Chrisann.	Ruchani	Weshington,	Wintham.	Windsoc.
Jan.	Mag femi. Laka	140	11 10 1	12	7	21	5	11	1	- 10 de	11	11	17	10	14	16
Foli.	Male . Yes Lak a	161 174 1	16	10	10	 50	5 5	10	1 2	3	15	9 10 1	18	11	30 16	21
March	Male. Fem Cak's	25	14	15	10	-NO	2	1:	1512		12	8 1	28 25 1	18	II II	10 10 1
Aprill.	Male . Fest . Uak's	15.	10	10	19	14		4 15 3		3	15	H	88 ;	17	1	se Ukin
May.	Male . Fem., Unk n	153								V	10	10	15	11		11
June.	Male Feet										10	1- 3.	17	11	1.	11
July	M cia.				11				1		11.					7
f the second											)					

### TABLE VI .- CONTINUED.

		2	_					,					wer.	.n		To	TAL.		90
30 to 35.	35 10 40.	40 to 45.	45 to 50.	5U to 55.	55 to 60.	60 to 65.	165 to 70	. 70 to 75.	15 0 80	1 80 to 85	85 to 90.	90 to 95	95 and ever.	Cuknown.	Males	Fem.	Uok.	Total.	Percentage.
1	336	10	3 1	1 3 6	1 1 7 5	107	67	8 10	2 14 13	1014	1	3 4	3	3 2	111 11	55 7 16 1 2 6 4 16*	4	31 31 10 12 326	.90 1.22 1.77 1.50 2.16 2.16 .14 .77 1.53 1.22 1.72 2.98 1.46
1 2	1	3	1 1		1	4 2	1 1 1 2 2	1	2		2	2		3	45 14 1	3	2	16 93 22 3 3 34 4	1,81 1,000 2,14 2,09 1,28 ,80 15,78 1,70 2,31 1,20 1,01

TABLE VI -DEATHS,

Exhibiting the number of each Sex, at different ages,

	P	OPULATION	N.					-					
Towns.	Whole No	Sex		Unor1	1 10 2	2 10 3.	3 10 4.	4 10 5.	5 10 10	10 to 15.	15 10 20.	20 6. 25	7 m
A DDISON.					_		I .			_			_
Addison,	1000	Males.	512	1					2				
	Ì	Fem des,	48×										1
Bridport,	1298	Males,	615	2									
	!	Females,	680	2				l				1	1
Bristol,	1355	Males,	660	<b> </b>				١				- 1	
ii ii		Females,	695	1	1							1	ì
Cornwall	977	M des,	4×4	2								••	
1		l'⊢males,	493									٠٠٠	2
Ferrisburgh,	1735	Males,	869	5	1							1	•
		Females,	869	1				• •		• •		ı	i
Goshen,	394	Males,	208	٠.	3	1						٠.,	•
<sub>1</sub> 1		Females,	18		1			• •	• •	• •	• •	• • •	•
Granville,		Males,	384							• •	• •	1.	•
		Femules,	336		٠.	٠.						• 🔆	• •
Hancock,		Male-,	235	1	٠.	٠.						••'	••
		l'emales.	$-213_{\rm p}$			• •							•
Leicester,		Males,	382	2	$ \cdot \cdot $	$\cdot \cdot  $		٠.,			$ \cdot\cdot $	••!	:
:		Fem des,	355		• •							• •	1
Lincoln,		Males,	54		2			• •				• •	••
		Females,	524					• •					•
Middlebury,		Males,	1366		2			$ \cdot\cdot $		• •			0
:		Females.	1513		- 1	- 1	• •			٠.			-
Monkton,		Mairs,	568.			ا;٠							••
! <sup>!</sup>		Females,	555		::			~1				٠.;	••
New Haven,		Males,	712		-	··i	• •	2	1	• •	1	2	í
		Females,	707 692		- "	• •	$\cdots$	$\cdot \cdot ]$	• •	• •	١,	1	
Orwell,		Ma'e⊰,	649			$\cdot \cdot  $					• •	'	
1		Females,   Males.	257				- 1	- 1		$\cdot \cdot  $			
Panton,			254	1			٠.١	• •	٠;	$\cdots$	:1		
Di		Females,   Males,	303	'		$\cdot \cdot  $	٠.١		1	•	١. :	11	•
Ripton,		raies, Females,	267		•	i	٠.١		٠ ا	• •	· ;	1.	
		r emaies, i	201	<u> </u>	• • • •	-1	<u></u>	• • •	· · · !	• •	L ,	1:	

### TABLE VI.-Continued.

							~						STREET.	=		To	TAL.		9
50 to 50.		40 m 40	45 10.50	50 to 85	155 to 681	Git in tig	1 to 34 Th.	JU 10 75.	15 to 80	No see AS	P5 to 50.	SR 101 382	195 and over.	Unknown	Maks.	Fem	Cok.	Total.	Percentage,
1	38	54	36	34	-62	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3 3 5	1 3 3	1	2	1 1 6 3			1 58	1 5 4 4 134	11 17 17 132		15 30 14 8	1.70 3.20 1.42 8.81 1.29 1.81 2.41 1.76 3.38 1.02 1.13 1.10 1.35
 - 1		_	9	7	-8	• 6	13				ย	4	2	8				289	1,4
2	1		1		2		1 2		1			1			16	2:	3	17 41 41 16	.3 .5 1.4 1.3 1.2 1.6 .4

Readshore, .....

# TABLE V.—CONTINUED.

	1	OPULATIO	N,										
Towns.	Whole No.	Se:	x.	Union L	1 10 2.	2 10 8.	3 10.4	4 10 5,	5 to IU	10 to 15.	15 to 20.	20 m 25.	10 to 50.
Annison.—Continued													
Salisbury,	853	Males, Females,	438	1		n 4							
Shoreham,	1382	Males,	694	6					1	1 4		14	1
Starksboro,	1437	Females, Males, Females,	588 733 704	3.									1
Vergennes,	1286	Unkno'n, Males, Females,	59. 694	4									
Waltham,	263	Malea,	134	1						10.00			
Weybridg#,	667	Females, Males, Females,	129 329 338	1	i	2	. 1	0.00		* b			1
Whiting,	542	Males, Females,	268 274	2							0)		1
Aggregaté,		Males, Females, Unkno'n,	11984 12026	26	14	ti		20	3	1 2	ij.	4 8	4 4
Totals,			24010	rā-d	2.7	8	1	2	9	3	9	12)	8
						1					1		
Bennington.		Males,	550 596	. 1		1		1					
Bennington,	4280	Females, M des,	2100	12	33	1	1	i	2	1	3	1.	1
Durset,	2090	Females, Modes,	2287 [1692]	4									
Glastenbury,	47	Females, Males,	998 28	- 4									
Landgrove,	320	Females, M des,	$\frac{19}{175.5}$				1					!-	*
Manchester,	1688	F⊬ nates, Males,	145 818	5	1						2	il	1
Peru,	543	rem des, Males,	584 820,	1			2						
Pownal,	1731	Females, Males, Females,	889 842	4					1			1.	

930 Males,

### TABLE VL-CONTINUED.

			,		-	-			_	3			TANK.	-		To	TAL.		160e.
On 10 00.	35 10 40	481 144 45.	1 45 to bec.	50 m 55	55 to 60.	( 60 to 65.	1 65 to 70	170 10 75.	1 75 to 80.	1 80 to 85.	01 11 gu }	90 to 95.	95 and over.	University.	Males.	Fem.	Unk.	Total.	Percentage.
. 2	1		1		1		1									16	****	21	1.8
-		4 2					,	0	0	2					5				1.6
												1				3		h	1.1
e.						1	1	2	2	1	1				14				2.3
		4 8	• •	3			1	1	200						****	9			1.3
1	1	4.4	٠.		*					0 1					5		1	24	.9
1									j	i		1		1.0		2		7	.3
									1						4		1111		.9
			1		1			1	1					0 1		5		9	1.2
1	1	4	1	1	1			- :			1							*****	2.1
	-1	_													· · · · i	24		59	1.3
		0.4																1	*****
			i					i	· i		1								1.1
						1				1				1	6	- 5		11	1.1
ŀ	9 .				2	2	9.0												1.5
1		1		1					1					2 4				14	1.1
1		* *		i		1		**	1						-	9		16	1.5
		1	1			1		0	1						- 6				1.3
	1	V 1	1						1		1			2.4		1		13	1.7
1	4	1	5	27	5	G	16	4	14	1		2		2	139				1.2
3	9	5				2	6	14	M		4	j		1		131	8	*****	1.2
		• •				11 0					-	0 1	• •	1					1.4
7	8	6	13	9	12	8	22	18	12	10	*	3		3				278	1.2
		N				h 4									,				. 55
		4 9														1		2	.3
3	2	3	3	1	i	1	2	- 52	- 3	1	2		1	1	93				2.4
	4	_	4		3	2		3		3						95			
٠					i			i	1						9			189	2.4
١	2	• •	.:	1			i		1	2					9	10		19	1.1
						0.0						i			30				1.9
	4	1					3	4	1			1				34			2.2
							1	4							14			*****	1.5
I							3		1		0 4					13		27	1.3

# TABLE VL-CONTINUED.

	P	OPTLATIO:	r.								U		
Towns.	No.	Bex		United 1	1 10 %	S to 3	\$ 10 4	4 10.5	5 to 10	10 m 15.	15 10 30	20 025	160 to 300
Bennington.—Coi'd. Ruperi	1103	Males.	564	-			7		-	2	-	-	
supern and a second	1100	Females.	539	i								ľ	**
Sandgate,	805	Males, Females,	417 388	2									
Searsburgh,	262	Unkno'n, Males, Females,	1# 12:	1		1	1						11
Shaftsbury,	1936	Males, Females,	1001	4	j			1	2				1
Stamford,		Males, Females.	41 4 345							j			
Sunderland,		Males, Females,	2×4 2×3	_	1	1						1.	1
Winhall,	741	Males,	389			٠.		1		*10		4.4	a D
Woodford,	379	Females, Males, Females,	352 201 178		1					1			2 P
Aggregate,		Males,	9845 9591	36 23		3	2 4	3 3		 6 4		4	91 0
		Unkno'n,		200			4 4						
Totals,			19436	62	10	7	-6	6	11	10	10	17	11
Caledonia,													
Barnet,	1994	Males, Females.	986 1008	1 "	1	1	٠.					1	14
Burke,	1138	Males, Females,	500 578	1	2					-	1	U	14
Danville,	2544	Unkno'n. Males, Females,	1232 1312	1 4 3	2	1	`i		ì	2	1		1
Groton,	939	Unkco'n, Males, Females,	478 461	3						5 4 5 F			
Hardwick,	1369	Unkno'n, Males, Females,	674 695	3			i			» »		1	1 2
Kirby,		Unkno'n, Males, Females,	234 239	1 2									

TABLE VI.—CONTINUED.

		7		,		,		-		_		OVEF.	n.		To	TAL.		90
35 to 40.	9 m 0F	45 10 501.	50 to 55.	1 55 to Gu.	60 to 65,	(65 to 7U.	170 10 75	75 E M.	NU to 25.	185 to 90	1 90 to 95	SO and over.	Unknown.	Male.	Frm	Unk.	Total.	Percentage.
5 9 1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 3	1 1 2 2 4 8	1 1 1 1 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	2 1 1 2 1 1 2 1 1 2 1	1 3 3 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 2 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1	1	3	1	8 17 15 6 2 10 1 10 11 13	2 10 8 6 6 20 5	3	23 10 27 24 14 8 19 3 30 19 27 505	.66 2.00 1.80 .4 2.00 1.11 1.5 9.8 1.11 3.3 1.22 2.44 1.7 1.5 1.7
				1	i	1	2		1					12	1		24	1.1 2.8 2.4 2.6 1.1 2.9 4.0

### TABLE VI.—CONTINUED.

# (C.) First of men, but subsequent of women.

	ber.				Age	S OF	W	030	EN.					
AGES OF MEN.	Whole Number	Under 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45	45 10 50	50 to 55.	55 to 60.	60 to 45	, 65 to 10.	1 + ver 70.	Unknown.
Whole number	145	9	31	40	32	18	G	I	2	-			1	
Under 20	4	1	2	1								1.	1	
20 to 25	39	3	18	10	7	- 1						1.		
25 to 30	40	4	8	13	9	4					1			
30 to 35	26		1	11	원	6						. ,		11 41
35 to 40	11	1	2	4	9 2 2 2 2 2	3								
40 to 45	12			1	2	3	4	1	1		١	1		
45 to 50	5				2	2			1			1.		1.00
50 to 55	2		1		2				1	100				- 1
55 to 60											1			1.0
60 to 65								+ 4		1				p 4
65 to 70								P 8		- 4	7 1			
ver 70														
Unknown	0						١	l						

### (D.) Subsequent of men, but first of women.

Whole Number	342	56	84	71	43	32	19	9	*	4	2	1	
Under 20													
20 to 25	10	4	4	- 9									, .
25 to 3	51	20	21	- 8	1	1							
30 to 35	70	11	20	18	11	1							
35 to 40	61	(6)	21	19	5	ī	1	1					
10 to 45	39	4	3	10	9	7	5						1.4
15 to 50	45	10	5	5	11	(i	4	3	1				
50 to 55	23			4	3	6	5	1	3				4.0
55 to 60,	11:	3	1	3	2	4)	1		1				
60 to 65,	- 11			2	1	1	1	- !	2	1			
65 to 70,	11						1	1	1	3	1 2	1	
Over 70	4					1	1	2					
Unknown	10									١	1		

# TABLE VI .- CONTINUED.

	_		_,				_						VPP.	7.		To	OTAL.		ege.
1 50 10 50	1 85 to 40.	40 11. 46.	145 11. 50.	SU to 55.	55 to 60.	1 GU to U.S.	US 10 70	70 to 75.	1.5 80	1 80 to 85	85 to 90,	30 or 95	Ho are ever.	Chikagan Pa.	Makes	Fem.	Unk.	Total.	Percentage.
			- 4						1						2				2.6
4						1			4. 6						2			2	3.0
*		• •			• •	1									2			2	3.1
										i					i				
						7.7	1									4		5	1.4
			0.0		4 0	e a		4 0	0.0										
-	ł	0.0					1				1					3		3	2.
i						• •	• •		4				1		9	5			1.6
1					* "											****	2	16	1.0
															3				2.0
-	2 0		٠.				1									2		5	1.7
-1	}														1				. 8
1	* *					• •		* "		1	4.0			. 4		1		2	1.4
	1	$\Box$	1	1	9	2	3	4	5	3	1		1		49				1.7
ij	11			1	2	2	4	1		2									1.7
-		-	-		-	_	7	5	-	5									
2	2	•	1	2	4	4	7	5	5	5	1							97	1.6
					I		1			1				1	11				1.4
		1					1		2	1	- +1					13		24	1.8
ŀ						2				2	- 1		- +		8				.8
ж		1					- 1		٠.				4 +	1		8	i	17	8
							2		i						10		1		.9
1	1				i	1	2	[	- 4			`il				12		22	1.1
1	-		2	I	2	1		1							12				1.2
1				1						2	-	P &				14		26	1.3
1							2	1	1			5.0				10			1.0
1		-	i				-						• •		5	10		23	1.1
1			1		1						1				9	3		8	.6
1												- 1		2	7				.7
		1	6	2				1	1							10			
1.									i					i.		* * * *	2	19	1.1
1.		-	4		-	1	1	. ,	1	1		1			9				1.1
1		1	-		i	3	1	- :	1	1			i	1	10	9	• • • • •	18	1.1
1	.1	: 1			1	2	1	1		1			R	* "	10	17		27	1.3

### TABLE V.-DEATHS.

Exhibiting the number of each Sex in the several Counties, during and month of the year.

																_
Months.	Sex.	Whole Number.	Addison	Bennington.	Caledonia.	Chittenden.	Бевнх.	Franklin.	Grand Isle.	Lamoille.	Orange.	Orleans.	Ru'land.	Washington.	Windham.	Windsor.
<u>;</u> {	Male. Fem Unk'n	157 140 3	11 10 1	8 12	9 7 1	24 11	5 3	11 14 	1 	4 2 	12 11	7 11				16
-೯∤	Male . Fem Unk'n	161 174 1	16 16	5 10	7 10	17 26	5 9	12 7	1 2 	4 5	15 18	9 10 1	1× 19			21
3 \	Male. Fem Unk'n	190 207 7	16 14 2	7 15	10 9 1	16 22 1	3 2	13 18	2 2	 9	12 10	8 7 1	28 25 1	23	17 3 17	31 36 1
国社	Male . Fem Uuk'n	186 205 5	15 10 1	13 19	19 7	18 14	5 10	4 18 1	3 5	3 7	15 29	11 11	29 25	17		5 25
₹ }	Male. Fem Uuk'n	152 168	8 17	12 16	11 9	17 17	7 4	12 12	3 4	4 3	12 13	10 10		10	17	1
£ } :	Male . Fem Uuk'n	146 141 I	1' 14	11 10	0 10	24 13 1	2 1	11 12	1	4 7	10 12	7 8	17 17	11		3 1 5
₹.)	Male . Fem Unk'n	200 173 1	15 12	12 11	11 18	24 26	4	15 11	1 1	 5	16 7	15 7 1	24 19	15 1.		2
를 /	Ma'e . Fem Unk'n j	239 247 4	15 2.,	19 13 1	18 13	29 37	۶ 5	1 17 2	4	4 5	1 22	13 10		24 18	20	1 27
<u>} ن</u>	Male . Fem Unk'n	250 230 4	14 24	19 11 1	21 15 1	27 24	1	18 13	3	13	15 17	12 18	-	21 25	1.	22 26 2
_ `		-			1 1		1		1	1		1	۱۰۰۰۱	1,		

# TABLE VI.—CONTINUED.

	2				F		1,	9.	_				NPF.	=		To	TAL.		ge.
30 to 35.	35 10 4tt.	40 to 45	45 10.50	50 11-55	155 to OU.	60 to 65.	165 to 70,	. W (n 75,	75 to 80	NO 15 KG	N5 to 90.	190 to 165.	195 and over	Unknown	Maks.	Fem.	Unk.	Total.	Percentage.
111111175	3 56	6	5 4	6		1 2 1 6 11	12 12 12	1 7	1   1   7	1 2 2 7	1		1	1 7 6	6 10 1 15 153	12 4 12 30 19		18 14 18 69 30	.9 1.9 1.4 .6 .7 1.4 2.1 1.6 1.2 1.4
2	11	8	9	8		17	24	8	14	13	5			18			3	339	1.2
	2	1	2					1 3 2 3	1		1			* * * * * * * * * * * * * * * * * * *	5 	15		21 6 5 9	1.7 .8 .8 .3 1.4 2.3 .6 1.5 1.0
	4	3 4		1	# h			3 -ti			1 2	1	-	4 *		27		49	1.1
1			1		1		4 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	1	1					**	1 11 	1 4		15	.5 1.2 .4 1.4 2.0

## TABLE VI -DEATHS, Exhibiting the number of each Sex, at different ages,

	P	OPULATIO	N.									ا ا
Towns.	Whole No	SEX	:.	Cross r 1	1 10 2	2 10 3.	3 10 4.	4 10 5.	5 10 10	10 10 16	16 10 28	24) to 225.
A DDISON.	1000	Males, Females,	512 48×									
Bridport,	1298	Males, Females,	618	2			١		١	٠.	ı	
Bristol,	1355	Males, Females,	660 695		.;			١				
Cornwall	977	M des, Females,	484 493	2			ļ			ı		
Ferrisburgh,	1738	Males, Females,	869 869	5	i		1	1				1.
Goshen,	394	Males, Females,	208 18		3					٠.		
Granville,	720	Males, Females,	336 384	i							١	1.
Hancock,	1	Males, Frmales,	235 213	1	::  ::							
Leicester,	!	Males, Femiles,	382 355				· ;	::	1	• •	• •	
Lincoln,		Males, Females,	54 524		2		::	 			ì	
Middlebury,		Males, Females,	1366 1513	9	2   1				i			1
Monkton,		Males, Females,	568 555				1			1	i	
New Haven,		Males, Females, Males,	712 707 692	_			 	2			i	. 3.4
Panton,		Females, Males.	649 257	1						::		
Ripton,		Females, Vales, Females,	254 303 267	i		• •			i	ن	-	4

TABLE VI.—CONTINUED.

3		_						-		~		over.	:1		To	TAL.		966
30 to 35.	40 to 45	45 14 511,	50 10 55.	55 to 60.	60 to 65.	65 10 70,	70 to 75	75 to 80.	NO 10 25.	1 85 to 90	1 90 to 95	35 and over,	Unknown.	Male.	Frm	Unk.	Total.	Percentage.
1 1 1 1 1 1 1 1		21	1 1 3	55	5	1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 32	1 1 1 1 1 1 5	1 1 2 1			4 4 11 15 6 5	4 9 4 12 8 3		8 15 8 24 23 9 12	1.3 1.3 .8 1.3 .5 .5 1.3 1.4 .8 1.7 .7 .8 1.2
2	1	2 2 1	1	1 1	1 1 2 1 3 3 1 1	2 2 1 1 1 1 3 3	1 3 1 1 1 1 3 1 1 1 3 1 1 3 1 1 3 1 1 3 1 1 1 3 1 1 1 3 1 1 1 1 3 1 1 1 1 3 1	3 4 1 1 1 1 2	1 2 1 1 1 2 2	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1	1		13 10 5 7 10 11 11 21	16 5 21 2 2 16 6 23		39 19 10 28 21 3 27 44 27	1.5 1.8 1.5 .66 .8 2.2 1.1 .3 .7 .9 1.2 .8 1.3 1.6 1.8 2.0 1.4

	P	OPULATIO:	N.										
Towns.	Whole No.	Sea	t.	Uniter 1	1 to 2.	2 0 3.	100 E	4 to 5.	5 10. 10	10 to 15.	15 to 20	20 10 26.	State out
ORINGE - Continued.					Г				Т				-
Тораваш,	1662		833	2		1							
True de l'Ann	1510	Females,	825	0	- :	4 4	9 4					1	2.4
Tunbridge,	1540	Males,	814 732	2	1	1			9		2	4.5	
Vershite,	1054	Females, Vales,	565			Ł			1		2		
A CLAMICA's BALLACTOR	1034	Females,	489	١.	0 4						0.1	1	í
Washington,	1940	Males,	634	3		i	* *			-	1	B	ľ
Traduction,	1	Females,	615	1					0 h				b 4
West Fairlee,	830	Vales,	425	1	i		* .	* 1	1			1	1 0
in con a mineral entre entre	000	Females,	405		i						1	1	1.0
Williamstown.,	1377	Mairs,	6.7	1				* -			3		i
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	Females,	690	0	1					1		ш	
	1					-	-		_				_
Aggregate,		Males.	12766	25	5	4	1	2	5	1	3	7	3
		Females,	12689	18	1	2	1		0		9	10	8
		,					-		_	_		-	,
Totals,			25455	Ł	13	6	e)	2	7	4	1î	17	ţ1
ORLEANS.												I	
Albany	1224	Vales,	027	:	1						4 0		
	1	Females,	597	1			0 1-		4 +				2
Barton,	159	Males,	818	1	1								
		Females,	772	1	١.							1	1
Brownington,	757	Mabs,	4114		, .							1	
1		Femules,	353	1		1				1			
Charleston,	116	Males,	586	-						. 1	4 1		: +
		Females,	574	1	٠.						1	П	
	411.4	Unkno'n,		, -	1 ^	. 1		7 5			4 1		T II
Coventry,	914	Marles,	445	(3			4 .	i				4.1	1
7 6 1	1.44	Females,	41-	-	. :	- 1	4 5		- 1			9.1	* 1
Craftsbury,	141-	Males,	6×1	4 1	1	> 1	7 1		B 6		* *	0	4 2
		Females,	7.2			. ,	4 .		1		1	2	, =
D L	1017	Unkno'n,	1,	11	- 4		٠.		• •				
Derby,	1910	Males,	952	1.7	,ł							1	1
31	1011	Females, Males,	958	, 1					1		1	à	
Glover,	1244	Females.	631° 613				* "	1 1	4 1	4 4	9 -1	* *	9.6
Greensborg,	1005	Males,	502	1.			٠.	4 1	1	1 4			4 6
atconspoto 1	10.0	Frmales.	560			٠.	3		1	1		1	1
Holland,	715	Unles,	388		* 1			7 1		E	٠.	1	'
Leonard,	E STATE	Females.	360	i	1.		i	1					1
Trasburgh,	1131	Vales,	508	1	1 *						* ^		1.
removes Bule sections	1101	Females,	563,	2				1 1		* *	7 .	-	17.

			4		).		).		1.		_		Wer.	vn.		To	TAL.	1	500
200	35 to 40.	40 10 45.	45 Te 5"	50 to 55.	55 to 10.	Or to 65.	15 10 70.	] 70 to 75.	1 TS 40 34.	, 880 to 865.	00 or 64 !	90 10 95.	1 95 and over.	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
	1	2	, 1		1		1	1			1				12	***			1.44
-	1			1		1	· · · · · · · · · · · · · · · · · · ·	1		1 2			i	1	13			18	1.5
i	* *					1	1	1	1							11		24	1.5
	0 p		y 4						. ,	1	i				3				.5
				1		)		. 4	2	1				1	10	6		9	1.2
:										i			* *		10	5		15	.8
		i						1	1						6				1.4
	1		1 -		- :		1	1				* "				5		11	1.2
1	2	1	i	i	1 1	·i	2	2	2		2			P 4	13	14		27	$\frac{1.8}{2.0}$
	_	_	_	_	_			_	_	_	-	-	_		-				
4	2	4	3	5	9	12	16	15	13	11	7	2	2	2	164				1,2
0		5	10	ľ	4	1.	15	10	16	13	1		i	2		179			1.4
4	9	5	13	12	13	19	31	25	29	24	14	2	3	4				343	1.3
				1			1	1	, .			,			8				1.2
4	٠.					1				1	1					7		15	1.1
1	1	2	1	i	1	1	- 1	i	4.4		· ;	4 5	4 2	5.3	6	11		17	1.4
					1							1::			4			11	1.9
			1				1 2		1							7		11	1.9
-				1	ļ	١,,									2				. 4
1				1			* *	(.)			+ 1						2	11	1.5
i			1			2						1			10				2.9
4			1		. :	_					1					6		16	1.2
i			-				1	1					::		5	6			1.7
					1 4	1		1	l								1	14	1.0
1	2				100		2					1		1	19				1.9
1		1	1.		1	1		1							2	11		19	1.0
1		100	1		1:		1	1	1.						2	7			1.1
		1	1			i		2	i			1			7				1.3
4		2			1 -		1									11		38	1.5
				1		4 .	ì	2				4 +	1:	* *	2	7		9	1.5
	1	i		1				1 2							10				1.7
		]		1				1 2		1			1			8		17	

	I	POPULATIO	N.										1
Towns,	Whote No.	Ses	r.	Under	200	Z to 3.	\$ 100 E	4 10 5	5 for 14	10 15	15 10 91	20 14 28	25 to 30
OBLEANS, Continuer			Ī			-		-	-	-	-	-	-
Jay,	474		26%		4				1				1 .
Lowell,	815	Females, Males,	211 435	i		2		4 -					00
217Willy 217127111111	010	Females,	378	2								1	
Morgan,	548	Males,	2M+										
		Females	265	2									11
Newport,	1197	Wales,	616	3			1			1	4 11		
		Females,	581					1		9 4		5	10
Salem,	603	Males,	306	2	- 4				1			4 . 1	lin.
W	104-	Females,	297										
Troy,	1245	Males,	637	1	2		4.4	. 5	- 2		- 1		
Westfield,	619	Females, Males,	321	3		1				_		7	1
Wednesd's sees sees sees	010	Females,	207	1	* *	•							
Westmore,	324	Males,	170	i					* *	- 1			
	021	Females,	151			1							
Aggregate,		Males,	9627	34	10	3	1	1	4	1	1	4	i
200.0000		Females.	9354	26	1	3	il	2	3		61	2	3
		Unkno'n,		3					-			. 4	
Totals,			18951	57	11	6	2	3	7	6	71	(1)	9
RUTLAND.								9					
Benson,	1256	Males,	609	1				[		1	1	1.	
		Females,	647	2				1		:		1	
Brandon,	3077		1555	- 7	4	1	1	1	4	1		1	2
Cl. 41 4	0050	Females,	1523 1412	4	6	4	1	1	2		1	1 3	_
Castleton,	2852	Males, Females.	1440	3			1			2	il.		-
Chittenden,	763	Males.	391		1			- 1		-		-1	i
Ontrochaed,	100	Females,	372	- 1			- 1				il	1.	
Clarendon,	1237	Vales,	642	4									
		Females,	595	1		. ,),						. 1	1
Daaby,	1419	Miles,	73.		1 .		1],			.].			,
		Ferrales,	687	3		. ,					2.		
Fairhaven,		Males,	$717^{1}$	5	1	1	1 .			1.	*	1	
		Females,	661	2	2	1.	-			1.	"	1	
Hubbardton,		Males,	306			.   .				1-		4 41	4
		Females, Males,	300 . 223		4				- 1				2
[ra,													

### TABLE VI .-- CONTINUED.

				,			_,						Ver.	,D.		To	TAL.		, ge.
30 to 35.	35 10 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	1 60 to 65.	65 to 70.	1 70 to 75.	75 to 80.	80 to 85	85 to 90.	(0) to 95.	95, and over,	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
							i	i i 1			 i				5	1	****	6	1.9 .4 1.1 1.8
1	3	2	1		1		1	4 +	1	 		• •			12	4		4 20	1.49 1.9- 1.3
1	12			2	1	3	i i	2				1	i	1	3 14 7	5	****	8	$egin{array}{c} .98 \\ 1.68 \\ 2.18 \\ 1.4 \\ 2.18 \\ \end{array}$
1	1					1			4 .	1					2	5 1		12	1.6 1.1 .6
27	6 7	4	4	5	1	3	8 14	14	3	4	5	4	1	1	123	129	3	*****	1.3
9	13	8	6	10	5	11	22	23	4	6	6	5	1	2		****	4	255	1.3
1 2	1			2	1	3	2	1 1	2						35 16	5		13 59	1.3 .7 2.2 1.5 1.1
2	2	i	1	1	2	1 1 1				i				1	5	22 6		38 11 12	1.59 $1.26$ $1.6$ $1.2$ $1.6$
1	1		1		3.	i		1 i 1					4 1		11	9		13 23	1.3 1.5 1.8 1.8
1			1	1	· · ·		i	1		i					2	2		4	.60 .89 2.0

	P	OPTLATIO:	£.					Ш		, á		i	
Towns.	Whole No.	Sec	-	Under 1	1 10 2	2 10 3.	8 10 4	4 10 5.	5 to 10.	3	15 10 20	20 11 25	1
В пыво-Социней								П					1
Mendon,	633	Males,	341	2	_								
M.ddletown,	7.12	Frmales, Males,	377		2				1	1			9
Mount Holiy,	1597	Females, Males,	335 802	1	1			::				•	
	1	Females,	720	3		i	1		1				
Mount Tabor,		Males.	200									4 0	0
Pawlet,		Females, Males,	158 780				1				0 4		
Eawlet,	Too.	Females.	759					::			0	i	7
Pittsfield,	403	Males.	255	i		* *					1	-	
Lavoration		Females,	23×	2			-		9 0			-01	
Pittsford,		Males.	92	4	3				ì			"	
I SERROTTY	1003	Females,	917	3	1			1				* *	
Poultney	9079	Males,	1121	2							3		
r neuring	221 C	Females.	1157	4	-		i				2	* *	4
Rutland,	7571	Males.	3×99	26	8	3	2	i	2		2	ï	
trustanto,		Females.	3578	16		2		i	2	1	1	3	
Sherburne,		Males.	283		-	-	* *	7.1			-	Par.	
egerburge,	020	Females.	242	3		* -		• •			1	1	
Ek namahuma	1175	Males,	590	i	1	i			• •		* .	2	
Shrewsbury,	1110	Females.	585	1	1					4.4	* *	-1	4 1
•		Unkno'n	983	1	1			• •					
Sudbury,	600	Males.	352	1	2.4	i	1 -		- 4	~ 1	* *	"	1
padoqia	0.70	Females,	344	1			* *				1		
Ti-manh	COL	Males,	314	6	1- 4				• •	* *		1 7	1
Tinmouth,	020	Females,	306	i	* *					* *	* *	11	
TET - 111 Co d	1747		90%			2				1	1	1	
Wallingford,	11.41	Females.	842	0	4 11	2	7 .		1		1	71	
		Unkno'n.		ī								å	4
W7.11.	640	Males,	320	0					9			0 1	9
Wells,	042	Fronties.	322	2	8 -	::		1	-				
W Hann	590	Vales,	297	-							* *	* 1	
West Haven,	360		283							ï		1	1
		Females,	200		4 4		h =	1 1					1
		Males.	18345	62	27	10	6	3	9	3	5	9	1
Aggregate,		Females.	1760	52	20	8	ů ô	E.	6		19	1	ì.
		Unkno'n.		2	1	0					12	14	-
		OURTOR!		1 -			* "		* *			- 1	
FF - t - 1-			35946	116	17	18	ū	8	15	.0	17	19.	9
Totals,			OUSING	110	34	10	6.4		6.63	141	**	20	ſ

TABLE VI.—CONTINUED.

		3 3			ني ند	OVET.	.u.		To	TAL.		60.6
45 to 55	55 to 60.	65 to 70,	70 to 75.	80 to 85.	N5 to 90.	95 and over.	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
1 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	2	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 2 2 3 3 4 4 1	1 2 1	1		1	9 4 15 9 76 1 1,8 6 5 15	3 13 7 60 17 60 4 7 3 16 7	1	16 10 31 26 136 5 5	2.6 3.0 .7 .8 8.8 .5 1.8 .5 1.6 1.7 .8 1.6 1.7 .8 1.6 1.7 .8 1.6 1.7 .8 1.6 1.7 .8 1.6 1.7 .8 1.6 1.7 1.6 1.7 1.6 1.7 1.6 1.7 1.7 1.6 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7 1.7

					1				F	ı		T
FT		OPULATIO	N.	-		ı	u			adi	18.0	SE. 1
Towns.	Whole No.	SE	K	niler	23	10 3,	10 4.	to 5.	to 10	10 to 15		25 to 2
	34			E	-	24	250	77	20	=	51 1	1 10
WASHINGTON.	1839	Males.	926	2	*2						1	I
		Females,	913	2					1			13
Berlin,	100	Males, Females,	776 769	1		1		::			il.	lper 
Cabot,	1318	Males, Females.	649		1							1
Calais,	1409	Males,	724	2	1				1			
Duxbury,	1000	Females, Males,	685 534	1	2						1	
East Montpelier,		Females, Males,	466 693	- 4 9	1		.,				1	3
		Females,	635		2						1	
Fayston,	800	Males, Females,	326 374	1	1			**		i	1	
Marshfield,	1160	Males,	595	1								
Middlesex,	1254	Females, Males,	565 635	1						1	1	
Montpelier,	9411	Females, Males,	621 1182	5	4	1	i		1		11.0	ï
Adomponor,	WHI.	Females,	1229	2	2			1	2	1	2 1	2
Moretown,	1410	Unkno'n, Males,	720	3			1					ï
		Females,	690 2170	3		1		-	1			ï
Northfield,		Females,	2150	5		i	3	2	1		1 2	i
Plainfield,	822	Males, Females,	390 420	1	• •	•	• •			* 1	2	1.0
Roxbury,	1060	Males,	560	3		1			1	_		
Waitsfield,	1005	Males,	506	2					1			i
Warren,	1041	Females, Males.	499 525	1								1
		Females,	516	1								
Waterbury,	2198	Males, Females,	1104	2		1		::		2	3 1	ii.
Woodbury,	999	Males,	531 469	1	1							
Worcester,	684	Females, Males,	366	::	1					:		T.
		Females,	324	1							-	-
Aggregate,		Males,	14038	34	9	5	4 3		217	2	9 1	8 8
		Females, Unkno'n,	13574	20	-	2		3			61:	
Totals				- 35	16	-	7	3	9	10	15.3	Di là
Totals,			2/012	1001	10	11	-	2	4	F47.	\$17.50	-

		_		_		.,						over.	'n.		To	TAL.		96
35 10 40.	40 to 45	45 to 30.	50 m 55.	55 to 60.	60 to 65.	65 10 70.	70 to 75.	75 to 8(	×0 to 85.	1 85 to 90	90 to 95.	95 and over.	Unknown.	Male.	Fem.	Unk.	Total.	Percentage.
1	1	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	511133122332112	2 2 2	1	1 1 2	1		1	188 99 77 88 66 99 4 122 20 77 288	15 4 8 8 8 7 7 7 7 16 		33 12 17 15 15 15 13 11 19 37 12 62	1.9 1.6 1.6 1.3 1.3 1.4 1.4 2.1 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1.6 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 6 4	1 7 5	1 3 8	7-5	1 2 1 1 15 7	1 1 2	1 2 1 19 13	1 1 1 1 1 7 9	4 3	2 1 7 2	1 34			7 6 4 15 4 185	2 4 5 13 4 6	1	9 10 14 8 28 8	1.0 1.0 1.0 1.0 1.1 1.1 1.1

	P	OPULATIO	<b>N.</b>	L									
Towns.	Whole No.	Sex		Under	1 to 2.	2 10 3.	3 to 4.	4 10 5.	5 to 10.	10 to 15.	٤	5	OR 91 95
Windham.			1		Γ	_			_	_	_		-
Athens,	382		201		1				1				1
D 403-1	2055	Females,	181	-:	٠.	1		• •				١	••
Brattleboro,	3833	Males, Females,	1849 <b>200</b> 6	6   8	1 2	• • • • • • • • • • • • • • • • • • • •	i	••	4	2	1	ŀ	
Brookline,	243	Males,	123			_		••	::	Z	1	Z	2
	[	Females.	120									i	••
Dover,	650	Mules,	321	1		١							
Dummanatan	1001	Females, Males,	329	••	.:	• •	• •	• •		• •	••	• •	••
Dummerston,	1021	Mairs, Females.	52≻ 493	ll i	1	• •	• •	• •	••	• •	••	• •	.,
Grafton,	1154	Males,	<b>5</b> 65	2			• •	::		ï	i	••	1
,		Females.	589	l							. 1		••
Guilford,	1291	Males,	666	11 -						ì			ì
		Females,	625	11.				• •			1		••
Halifax,	1196	Unkno'n, Males,	1 1 580	1 3	ŀi	• •	••	• •	: -	• •	••	.:	••
Hallist,	1120	Females,	546		i	l'i		• •	•••	i	• •	1 1	••
Jamaica,	1541	Males,	791	11 -	i		i	• •		i	•••		••
,	1	l'emales.	750		1	1					2		ì
Londonderry,	1367		717	3		١							1
36	7.11	Females, Viales,	650	11 -		• •	1	• •	1	• •	• •	1	••
Marlboro,	141	Females,	392 349		• •	• •	• •	• •	• •	• •	i	• •	••
Newfane,	1192	Males,	592	–			• •	• •	• •	• •	1	i	• •
		Females.	600						i			ļ	l
Putney,	1163	Males,	577										1
<b>7</b>	2004	Females,	586			• •	• •			• :	1	١٠:	.:
Rockingham,	2904	Males,	1421	11 -	i	i	• •	$ \cdot\cdot $	1	1	٠.	2	; -
Somerset,	105	Females, Males,	1483 52	11 -		1			1	• •	••		1
		Females,	53								l::	l::	
Stratton,	366	Males,	190								١	ļ.,	1
<b>m</b> , ,	1070	Females,	176	11.	'	• •	1	٠:	• •	1	• •	ŀ:	.:
Townshend,	1316	Males, Females,	682 694	ll·i		$\cdot \cdot$	• •	1	i	• •	٠٠	1	1
Vernon,	725	Males,	379	11 -		• •	• •			::	::	::	1.7
		Females,	346								l	1.	
Wardsboro,	1004	Males,	506	2				1	1				
	1000	Females,	498	11.	1	1	• •				١	1	
Westminster,	1300	Males,	655	11	1	• •	• •	• •	• •	٠.	•••	1.	
Whitingham,	1379	Females, Males,	645 707	11.	l'i		• •	• •	• •	١٠٠	l'i	1:	
11 minienami	10.2	Females,	665						• • • • • • • • • • • • • • • • • • • •		١.٠		
	1				1					Ľ	L	Ţ	1

TABLE VI.-CONTINUED.

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			7	, i			7	2.			WPF.	en.		To	TAL.		nge.
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		50 to 5	55 to 60.	60 to 65.	155 to 70.	1 70 to 75.	75 to 80.	; 80 to 85.	1 NS IN 90	9th to 95,	95 and over.	Unknamn.	Males.	Fem.	Unk.	Total.	Percentage.
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1	1 3	i	3	2	1 2	1	33	2			1	27	34		7	.55 1.46
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		2			2	1 1	1 1 1	1	1	1			3 5	4		7	.93 1.22 .94 .81 2.47
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			-		i 1		2	1					7 8	6	i	14	.96 1.37 1.28
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		1		1	1 1 1 1	1	1	:: 1	1 1		4 4	* * * * * * * * * * * * * * * * * * * *	7	14		29 18	1.86 .97 1.69 .51 1.43
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		1	2	1	1	2 2	2 2	3	2 2	1		2 2	22	6		14 12	1.33 1.04 1.02 1.54 1.14
		1	-	1	1 1 1		1 1 2	1 1 1	1			- 1	9	6		10	2.10 3.40 1.32 1.29 1.84

	P	OPULATIO	n.	_								المام
Towns.	Whole No.	Sex	•	Under	1 1 to 2	2 to 3.	3 to 4.	4 to 5	5 to 10.	10 10 1	15 to 20	20 to 25.
WINDHAM—Continued. Wilmington,	ŀ	Males, Females,	760 664									. 2
Windham,	680	Males, Females,	340 340		• • •	• •	• •	i	• •		••	1
Aggregate,		Males, Females, Unkno'n,	13594 13388			:1-	3	2 1	6	4	3 6	7 8
Totals,	••••		26982	GO.	13	7	4	3	13	8	9	14 16
Windsor.	671	Males,	343								••	
Baltimore,	115	Females, Males,	328 62 53		• •	••	• •	• •	••	•••		
Barnard,	1487	Females, Males, Females,	745 742		1	• •	1	• •		i		1
Bethel,	1804	Males, Females, Unkno'n,	921 883	3			• •	1	• •	1	1	3
Bridgewater,	1292	Males, Females,	653 630			1		i	i	i	1	
Cavendish,		Males, Females,	739 770	1	 1		•••	1		1	.:	1 2 I
Chester,		Males, Females.	1064 1062	3 2	1	• •	1 1	• •	1		1	2
Hartford,		Males, Females,	1189 1207	4	· . 1		• •	• •				3
Hartland,	1748	Males, Females, Unkno'n.	885 863	2 1			• •	• •	1	• •	1	
Ludlow,		Males, Females.	777 791	3 1		• •					2	
Norwich,	1759	Males, Females,	862 897	2 5		• •			2	1 2		ï
Plymouth,	1252	Males, Females, Unkno'n,	698 554	 1 1		• •		1 		••	1 	
Pomfret,	1376	Males, Females,	663 713	1 -				• •	1			
Reading,	1159	Males, Females,	569 590	1	2 1	• •	• •					1

					_		_						Wer.	,n.		To	TAL.		60
30 to 35.	35 to 40,	40 to 45.	145 to 5k	50 to 55.	155 to UL	60 to 65.	65 to 70.	70 to 75	75 to 80.	1 80 to M5	85 to 90	90 to 95.	95 and over.	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
2	1						1	i	i		1	• •			2	12	****		.79 1.81 .58
6	-	6	8	8		6	17 10	10 15	11	18		3	1		184	193			1.35
8	6	8	16	14	15	17	27	25	29	28	24	4	2	8				378	1.40
• • • • • • • • • • • • • • • • • • • •	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 2 4	1 1 2 1	1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1	1 1 1 1 3	1 1 3 2 3 1 3 2 1 1	1 1 1 2 2 3 1 1	1 1 2 1 3 3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1	1	8 16 22 22 18 14 15	10 10 10 13 19 10 10 11 10	1	13 18 27 16 19 41 41 29 24 27	1.17 2.74 1.07 1.34 1.73 1.13 1.07 1.40 .81 1.68 2.06 1.78 1.85 1.57 2.03 1.15 1.80 1.26 1.74 1.33 .28
1	1	1	1	i	2 1 1	1	1 1	1	1	i					8	6		18	1.54 1.40 1.01

	P	OPULATION	₹.										
Towns.	Whele No.	Sax		Under 1.	1 to 2.	10 to 3	3 10 4	4 10 5	5 to 10.	10 to 15.	3	20 in 25.	4
WINDSOR. — Continued. Rochester,	1507	Males, Females. Unkno'n	778 729					- +	·i		1		
Royalton,	1739	Males.	895 844	1				1					
Sharon,	1111		562 549	2							1		
Springfield,	2958	Females, Males, Females	1410 1545		1		i	* *		77		41	
Stockbridge,	1264	Males.	622 642	1					3				
Weathersfield,	1765	Females, Males, Females,	846 919								1		
Weston,	932	Males, Females,	476 450		i		b 3			1	4 2		
West Windsor,	924	Males.	481 443	2							i		
Windsor,	1669	Males, Ferrales,	857 812		i				3	i			
Woodstock,	3062	Unkno'n Males, Females.	1457 1605		1 3					i	3	1	
		Unkno'n.									  -		-
Aggregate,		Males, Females, Unkno'n.	18554 18639		10	2			1.		11 10		1
Totals	- <del></del> -	C II KIIO II.	37193		—	_	-		12	_	-71	; ;	-

TABLE VI.—CONTINUED.

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			-				<u>.</u>		DA PF.	=		To	TAL.		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	45 to 50   50 to 50   55 to 60	60 to 6	1 65 to 7	70 10 7	75 75 %	2 0 2 0	)5 or 9x -	36 -4 06	pu# 96	Coke	Maks.	Fem.	Unk.	Total.	Percent
			1 1 2 3	6 3  1 1  1  1 	1 . 2 . 2 1 5 2	1 2 2 1		1 3 3		1 2 3	12 6 26 3 7 6 9	16 7 7 23 8 8 7 18 21	I	28 13 49 10 10 14 14 38	1.64 1.34 1.89 1.06 1.27 1.84 1.48 1.09 82 1.26 1.75 1.85 1.60 2.21 1.23 1.30 1.42

### TABLE VI.—RECAPITULATION.

		_													_
Counties.	No. No.	UL	SEX.	Under 1.	1 10 2	2 to 3.	3 10 4.	4 10 5	5 to 10,	10 to 15.	15 to 20.	20 to 25.	25 to 110.	310 to 35.	35 to 40.
Addison,	24010	F	11984 12020	34 28	8			. 25	6	10 000	30		15	4 4	3
Benningt'n.	19436	P.	9845 9591	36 23	7			. 53 53	3		5	13	2	10 30	3
Caledonia, .	21708	F	10878 10830	36	9	2 5			3	5	5	7 4		1 6	4
Chittenden.	28136	F	14002 14169	7 70 46		13		1000	7 15	C2 C2 .	5 13	12	ii 7	5	6
Essex,	5786	P	3088 2698	10	1 9		. 584	150000	3 4		5	5	1	1 1	1
Franklin,	27231	U M F	13686 13545	43 20	13 11	4 10	36		€	3 7	6 9	6 9	5 ñ,		0. 50
Grand Isle, .	4276	UMF	2178 2008	3 7 7	1 1	ī			***	2	1 2	2			4
Lamoille,	12311	M	6201	20 18		2		1		1	3	3	2	0.4	
Orange,	25455	FM	6110 12766	25	3 5	4	i	4 4	5	101 21	8	-110	5	9	-1 62 9
Orleans,	18981	FMF	12689 9627 9354	18 34 20	8 10 1	3 3	1 1 1	100	2 4 3	1 5	9 1 6	10	8	10 2 7	6 7
Rutland,	35946	U M F	18345 17601	52 52	27 20	10	6 5	3 5	9	3	5	9	12 13	8	11 9
Washing'n .	27612	U M F	14038 13574	34 20	9 7	5 2	. 4 3		2 7	- 61 00	9	8	87	 8	6 11
Windham, .	26982	U M F	13594 13388	38 21	7 6		1 3	2	7 6	4	3	- 1 - 1	8	2 6	1 5
Windsor,		U M F	18554 18639	43 38	6 10	1 2	3	5	8 4	6	ii R	7	1 10	5	8
Vt.Asylum.		U M F		7								1	1	1 0	8 8
Aggregate, .		M F U	158786 156312		139 105			21 23	_	43 56	67 97	83	61 107	51 85	62 94
Totals,			315098		244	109	- 65	44	130	99	64	213	168	136,	156

### TABLE VI.—RECAPITULATION.

											ver.	n.		Тота	LL.		99
40 to 40.	45 to 50.	50 to 55.	55 to 60.	60 to 65.	65 to 70.	70 to 75.	75 to 80.	80 to 85.	85 to 90	90 to 95.	95 and over.	Unknown.	Males.	Fem.	Unk.	Total.	Percentage.
210	3	3	7 5	10	6 7	8 10	14	10 14	8 5	3	3	3 2	154	168			1.28
5 4	3	3	6 2	6 10	 8 5	3 9	5	3 4	6 3	1	• •	5 3	134	152	4	326	1.39
1 5	5 60	2	5 7	6 2	16	4	14	1 9	4	2		2	139	131	3	289	1.58 1.29
6 5	4	4 3	4 8	4	13	8 17	13 7	 8 7	6 2		**3	1 2 2	246	253	8	278	1.75
••	1	1 1	2 2	2 2	3	4	5	3	· · ·		1	1	49	46	6	505	1.78
2	5 4	2	4 4	6	12	7	•••	 6 7		2	i	7 6	163	173	2	97	1.70
			• • • •		***	3	2		1				22	27	3	339	1.28 $1.01$ $1.28$
4 5	1 3 10	3 5 7	4	4 1 7 12	16 15	15 10	7 13 16	11 13	1 7 7	1 2	2	2 2	71 164	61 179	• •	132	1.14 .99 1.20 1.41
445	4		1	3	14	9	3	4		1		1	123		3		1.27
O	10	8	10	15 10	14 10	12 19	11 15	7	5 10	1		5	267	262	2	531	1.46
64	7 5	3	· · · · · · · · · · · · · · · · · · ·	15 7	13	19 13	7 9	4.3	2	3	2		185	162			1.42
2	80 80	6	7 8	11 6	17 10	10 15	11 18	18 10	10 14	1 3		2 6	184	198	1	348	1.19
8	6 13	12	11 9	10 14	18 16	27 21	33 20	20 22	7 9	3	2 2		263	266	1	378	1.44
3	2	1 2	 4 3	2 2	3 3	2 2	 3 1	2					29	20		536	1.43
50 69	63 80	59 73	85 66			139	129	96 106	68 67	25 28	13 10	29 30 2	2193	2222	40		1.38
19	143	132	151					202			_	61			_	4455	

TABLE VII.—CAUSES OF DEATH.

months of the year.

# 62 Exhibiting the number of Deaths from different curres, (arranged alphabetically,) at various ages of each sex, during the several

WHOLE NO.

MONTHS.

SEX.

	the works of	ļ	
	Unknown.	_	
1	114 1+1()		:
	(18) 191 1-2	1	:
	102 20 00	F L	1
	50 to 60.		1
ES.	06 m ul-	1	1
AGES	20年9年08		1
1	20 10 80.		_
	12 40 50)		1
	161 to 191		:
	701 04 9	I T	1

ALM PER

CAUSES OF DEATH.

onius o	ı			+	+	*					4	
Unkuu			N	*	Ŧ	9		4	10			
1 1 4 4 4 4 4			-	- 1				-		- 1	4	
4701()						4					-	
h 1	h			+			_		-	-	*	
함의 나는	ų	4		2-		4					4	
B	,		-	-		-	-			-	-	
Z x81 1953	h.								-			
(h - 1) (h()				_	23		- 4	- 4		4		
d or Od							7	- 4		4	-	
Ere des O	1	-			,	Ŧ	×		- 4	-	_	
है मा धारू	1			4				- 4	- 4	Þ	- 4	
	_		-	4		+		-			-	
F 01 (18)				+			9					
41 121 11E		_		-	-		-	_	-		_	Ì
8 01 02					P		4			4		_
7 (1) (-1				-		77		-	-			7
表 00 91		- 4	4			4					4	

of Bowels,....

Abortion.

of Brain, ..... of Liver, .... of Lumbar, .... of Psoas, .... of Normach, ....



(Ibuminurea, ..... Alcoholism, .....

:

emales,

Males,

lales,

Males,

: : : : : :

Females,

Males, Males,

: :

'emales,

Males,

Males,

'emales,




Femules,

emiles.

Iales, HAILT.

Inles.



****
H
· · · · · · · · · · · · · · · · · · ·
44 : 4 : 4 : 4 : 4 : 4 : 4 : 4 : 4 : 4
· · · · · · · · · · · · · · · · · · ·
::::::::::::::::::::::::::::::::::::::
H
· · · · · · · · · · · · · · · · · · ·
H .H
: : : : : : : : : : : : : : : : : : :
: :: 2 : 3 : 3 : 5 : 1 : 1 : 1 : 2 : 3 : 1 : 1 : 1 : 2 : 3 : 1 : 1 : 1 : 2 : 3 : 1 : 1 : 1 : 2 : 3 : 1 : 1 : 1
: : : : : : : : : : : : : : : : : : :
Asthma,  Arachnitis  Bladder, Disease of.  ""  Brain, Disease of.  ""  Bronchitis  ""  Cancer,  ""  of Bowels,  ""  of Thand,  ""  of Thand,  ""  of Throat,  ""  of Throat,  ""  of Throat,  ""  of Throat,  ""  of Throat,  ""  of Throat,  ""  of Throat,  ""  of Throat,  ""  of Throat,  ""  of Throat,  ""  of Throat,  ""  of Throat,  ""  of Throat,  ""  Cataurh,  Cataurh,
Dise
Arachma,  Bladder, Disease, i. i. i. i. i. i. i. i. i. i. i. i. i.
Asthma,  "Arachniti Bladder, " " " " " " " " " " " " " " " " " " "
Arbuna,  Arachnitia. Bladder, D.  Bowels, D.  Grain, Dise  Cancer,  Cancer,  Cancer,  Cancer,  Cancer,  Cancer,  Cancer,  Cancer,  Cancer,  Cancer,  Cancer,  Cancer,  Cancer,  Cancer,  Cancer,  Catarrh,  Catarrh,  Catarrh,  Catarrh,  Catarrh,
<u> </u>
H : : : : : : : : : : : : : : : : : : :
44
<del></del>
न : न : ल न क ल : : : : : न : : न : : : : : : : : : :
<b>8</b>
· · · · · · · · · · · · · · · · · · ·
Males, Females, Females, Females, Females, Males, Females, Males, Males, Males, Females, Males, Males, Males, Females, Males, Females, Males, Males, Males, Females, Males,

	.08 of 07	
	.07 or 00	
	50 to 60.	- :::::::::::::::::::::::::::::::::::
婉	40 to 50.	- · · · · · · · · · · · · · · · · · · ·
AGES.	30 to 40.	24x   14   168   16   16   16   16   16   16   1
~	20 to 30.	84x :: 8 :: 2 8 2
	15 to 20.	(中の : 1 : 1 : 1 : 1 : 2 : 3 : 1 : 1 : 1 : 1 : 1 : 1 : 1
	10 to 15.	-a : : : : - : : a : : : : : : : : : : :
	.01 of 8	001 : : : : : : : : : : : : : : : : : :
	Under 5.	88 :88 : : : : : : : : : : : : : : : :
-	Unknown.	1 : : : : : : : : : : : : : : : : : : :
No.	Females.	35 35 35 37 37 37 37 37 37 37 37 37 37 37 37 37
WHOLE	Males,	98 : 183 : 183 : 183 : 183 : 183
W	Totals.	8 : 23 : 4 : 1 2 : 2 : 2 : 2 : 2 : 2
	CAUSES OF DEATH.	Cephalitis, Childbirth, Cholera Infantum, Cholera Morbus, Chlorosis, Cimacteric, Contipation, Contipation, Convulsions, Convulsions, Cyanache Traobesis, Cyanache Traobesis,
	Unknown,	
	December.	1 20 2 1 1 1 1 1 1 1 1 2 2 1 2 1 1 1 4 23 1 1 L
	лацшал 1 К	co co co co co co co co co co co co co
	.rador O	m - m m - : :: - : : : : : : : : : : : :
	September.	
133	August	munong
MONTHS	'A[m]'	[ - : 약으= = 이 : : : : : : : : : : : : : : : : :
Mo	'नामान्	데이파트 : : : : : : : : : : : : : : : : : : :
	THEAT	State of State : 1 - 54 : 1 : 1

Pehruany,

danual.

Females, Females,

Males, 1

Females, 1

Females, 1

Females, 1

Females, 25 2

Males, 25 2

Wales, 25 2

· 6) 4 · 60 61

: : : : : : :	<b>c</b> 3 →			
HC1 : : c0 : :	पंच :	40-	1 1 1 1 1	क्षाल : मल :
Do : 4-4- : :	95 of :::	(SIO - : : :		484814m
୭ <del>୦ - ଦ୍ରାକରା · ·</del>	10 00 00		63	H440014 .
N=	10 00 -1			- to en - en - :
	140 1-1-			이러 이
	→ 01 · 00	O1 1		
· 01 - 01	<del>- + · + -</del>			न च्यकन ।
	:00 :4-			-01-m:::
a t tolem t terming	· \$1 · 00	1 200 200 1 2 2 4 4	·= ·= ·	H - H 03 - 54 -
03 04 : 03 : 04 4	1 1 17	. C₁ · · · ·		:-:
5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	80 co : 10 -	78	·	BB0038 :-
	::-:		1::::	
27: 4: 6: : : :	15 1 15	:30:4:	H :4: 103	:8: 17: 10:
	1 1	3	1 TH 1 CD 1	8 :8 :0 :0
: : ର :ର :ର :	4 : :8	3 : : : =	: : :	
: 4: 3: 8: ::	33 : : : : : : : : : : : : : : : : : :	01 : 10 : m 01	: 00 : 61 :	\$ :8 :8 :m
	<del>-</del> · · _ ·			
Tremons		, Cardrac, lipction, litis.		ious,
Delarium Tremens, Diabetes, Diarrhoza, Diphtherra,	Dropsy,	Dysentery,  Byspepais, Dyspuca, Cardrao, Endemic dipetion,	Enteritis, Epilepsy,	Erysipelas,  Fever,  ( Bilious,  ( Concestive
Delerium Diabetes, Diarrhora	Dropay,	Dysentary,  Dyspepaia,  Dyspeca, Cardrao,  Endemic direction,	Enteritis, Epilepsy,	Fever, Bilious, Concestive
Delorium Diabetes, I. Diarrhea	5 Dropsy,	1 Dysentery, 1 Dysepais, 2 Dyspepais, Endemic direction, Ende Carditia,	V V 1 7 0	Erysipelas.  Rever.  Bilious.
Delerium Diabetes, Diarrhora		1 1 Dysentary,  Dyspepaia, Dyspuca, Cardrao, Endemic direction,	V V 1 7 0	Fever,
Delerium Diabetes, Diabetes, Diarbore Diarbore Diarbore Diarbore	₹ û . ⊢	5 1 1 Dysentary, 5 1 Dysepais, 1 Dyspepais, Endemic direction, Endo Carditia,	V V 1 7 0	Fever,
Delerium Diabetes, Diabetes, Diarbor Diarbor Diarbor Diarbor	46 -	9 3 1 1 Dysentary,  8 5 1 Dysepais,  1 Dyspepais,  Dyspuca, Cardrac,  Endemic direction,	V V 1 7 0	Fever,
1 Delerium 1 Diabetes, 2 3 1 Diabetes, 2 2 1 . Diabetes	46 -	1 Dysentary, Dysepais, Dysepais, Dyspuca, Cardrao, Endemic diretion,	V V 1 7 0	Ereip
2 1 1 Diabetes, 2 2 1 Diabetes, 2 2 1 Diabetes, 2 3 1 Diabetes, 2 3 1 Diabetes, 2 3 2 1 Diabetes	40 · · · · · · · · · · · · · · · · · · ·	4 30 8 5 1 1 Dysentery, 1 1 Dysepeis, Dyspuce, Cardrao, Endemic dipetion,		
2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	40 · · · · · · · · · · · · · · · · · · ·			
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	40 · · · · · · · · · · · · · · · · · · ·	1   8   24   9   8   1   1   Dysentery, 2   1   4   8   5   1   1   Dyspepaia, 1   1   1   Dyspepaia, Dyspuca, Cardrac, Endemic dipction, 1   Endo Cardita,		1 1 5 Erysipelas,
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	40 · · · · · · · · · · · · · · · · · · ·	1 1 1 8 24 9 8 1 1 Dysentery, 4 2 1 4 30 8 5 1 1 Dyspepaia, 1 1 1 1 Dyspepaia, Dyspuca, Cardrao, Endemie dipetion,		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	40 · · · · · · · · · · · · · · · · · · ·	1 1 1 8 24 9 8 1 1 Dysentery, 4 2 1 4 30 8 5 1 1 Dysepsia, 1		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	40 · · · · · · · · · · · · · · · · · · ·	1 1 1 1 2 2 2 9 3 1 1 Dysentery, 4 2 1 4 3 0 8 1 1 Dyspepaia, 1 1 1 1 Dyspepaia, 1 Dyspepaia, 1 Dyspuca, Cardrac, 1 Endemic dipction,		
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	### 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		### 1

66

	70 to 80. Over 80. Unknown.	
		Comment of the second
	100 01 00	(0)
-	40 to 50,	: : : : : : : : : : : : : : : : : : :
AGES.	30 to 40.	1 : : : : : : : : : : : : : : : : : : :
4	20 to 30.	::::=:=======:=::::::::::::::::::::::
	15 to 20,	A 3 cm A 2 April 10 1 4 4 5 5 5 5 5 5 6 6 6 6 6 6 6 6 6 6 6 6
	10 to 15.	1::::-=::::::::::::::::::::::::::::::::
	.01 or d	· · - ot · · · · otos · · · · · ot · · · · · · · · · · · · ·
	Under 5.	- : : : : : : : : : : : : : : : : : : :
ć	<b>Опкло</b> ми.	
No.	Females.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
<b>W</b> ноге	Males,	- :c: : : : : - :- : : : : : : : : : :
W	.alatoT	8 110 158 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	CAUSES OF DEATH.	Fever, Intermittent  "" "" "" "" "" "" "" "" "" "" "" "" "
	Luguanu	
	December.	
	Nevember.	: : : = : : : = <u>=</u> : : : = : : = : = : : : :
	лафи О	
	September,	
56	Yaknar*	<u>  : : : : : : : : : : : : : : : : : : :</u>
MONTES.	July.	<del>                                    </del>
M	,9mu (,	
	.Yald	
	April.	1 :
	March.	
	February.	
	danuary.	::= ::= := := : : : := : : : : : : : :
	SEX.	Males, Females, Males, Males, Males, Males, Males, Females, Males, Females, Males, Females, Males, Females, Males, Females, Males, Females, Males,

Females, Males, 
Males, 13 Females, 14 Females, 15 Females, 15 Females, 16 Females, 17 Females, 18 Females, 18 Females, 18 Females, 19 Females, 20 Males, . Harrie	100 4 1	YBW ABA	- 1000   1000	S 7/01, 17	angula Indiana in in in in in in in in in in in in in	September 1	TadoroO   cer:::::::::::::::::::::::::::::::::::	nedember   Section   December	.:::::::::::::::::::::::::::::::::::::	CAUSES OF DEATH. Infautile,  Infautile,  Infautile,  Infautile,  Infautile,  Infautile,  Interperance,  Inturensception,  I churia,  Jaundice,  Jaundice,  I churia,	151	W	Y Pemales.	. Operation of the comp.	.č 79bnU 25 00 01 02 5.	'OI oi g   : : : : : : : : : : : : : : : : : :	61 01 01 ( )	1 20 10 20.	20 01 01 1	.00 o) 0d	03.40: : : : : : : : : : : : : : : : : : :	.08 of 07 [ : : : : = : 60 of - : : : : : : : : : : : : : : : : : :	08 4400	- 65 :	
	* * * * * * * * * * * * * * * * * * * *					- : 31 : F-	: : : : : : : : : : : : : : : : : : :	- C/ 53	 		Leprosy,	8:1		:::		· · · · · · · · · · · · · · · · · · ·			* * * * * * * * * * * * * * * * * * *	 			- : Ol - : 23		

· · · · · · · · · · · · · · · · · · ·
2 · · · · · · · · · · · · · · · · · · ·
CNOIS COMPANIES COMPAN
* (Q : M + 1 × 10) · M + 1 · · · M · · · · · · · · · · · · · · ·
-
H-000000
- 40 -01 -0 -010 -01 - 10 -01 -01 -01 -01 -
: : : : : : : : : : : : : : : : : : :
.4 .0 .0 .0 . H : 5 .0 .4 . 0 .0 .4
H의 : : : : : : : : : : : : : : : : : : :
• • • • • • • • • • • • • • • • • • •
drag.
is, Cerebro Spinal, tion,
ormati sels,
Malfornati Maramus, Meningitis,  "" Myelitis, Myelitis, Netrenceph Nephritis, Nemagis, Noma, Nom
Malfornati Maramus, Meningitis,  Merinatio Mortificatio Myelitis, Myelitis, Newagis, Newagis, Noma, No
Markenne,  Markenne,  Metria,  Motria,  Motria,  Motria,  Motrine,  Motria,
Malfornati Maramus, Meningitis,  Merinatio Mortificatio Myelitis, Myelitis, Newagis, Newagis, Noma, No
Malformati  Managuis,  Massels,  Massels,  Metria,  Myelitis,  Mye
Mathematics of the state of the
Mathematics of the control of the co
Mathematics of the control of the co
Mathematics of the control of the co
Malfornation of the control of the c
Mathematics 1 1 2 2 3 2 1 2 3 3 3 2 1 2 3 3 3 2 1 1 2 3 3 3 2 1 1 2 3 3 3 2 1 1 2 3 3 3 3
Mathematics 1 1 2 Measure, 1 1 2 Measure, 1 2 3 3 1 1 1 2 Measure, 1 1 1 1 1 1 1 1 2 Menigitis, 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Mathernation of the control of the c
Mathernation of the control of the c
Mathematics 1 2 3 1 2 Measures 1 2 Measures 1 2 1 2 Measures 1 2 1 2 Measures 1 2 1 2 Measures 1 2 1 1 2 Measures 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

. поправинения прикрами.

	100.00 100.000	1
	(US 299U)	1::::0:==::::::::::::::::::::::::::::::
	.08 or 07	
	07 01 00	1-11:082::::::::::::::::::::::::::::::::::
	.00 ot t06	1 : : : : : : : : : : : : : : : : : : :
ES,	.U6 (0) Uk	
AGES.	30 to 40.	1:-::*-::
	408 of 0 <u>8</u>	1:::::022::4:-2::1::0
	.02 or 61	THE ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !
	.61 or 01	1;;;;;==;;;;=;=;=;=;=
	5 to 10,	1
	Under 5.	1
	*HASORAHIA	1 * * * * * * * * * * * * * * * * * * *
o l	Females.	1
Edi	and man-	
101	Males.	
Wносе No.	,slatoT	8 10 18 10 10 10 10 10 10 10 10 10 10 10 10 10
	7	
		Pertonitis,  Placenta Pravia,  Pleurisy,  Preumonia,  Poison,  Prostate Gland, Disease of  Prerperal Couvisions,  Pyernia,  Railroad Accident,  Railroad Accident,  Utekets,  Utekets,
	Causes of Death.	Pertunitis, Placenta Prievia, Placenta Prievia, Pleurisy, Preumonia Poison, Prostate Gland, Disease of Perperal Convulsions, Pyemia, Railroad Accident, Railroad Accident, Railroad Accident, Recommendation, Recommendation,
	720	
		Pertunitis, Placenta Pravia, Pleurisy, Preumonia, Prostate Gland, Disea Purperal Convulsions Purperal, Parina, Railroad Accident, Railroad Accident, Meumatism, Ultekets, Scarletins,
	0	B Ke Collins
	50	itis Syralism ina, atis
	7	Partentitis,  "Placenta Priew Pleurisy, Preumonia,  " Postate Gland Purperal Con Purperal Con Purperal Con Railroad Acci,  " " " " " " " " " " " " " " " " " " "
		T
	_	그로 독리 된 등 무료공항과 잘 함께 살
		1 <u> </u>
	Unknown, 1	1::::::::::::::::::::::::::::::::::::::
	December.	
	Acrember. th (sember, arwaya).	
	October: Xevember: December: Unknown:	
ź	жерешрег Остовек Бесеврек Постовек	
THS.	Angust. September. Accomber. In comber. Undersomber.	
Jonnes.	Application of the complex of the co	-   -   -   -   -   -   -   -   -   -
Момтив.	June, June, August, September, Octomber, December, University, June,	
Months.	Anne, July, Angust, September, October, Mecomber, Decomber, Decomber, Decomber,	
Months.	Aurit. July. July. August. September. October. Nevember. December. December.	
Момтив.	Auril. Auril. June. June. Jule. August. zeptember. Zeptember. Newmber. Detember. Licember.	
Months.	Aurit. July. July. August. September. October. Nevember. December. December.	

* * * * * * * * * * * * * * * * * * * *				
		- y=1 - 1 - 1	:::	: (c) : : :
-	1-00 00			
e-4	ক ল গ			-
• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · ·	• • • •		* * * pang * *
	0 -04		* * ;==	* * * * * * * *
	· · ·			
		4 4 4 9	1	
*   (0)	4 5 ping 6 4	4 4 4 4		
- CHENEUR CO CO ALTER		4 + +1/2	10 · · ·	OI · · ·
	8 8 9 7			
9 F = 8 10 4	2.3 F		10 4	ф.
4 : F : G : : G : F : HE	: : ন্ন : ন্ন	:-,:-	:- :9	भ ;च : :-
6 :4 :2 :33 : :0 :0 :0 :11	- ea (a) : 21	:01 :01	:	9 : 50 :
		1 4 4 1	10 0 0	1 7 1 1 4
Spine, Disease of. Spine, Disease of. Spina Bifida, Still Born, if Stomach, Disease of. Strangulated, Stricture of Bowels,	St. Vitus Dance, Sudden, Suicide, Sunstroke,	Syphilis, Tetbing,	etanus, hroat, Disease of.	in Bowels,
	:::::			
selegation of the selecation o	:::::	::::	: : નુ	els,
se of.	<u> </u>			wels,
By.  By.  By.  Brane of  Brane of  C Bowels,  Urethra,	Dance,		)isease of.	in Bowels,
Spine, Disease of.  Spine, Disease of.  Still Born,  Stomach, Disease of.  Strangulated,  Strangulated,  Urethra,	et, Vitus Dance, Sadden, Suicide,	Syphilis, Tething,	. ā	umor, umor, u in B.
Bor Bor Bird	Sudden, Suicide,	nilis.	B	Fumor,
ine, ine, ine, ine, ine, ine, ine, ine,	nst rest	phi ale	tan ros	9 1 3 3
Spine, Spine, Spine, Scomac Strangu	3 00 00 E	\$ E	2:5	
· 0 · 0 ( 0 ; ; ; ;	::=::	- 1 : :	: : ঝ	1 1 1 1 1
· · · · · · · · · · · · · · · · · · ·	.==21 :		-::	:-:::
*		• • → ♡1		1 1 1 1
· · 01 · · · · !=============================	+ +20 pm +	01		
				+ +01
→ → + 64 · · ! ~ 20 → → → · · · ·	53			
	- · · · · ·			- · - ci :
			<b>—</b> • •	
	7 - 54	1 2 1 1	:::	:::
·	h h + pH h			
::-:::::	:-21- ;			
and and and	Females, Females, Males, Females, Males,	Females, Males, Females,	Fenales, Males, Females,	Males, Kemales, Males, Females,
ے قو ق ق ق ق ق ع	Females Females Males, Females	Female: Males, Females	Females, Males, Females,	Males, Females Males, Females
Males, Males, Females, Males, Males, Females, Frances, Tokno'n Males, Females, Females, Males, Males, Males,	ಜಿ ಜೆ ಕ್ರಿ ಡ ಕ	, ed 83 et 4	ಪ್ರಾಥ	Males, Female Males, Female Female

!

2		TWELFT	H REG	ISTR.	ATIO	N REP	ORT.	[1868
1		Привома.			:::	:01010	::::	
		US 1970				P =	: : : :	
		US of UT			:::	:1-2:		:::
		.07 of 00	Pre : 1			.0.0	::::	:::
		.00 or 06		: :	1 444	11-0	1:::	: : :
	93	.06 и 04	::=		:::	→ 4.13 ÷	::::	- :-
	AGES,	01 01 0g	64	:	: : :	03.09	1 1 peri 1	:::
	4	20 10 20.	थ-:	1 : 1	* 4 *	-011-	:-:-	:::
		15 to 20.	::::			. alo :	1 1 1 1	4 7 5
		10 10 12	::::		1 1 1	+ 4 70 1	1 : : :	: :
			1:::	1 : : :	1 7 1	179 00	1 7 7 7	1 1 1
		Under 5.	:::	y-m) : :		:550	1 2 700	:::
=		[Jirknown	1 1 1 1 1		111	1 1 15-	1 1 1 1	
	No.	Females.	10 · H			- :8		
	WHOLE NO.		:		= 01		Ol	
	HOI	Malus.	1 1	*		F	: :	1 1
	3	Totals.	10C	1:		TE	Ø : ₩ 00	. 63
=		-					1:1:	
		CAUSES OF DEATH	Tunor, Ovarisa, in Side,	of Eowels,	of Liver,	" of Womb,	Uramenia,	White Bwelling,
3		Unknown, i				: 7 01 -	1 1 1 1	111
		Дыцинын	PP 1 1			:51	1 1-9 1	1 1 2
		'JaquasoN'	-::	- : :		1261-	1	: : :
		Ochher.	:	: : :		ान के की		: : :
		'zaqınanlaş	-:::	: : : :		:45-		: : :
	<u>v.</u>	Sangar.	::=		* * *	-1-A	Period 1 1 1	: : :
	Ê	74/01	1 2 7			-c-00 =	: : : :	: : :
	MONTHS.	quue:	-::			1.40		1 1 1
	P	Way.			:-:	:00 ;	: : : : : : : : : : : : : : : : : : : :	:::
		A pril.	::::		: : :	10110	7 7 . 1	7 17
		March.	1 1 1		7 1 1	:क्ट-	:-::	: : :
		] <sub>5</sub> ерцияц <u>ъ</u> г	111			1001-	: : : :	:- :
		. Vynanast.	::::	4 1 1		100 24 1	1111	1 1 1
		00 EN.	Females, Males, Females,	Females, Males, Males,	Males, Males, Females,	Females, Males, Females, Unkno'n,	Males, Females, Females, Males,	

74

Exhibiting the number of deaths, from each cause, in the several Counties, statistically classified, together with the

Percentages.

TABLE VIII.—CAUSES OF DEATH—CLASSIFIED ARRANGEMENT.

[1868

10.75 0.88 0.48

408 404

TWELFT	H RE	GIST	RATIO	n repor	T.
Percentee	100.00	23,82	32.26 16.73 4.08	20.95 00.95 1.6	5.84
Totals.	1455	915	1385 713 180	898 4 11	248
, тоғьаі W	536	20 61	388	98	00 G
-madbarW	427	35.20 第二	144	00 00	88
Washington.	80 00 80 00 100 100 100 100 100 100 100 100 100	880	25.00	104	000
Rutland.	531	139	161 76 83	90	26
Orleans.	888	49	10	4:	13 d
	1 69 1-	1-12	1- 00 CB	P	TF (0)

827 8528 10.00 338 20 20 30 Cl m = 282 343 Отапge တ ဂျ 200 양취 28536 22 @040@ Grand Isle. 55531 339 milaner 4

98 Kaser. 요즘회영법 Chittenden. 202 65 828 Caledonia. 525 550 24 828 Bennington. 326 55.55 22 į 4 22 888 ķ Addison,

2. ORGANS OF CIRCULATION, ...... SPECIFIED CAUSES, ..... II. CONSTITUTIONAL,..... III. LOCAL, ALL CAUSES,..... I. ZYMOTICS, ..... IV. DEVELOPMNETAL,

V. VIOLENT, I.—1. MIASMATIC, .... 2. Entheric, ..... 3. Dirtic, ..... 4. PARABITIC,... II.-1. Diathetic,.... III.-1. NERVOUS SYNTEM,..... 2. Tubercular, ...... CAUSES OF DEATH. Classes.

10 01 00 :

OF CHILDREN,.... OLD PROPLE, ....

IV.-1. DISEASES

WOMEN, .....

NUTRITION, ....

DIGESTIVE ORGANS, ..... URINARY ORGANS, .... ORGANS OF GENERATION, .... ORGANS OF LOCOMOTION, .... INTEGUMENTARY SYSTEM, ... V.—1. Accident,.....

BATTLE, .... Номісіре, ..... SUICIDE,....

5. Execution,....  Quinsey,.... Whooping Cough, .....

Small Pox, .... Messels, .... Scarlatina, ..... Diphtheria,.... Group, .... Typhus (and Infantile) Fever, .....

1.- 1 Miasmatic. DISEASES.

Carbuncle, .....

·ao13aid**se**W

Rutland. Orleans. Orange. Lamoille.

Grand Isle. Franklin. Essex.

Chittenden. Caledonia. Bennington.

.nosibbA

CAUSES OF DEATH.

TABLE VIII.—CONTINUED.

TWELFTH REGISTRATION REPORT.

: :

—ં લાં ધ્વ. વ્યાં ધ્વ. વ્યં

Rheumatism, .....

I .- 2. Enthetic.

Remittent Fever, .....

Dysentery,....

Cholera Infantum, ..... Diarrhea, .....

Influenza, .....

: :

> Privation, ..... Purpura and Scurvy,..... Intemperance, ....

> > . .

I.4. Parastite.

16

8.]			DEATHS	•	77
.16	5.12	2.60 2.80 1.98 1.98	19.21 .94 .45 .66	5.22.4.6. 5.22.4.6. 5.22.8.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.6.	5. 33 8.33
1 Em	248	1111	821 04 138 138 138	458 86 61 17 11 12 16 66 16 17	227
: :	60	- FEG	800	\$250 a and	27
	8	12001-	441-01-	80 me 3 : 60	8
	30	30 30 m -1	84-64	*************************************	1 01
	8	2077	20-60	Sava 2 4 33	3
-	100	10013	중의 교육의	61 mm m c	13
	24	FERRA	ध्य छल	2000 H 1 1 00 C	हैं है
	30	:077	য় : :ম :	משרמ : הוא	10
	-		9 . 9 .	00 1 im 1 1 1 im s	
	18	100 00 mm	2000	च क च क क	67
:	4	- 64 64 : :	4::8-	∞ ⊶ 61∞ ; ; ; ; ; ;	र चं
50	16	: H0.E:	88-168	© 2004 W : H : 80 €	6
-	8	·**	୍ଦ୍ର ପ୍ରଥ ପ୍ର	Noun : : :	9
-	17	. oc es : :	311165	S & & & & & & & & & & & & & & & & & & &	9 0
:	100	: 55 cd : :	50 mm	8 au u d : : : 40	8
			the Lungs),		
2 Worms,	II —1. Diathetie. Totals,	1. Gout, 2. Dropsy and Anemia, 3. Cancer, 4. Noma (or Caaker), 5. Mortification,	कुंद क	System.	III.—2. Organs of Circulation.

Percentage.	5.14	9.48	20 20 20 20 20 20 20 20 20 20 20 20 20 2	4. 4.801200000000
Totals.	220	404	350 350 88	8.4 x x x 0.4 -
Windsor.	1 20	24	:ଉଡ୍ଜୁଣ୍ଲ	21,20
Windham.		31	- :5-0	, , , , , , , , , , , , , , , , , , ,
.notgaidseW	H 00	27	:1-2-6	
Rutland.	233	58	:	A
Orleans.	123	100	16	84400::-:-
-egges1O	252	43	9 5 6	E 01
Lamoille.	4	133	100.2	00
Grand Isle.		60	ा ।	
Franklin.		26	: : :81	61 .01
Essax.	1 1 1 1	-	1 9	<b>T</b> -::::::::
Chittenden.	119	44	: 3:	10
Caledonia.	15:	26		97
Bennington.	100	28	25	00
Addison.	1.0	20		F : - : : :
CAUSES OF DEATH.	1. Pericarditis, 2. Aneurism, 3. Heart Diseases, \$\mathcal{G}_{\circ\chi},	III.—3. Respiratory Organs.  1. Enistaxis.	2. Laryngitis, 3. Brenchitis, 5. Pleurisy, 6. Aschma, 7. Lung Discases, &c.,	III.—4. Digestive Organs.  1. Gastritis, 2. Enteritis, 3. Peritonitis, 4. Ascites, 5. Ulceration of Intestines, 6. Hernis, 7. Items.

よなまよららて

TWE	LFTI	H REĠ	ISTRATI	ON REP	ORT.	[1
Pentatage.	35.	9.54	200.00 200.00 200.00	2. 2. 2.	5.66	. 52
Totals.	12	156	यक चर्चे ,	800	241	81
.yoshaiW	100	48.6	4474°	:	- 27	- in 2
.madbaiW	64	200	7 - 7 - 4	9 7 9	60	
Washington.	60	822		4	ন	, cd
Butland		22 42 83	H	, b ⊢ 4	80	*
Orleans	1	8=2	- mg mg mg	4.4	Ē	1
-эдино	-	21-0		DH4	41	ės "

Addison.  Denting to to to to to to to to to to to to to	Caledonia   Cale	Dentingtion.   Dent	Sentingtion.   Sent	Sentingtion.   Sent	CAUSES OF DEATH.	Skin Diseases, &c.,	IV.—1. Diseases of Children.  Totals.  Premature Birth & Infantile Debility	Spina Bifda, Other Malformations,	IV.—2. Disease of Women.  Totals, Childbirth (See Meria, I.—1., 9.,	IV.—3. Disease of Old People.	IV4. Diseases of Nutrition.
Caledonia.  10 10 10 10 10 10 10 10 10 10 10 10 10 1	Caledonia.  10 10 10 10 10 10 10 10 10 10 10 10 10 1	Caledonia.   Cal	Caledonia.   Cal	Caledonia.  10	Addison.	-	15	- 100	का का	63	F
Chittenden.  Chitt	### Christenden.  ### Christenden.  ### Christenden.  ### Christenden.  ### Christenden.  ### Christenden.  #### Christenden.  #### Christenden.  #### Christenden.  #### Christenden.  #### Christenden.  #### Christenden.  #### Christenden.  #### Christenden.  ##### Christenden.  ##### Christenden.	Chittenden.   Chittenden.	Chittenden.   Chittenden.	Christellen.  1	Benningtion.		35		61 : 61	90	
######################################	######################################	######################################	### See 1.   1988   1989   198	### Seed   19   19   19   19   19   19   19   1	Caledonia.	1	0-10		\$1 - C1	¢4	-
######################################	######################################	######################################	######################################	######################################	Chittenden.	-	81 81 83 83		4:4	90	CH
######################################	######################################	######################################	### Second Secon	### Second Secon	Besez.	1	Ø #3 €		60 . 60	4	***
Allioma.1 6000 24.04 84	Allioma.1 6000 64.04 64 6000 64.04 64 6000 64.04 64 6000 64.04 64 6000 64.04 64 6000 64.04 64	### ### ### ### ### #### #############	Assistant Annual Company of the comp	### ### ### ### ######################	Pranklin.	-	822-			133	80
Agrano	Agran _ 21-0 21-4 4 8	######################################	Agarno _ 21-0	Again 1	Grand Isle,	-	, pous,			Ģ4	
- 21-0 DH4 4 8	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Agustro 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Sum   Sum	Access	.eliioma.I	-	800				h.
	steele()				Отавде	-	21-0		914		- es

- 64 - 64

: 04

· H Olivo

: 01

V.—4. Suicide.
Totals, ......

Wounds,....

Poison,....

Hanging,....

Drowning,....

Violent Deaths, not classed,.....

V.—5. Execution.

Sudden, cause unascertained,.....

\* 1

920

8

: :

## TABLE IX.—OCCUPATIONS.

Exhibiting the number of persons pursuing different avocations, living in the State, according to the Census of 1860; also, the number of deaths occurring in each class, together with the ratio of the same to the living, and the aggregate and average ages.

				ing.			Agrs.	
Occupations.	Living.	Deaths.		Ratio to Living.		Given	Aggregale.	Ачегадо.
Agents	41	6	1	in	7	6	230	38.33
Authors,		1				1	72	72.00
Bakers,	50	2	1	in	25	2	117	58.50
Barbera,	49	3	1	in	16	3	96	32.00
Basketmakers,	41	2	1	in	20	2	172	86.00
Blacksmiths,	1317	15	1	in	88	15	875	58.33
Boatmen,	46	1	1	in	46	1	70	70.00
Bookkeepers,		1				1	257	37.00
Brokers,		3				1	35	35.00
Broommakers,		1				1	88	88.00
Butchers,	154	2	1	in	77	2	120	61.00
Cabinetmakers,	213	4	1	in	53	4	236	59.00
Carpenters,	2739	42	1	in	65	41	2548	62.15
Carriage makers,	266	2	1	in	133	2	83	41.50
Cashiers of Banks,	44	3	1	in	44	1	40,	40.00
Clergymen,	631	7	1	in	90	.7	504	72.00
Clerks,	876	10	1	in	87	10	308	30.80
Clothiers,	35	1	1	in	35	3	68	68.00
Conductors, R. R	001	1				1	24	24.00
Coopers,		3	1	in	85	3	289	93,33
Dentists,	73	2	1	in	36	2	74	37.00
Drovers,	32	2	1	in	16	2	102	51.00
Engineers,	61	4	1	in	15	4	118	29.50
Factory Operatives,	1259	700	1		1250	700	12	19.00
Farmers,	38967	768	1	in	51	766	47025	61.36
Fishermen,		1				1	80	86.00
Furniture Dealers,		- 1	7		15	1	34	34.00
Gardners,	15 131	-	I	in	65	2	85	69.00
Grocers,	1 191	4	1	147	00	2	63	42.00

## TABLE IX .- CONTINUED.

			Ī	ing.			AGES.	
Occupations,	Living.	Deaths.		Ratio to Living.		Given.	Aggregate.	Average.
Harness-makers,	266 21	3	1	in in	89 21	3	151 96	50.33 96.00
Hotel Keepers,	299	9	1	in	33	8	494	01.75 27.00
Horticulturiata, Jewelers,	86	1 3	1	in	28	1 3	114	38.00
Judges of Probate,	20	1	î	in	20	1	63	63.00
Laborers	8660	126	1	in	69	118	5536	46.91
Lawyers,	494	13	1	in	38	13	825	63.46
Livery Keepers,		2				2	128	64.00
Lumber Dealers,	152	1	1	in	152	3	70	70.00
Machinists,	478	6	1	in	79	5	196	39.20
Mail Carriers,		1				1	31	31.00
Manufacturers,	478	6	1	444	79 63	6	341	56.83
Machanian	508 633	8 25	1	in	25	8 25	1450	57.87
Mechanics,	1273	32	1	in	40	31	1494	48.19
Millers,	381	5	i	in	76	5	299	59.80
Millwrights,	126	3	î	in	42	3	189	63.00
Musicians		2				2	95	47.50
Painters,	581	10	1	in	58	10	466	46.60
Peddlers,	347	4	1	in	87	4	211	52.75
Physicians,	594	7	1	in	85	7	409	58.43
Postmasters,		2				1	85	85.00
Potters,	746	1			715	1	30	30.00
Printers,	115 557	1 4	1	in	115	1	23 142	23.00
Quarrymen,	881	5	1	in	176	4 5	148	35.50
Saddlers,	266	1	li	in	266	1	77	77.00
Sailore	69		i	in	69	î	41	41.00
Sheriffs,		2				2	95	47.50
Shoemakers,	1290	23	1	in	52	22	1464	66.36
Soldiers,		1				1	21	21.00
Speculators,		1				1	27	27.00
Spinners,	31	1	1	in	31	1	27	27.00
Stage Drivers,	OCE	1	***		100	1	49	49.00
Stone and Marble Dealers,	265	2 2		in	132 173	1 2	48	48.00
Stone Cutters,	347 528			in	66	8	132 156	19.50
Tailors	294			in	73	4	197	49.25
Tanners,	160			in	160	1	87	87.00
Teachers,	1951	4		in	488	4	165	41.25
Teamsters,	344			in	67	5	209	41.80
Wheelwrights,	409			in	204	2	142	
Other Occupations,	127	5	1	in	25	5	328	65.60

Countire.	- Ynerlub A   A deltery.	Adultery and Desertion.	Adultery and intolerable strength	: ; ;   Desertion.	Preservion and Refused to Support,	intolerable 6	A Support,  Support,  Support,  O Seventy,  O Seventy,  O Support,	Tarel Seventy and William Desertion.	, Titulu X	btate Prison.	Return to Return	-1989(L Inilia)		N.I.E.	No. of Divorces.	28 8 2 No. of Metriages	FEEF Marriages.	1732271
Essex, Franklin, Franklin, Lamoille, Orange, Orleans, Ruthand, Washington,	4 : 011-100010   0			:: :0 : : - :0 :   5		10 10 10 10 10 10 10 10 10 10 10 10 10 1	CN			::::::=::::			4-64-014-4-0	34880 July 45		25 25 25 25 25 25 25 25 25 25 25 25 25 2	 	204872784

1868.]		DI	IVORCES. 85
တ္ခ်	ra <sup>2</sup>	Whole No.	12
, 186	Totals.	Females.	
r 81	H	Malen.	H :00 :00 :00 : 44 : H :00 : 44 :
scemb		Wilful Deser-	
ng De		State Prison.	
endin he ca	93	Metineal to Support.	
ear and t		Vaility,	
ng the s	CE.	Intol. Severity and Refusal to Support.	
ES. rt duri	CAUSES OF DIVORCE.	Intel. Severity and Wilful Desertion.	
ORC Courselant	\$0 S	Intolerable Severity.	
DIV	CAUSE	Desertion and Refusal to Support.	
XI.		Desertion.	
TABLE XI.—DIVORCES, ted by the Supreme Court dal reference to the Libelant in		Adultery and Intolerable Severity.	
T. anted		Adultery and Desertion.	
es gr th sp		Adultery.	H44 :01 :400 : 10H : 1-101
of Divorc Tounties, wi	4,	THALISHL	Husband, Wife, Husband, Wife, Husband, Wife, Husband, Wife, Husband, Wife, Husband, Wife, Husband, Wife, Husband, Wife, Husband, Wife, Husband, Wife,
TABLE XI.—DIVORCES.  Exhibiting the number of Divorces granted by the Supreme Court during the year ending December 31, 1868, arranged by Counties, with special reference to the Libelant in each case, and the cause therefor.		COUNTIES.	Addison, Bennington, Caledonia, Chîtenden, Franklin, Grand Isle, Lamoille,

	•					CAUS	10 62	CAUSES OF DIVERCE.	BCE.						To	TOTALS.	
Counties.	TRAIMELL	Adultery.	Adultery and Desertion.	Adultery and Intolerable Severity.	Descrion	Desertion and Refusal to Support,	Intolerable Severity.	Intol. Several: and Wilful Desettion.	Intol.? eventy lead Befusal	to Support.	Mullity.	State Prison.	Wilful Deser-	, noit	Males.	Females.	Whole No.
Orleans,  Rutland,  Washington,  Windbam,	Husband, Wife, Husband, Wife, Wife, Husband, Wife, Husband, Wife, Husband,	24201001 01000	* 1 pel 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				(R) (R) (R)	Ol						N9991-5 01-01-	70 :0 :4 :4 :0 ;	5 5 5 5	2 8 2 6 8
	Busbands. Wives,	នន	C.)		91-	CN	200	ol w		1:03	:	· es	:-	300	3	:80	
Totals,		35	2		17	01	28	20		100	01	20		54	1:	1	167

# METEOROLOGICAL OBSERVATIONS.

The relation of atmospheric changes, the fall of rain, or the temperature of the air, to the mortality of the State, is a subject of inquiry which has not hitherto been discussed in these reports. importance as an element in the causation and cure of disease, is becoming more evident. Time and space will not allow us to enter into this discussion in the present report, further than to present the data upon which future investigation may be founded, and, for this purpose, we lay before the inquiring reader the following tables. comprising a summary of daily observations of the Temperature, Moisture, Weight, Direction and Condition of the Atmosphere for eleven of the twelve years covered by these Registration Reports. These observations were made at Burlington, on College Hill, at an elevation of 277 feet above Lake Champlain, and 367 feet above the evel of the ocean, in Latitude 44°27; Longitude 73°10, by Prop. MCKENDREE PETTY, of the University of Vermont, to whom many hanks are due for the time and labor spent in preparing them for Publication in this report:

"The observations," Prof. Petty writes, in a note accompanying the tables, " are with the Standard Thermometer, and not with the "Max. and Min. Instruments, so-called. Hence the monthly range of Thermometer would be rather more than given by these figures.

"Also the Barometer averages are not of the observed heights, but those heights reduced to a standard temperature of 32° Fahren-heit. This makes the reduced heights generally less than the observed."

The years 1858 and '59 are not complete, but contain all the averages of those years in Prof. Petty's possession. The Rain and Snow record is only complete since the beginning of 1860.

## FOR THE YEAR 1858.

	THE	RNOMI	TEB.	BAS	ONET	ED.			Тна	BMOM	ETER.	BAR	Pamoi	ER.	
Months.	Max.	Min,	Mean	Max	Min.	M'n.	Rain	Months,	Max.	Min.	Mean	Max	Min.	M'n.	Rain
Jan Feb	389.UU	U= .23	130,43	29,97	20 02	29,61		July August	710,33	51 .50	610 60	29.85	29 30	29 61	2.12
March April May	500,186	26 - 83	42".	29,94	29.07	23.62		Sept Oct	61*.66	83°.17	480.	30.11	29: 14	23 17.	2.62

REMARKS.—Mean temperature of the year, 42°.54. Average height of the Barometer, 29.61 inches. Fall of water, 16.85 inches. Deaths from Pneumonie, 222. From Infantile diseases, 513.

### FOR THE YEAR 1859.

	Tari	MOME	TER.	BAR	OMET	KR.			Tite	A MEO MEI	TER	Ba	BOME:	TER.	
Months.	Max.	Min.	Mean	Max	Min.	M'n.	Rain	Months.	Max.	Min.	Mean	Max	Min.	M'n.	Rain
Jan Feb								July							
March April. May.	46 '.83 56" 33	7º.66	39°.61	30.16 29.86	28,63 28 90	경의 4억 경비, 47		Sept Oct	64°.17 65°.88	37° 33 23° 83	410,50	型 . 96 型 . 69	29.16 29.12	29 64 29 50	

Remarks.—Mean temperature of the year, 43°20. Average height of Barometer, 29.44 inches. Rain and snow not noted. Average temperature of summer months, 66°.54; of winter months, 22°.90. Deaths from Paeumonia and Diseases of Lungs, 228. From various Infantile diseases, 480.

### FOR THE YEAR 1860.

	Jan.	Feb.	Mar.	Apr.	May.	June	July.	Ang.	Sept	Oct.	Nov.	Dec.
Mean temperature	91º B	21 2	380 9	400 4	589 4	640 0	GRO M	ago	540.5	480 4	20 - 6	1001 2 12
	48°	540	650	670	75"				74"			indo.
Minimum temperature,		132		150					310			-54
	30 15		30	30 10	29 9	29 96	29.75	29.86	30,1	31.00	40,01	20.21
Min. height of Barometer	58 13	왕 92	33.19	29.10	28.9	29,90	29.11	29 17	:91	21,91	\$4.78	69 66
Mean height of Barometer,	29.59			29 65	29 58	29.45	29,50	29.50	19.6	21.68	29.45	23 43
Days mostly cloudy, No.,		30		9			6	9		19	22	20
Days mostly clear, No									22	12	8	5
Days of westerly winds, No .		18		17	15				26	27	23	透透
Days of southerly winds, No					17						10	5
In. of Rain and Melted Snow.	1	1.25	1.68	63	16	1.25	4.28	5.98	4.84	3.63	5. 4	1.26

RENARKS.—Mean temperature of the year, 44.2. Average height of the Barometer, 29.65 inches. Fall of water, 33.88 inches; of snow, 53 inches. Deaths from Pneumonia and "Lung Disease," 257; from Infantile Diseases, 426. Average temperature of summer months, 64.04; of winter months, 26.35.

### FOR THE YEAR 1861.

			-		Moy.	_				-	-	
Mean temperature,					61.4					148- 3	34 - 9	51,3
Maximum temperature,	330	53	57	titi "	73"	804	83°	High	767	417.	530	210
Misimum temperature	-610	-32"	-700	41.	34"	5 10	57"	440	35	海1-	180	-5"
Max, height of Barometer	30.31	3 . 24	3 .21	31.12	29 92	39.84	29.89	29.91	30.10	30.17	29 98	30 20
Min. height of Barometer	29, 17	23,78	28 96	24 90	28 668	29 13	1203 . 00-2	29.26	24. No	29.10	24.18	28.87
Mean height of Barometer	28 68	29.55	29.50	23.52	20,48	39.51	20.50	20,64	29.43	29 62	29,430	99 71
	25		1-8	14	13	15	15	10	11		24	17
Days mostly clear, No	7	12	17	34	LB	24	16	21	19		6	14
Dave of westerly wi de, No.,	15	20	19	18	23	26	2/1	18	19	19	19	22
Days of southerly winds, No.				9	1.8	16	16	10	12	15	20	16
In of Rain and Melted Snow		2.87	3.93	5	8.78	1.2	6.78	1.83	4.97	5.94	2.69	1.58

REMARKS.—Mean temperature of the year, 43°.2. Average height of the Barometer, 29.58 inches. Fall of water, 42.56 inches; of snow, 106 inches. Average temperature of summer months, 62°.9; of winter months, 19°.8. Deaths from Pneumonia and "Lung Disease," 273; from Infantile diseases, 395.

### FOR THE YEAR 1862.

	Jan.	Feb.	Mar.	Apr.	May.	June	July.	Aug	Sept	Oct.	Nov.	Dec.
Mean temperature,	16".9	170.8	24- 4	38".9	540.8	612	654.7	814.8	58°.5	466	11. " SER	22 .7
Maximum temperature	404							300		80	(1/1)-	50"
Minimum temperature		-70		13-			524		330	50,	10-	-12"
Max. height of Burometer	80 29									<b>49 90</b>		
Min, height of Barometer,	28,70											
Mean height of Barometer,	211.07	20,60	211 161	29.75	29.45	20.56	20.54	29.63	34.71	20.時5	20 45	29,66
Days mostly cloudy, No	20			12	9	1	11	114	N	\$0	34	235
Days mostly clear, No.,	LL			18		18	20		33	11	15	0
Days of westerly winds, No	14	29	22	21	173	BE	1.6	90	13	19	163	B
Days of southerly wlads, No	12	9	9	13	10	14	16	18	15	138	10	10
In. of Rain and Melted Snow	14 46	3.20	4.16	1 18	,76	1.00	4.30	7.48	1.38	8 94	3.50	1.48

REMARKS.—Mean temperature of the year, 12°.4. Average height of the Barometer, 29.61 inches. Fall of water, 37.74 inches; of snow, 110 inches. Average temperature of summer months, 62°.5; of winter months, 21.°4. Deaths from Pneumonia and "Lung Disease," 272; from Infantile diseases, 473

FOR THE YEAR 1863.

					_			_		_		_
	Jan.	Feb.	Mar.	Apr.	May.	June	July.	Aug.	Sept	Oct.	Nov	Dec.
									540.8			
Maximum temperature,	-15	-270	-18°	110	급증 u	490	510	88年 47年	35"	1180	57"	45
Max. height of Barometer,	30.50	3 1.63	30.30	80.10	29.83	20.87	23,86	3 1.02	30,21	80.28	30 16	
Mean beight of Barometer,	24 . 69	29.78	29.66	29.62	29.5%	29.55	29.62					
Days mostly clear, No			16	11 19 \$2 7		12	11	33	198	14	14	18
Days of westerly winds, No	110	16	33 10	22	21	25	27	24	16	16	#1	19
Days of southerly winds, No.,. In. of Rain and Melted Snow			1.75	1.55	6.18	1.95	5.76	2,41	5.80	8.90	2.97	2.96

REMARKS.—Mean temperature of the year, 42°.6 Average height of the Barometer, 29.67 inches. Fall of water, 41.18 inches; of snow, 81 inches. Average temperature of summer months, 62°.4; of winter months, 20°.5. Deaths from Pucumonia and "Lung Disease," 314; from Infantile diseases, 456.

FOR THE YEAR 1864.

	Jun.	Feb.	Mor.	Apr.	May.	June	July	Aug.	Sept	Oct.	Nov.	Det.
Mean Temperature	21".4	230.9	909	409	569.1	682	088	669.8	544	420.5	81º b	22".3
Maximum Temperature,	420	46"	08.	61°	780	1500	65°	874	4159-	649		Liga
						419						0
Max n um beight of Barometer,	80.14	80.00	80,68	18 88	29.E0	19.90	19.94	19,80	80.05	29,28		36 BO
Minimum height of Barometer,	28,85	the . 985	19,62	29,19	29,13	20,90	19-61	19.16	29.15	24.112		25 56
Mean beight of Barometer	19.60			湖.61	20.48	20. E0	29.59	29.50.	29,00	20,47	29.59	281.65
Days mostly cloudy, No Days mostly clear, No	19	15	18	19	15	26	7	52		21		15
Days mostly clear, No	12	11	18	11	16	26	24	18		10		15
Days of Westerly winds, No				18			20	17	18	20		13
Days of Southerly winds, No	18			9		13	15	14	11	6		23
Inches of rain and melted snow	1.48	.80	5.30	8.55	8.18	1.61	1.65	5.88	1.49	4.67	8.10	2.49

Remarks.—Mean Temperature of the year, 43°.6. Average height of the Barometer, 29.55 inches. Fall of water, 36.04 inches; of snow, 68 inches. Average temperature of summer months, 63°; of winter months, 24°4. Deaths from Pneumonia and "Lung Disease," 334; From Infantile Diseases, 441.

FOR THE YEAR 1865.

	Jan.	Feb.	Mar.	Apr.	May.	June	July.	Aug.	Верт	Oct.	Nov	Det.
Mean Temperature	32* -19° 80.18 19.18	40° -10° 10.19 28.94	89° 8° 20.18 38.64	68° 25° 80.12 20.08	15° 84° 10.98 10.18	58° 58.89 29.88	80° 510 59,95 59,34	84° 40° 20 fr 20.16	68° 16° 10 04 29 40	59°  20°  30°.(4  28°.76	154 30 27 20 05	5-1" - 80 30 . 12 2= 90
Days mostly Cloudy, No	19 12 18 18 18 2.60	17 11 11 9 1.80	19 12 12 1.08	16 14 18 16 2.75	20 11 14 12 8.84	9 23 28 17 4.87	17 14 27 10 5.88	7 24 26 12 1 95	10 20 15 15 2.44	18 18 10 6 2,79	52 8 14 12 1.90	91 10 32 21 1.70

REMARKS—Mean Temperature of the year, 42°.5. Average height of the Barometer, 29.63 inches. Fall of water, 32.43 inches; of snow, 81 inches. Average temperature of summer months, 63°.7; of winter months, 16°.1. Deaths from Infantile Diseases, 501; From Pneumonia and Lung Disease," 395.

FOR THE YEAR 1866.

	Jan	Feb.	Mar.	Apr.	Mny.	June	July	Aug.	Sept	Oct.	Nor.	Dec.
Mean Temperature	440	4,0	450	nno	784	B49	870	7H1	749	HEN	S78.3	22-8
Maximum height of Barometer,	20 68	30.31	30.08	80.12	29,75	29.82	29.86	19 87	29 99	30.14	34 91	-90"
Mean height of Barometer,	29. 75	29,07	29.18	29.50	28 95	29 14 29.61	29,34	29,54	29 24 20.64	90 18	98.84 29.63	Bu 75
	19 12	18 10 22 12	99 9 26	15	18 18	13 17 20	7 94 95	20 11 28		16 15 16	9	18
Days of Southerly winds No Inches of rain and melted snow	8	12	9	13	10	10	977	1ac	119	9.31	14	19
			12100		1 11110	107 11 1	1000	0.41	19:20	1.90	18.01	2.00

MARKS..—Mean Temperature of the year, 42°.1. Average height of arometer, 29.61 inches. Fall of water, 39.26 inches; of snow, 58 s. Average Temperature of summer months, 61°.6; of winter 18, 20°3. Deaths from Infantile Diseases, 399; from Pneumonia Lung Disease" 464.

FOR THE YEAR 1867.

	Jan.	Feb.	Mar.	Apr.	May.	June	July.	Aug.	Sept	Oct.	Nov.	Dec.
smperature,	12010	25°85	97"61	40064	49 788	6404)	45°99	64"50	66.56	47 10	39-67	13-69
om temperature,	212	1670			69-	790		840	80-	HO =	579	410
im temperature,	-110	2	10	270	992	54°	52-	470	320	97*	4"	-15°
sight of Barometer	80 09	30.49	90,18	40	80.17	29.91	30.06	99.82	213,08	30,10	80	31,27
dght of Barometer	28.91	28.88	28,68	20,03	28.93	29.15	39.26	29.29	29.33	29, 20	29.89	29.03
eight of Barometer,	29.51	29.67	29 68	29,54	29.43	29.63	29.58	29.61	29,71	29,69	59 88	29.63
ostly cloudy, No	920	18 .	18	15	24	10	11		10	14	13	91
ostly clear, No.,	7	5	10	10	9	12 21	14		14	18	-	6
westerly winds, No	18	14	18	21	19	21	38		15	21	37	10
southerly winds, No.,	10	14	9	13	14	19	1		15	17	14	11
ain and Melted Snow	1.60	.70	1.30	2.42	7.70	1.55	3.14	2.63	3.23	4.57	.85	.30

MARKS.—Mean temperature of the year, 42°.2. Average height of acter, 29.60. Fall of water, 26.89 inches; of snow, 51 inches. the temperature of summer months, 64°.36; of winter months, 1. Deaths from Pneumonia and "Lung Disease," 285; from In Diseases, 444.

FOR THE YEAR 1868.

	Jan.	Feb.	Mar.	Apr.	May.	June	July.	Ang.	Sept	Oct.	Nov.	Dec.
mperature,	13-71	11482	31*16	37953	53"84	65°06	74 08	67*41	56-29	42°58	81°68	18990
im temperature	37-	394	634	660	770	90-	93a	83.	790	63"	44"	36"
m temperature,	-120	-15°	-9"	14"	310	48*	59°	510	300		192	-8"
ight of Barometer	80.07	39,40	30 28	30	29.94	29,96	29,81	29.88	30.07	30,21	30.09	30.18
ight of Barometer	28.87	20.08	29.18	28.92	29 28	29, 25	29.40	29.14	29.37	29.22	29.00	28.69
sight of Barometer	29,62	29.00	39.66	29.61	29.55	29.64	29,61	29,63	29 69	29,74	3+.69	29.60
betly cloudy, No	92	14	14	17	18	11	9		18	18	25	94
netly clear, No	7	12	14	9	18 10	16	18		0	8		
westerly winds, No	19	7	19	14	10	17	14		19	19	18	8 15
southerly winds, No	19	16	16	14	15	19	17		15	12	8	15
ain and Melted Snow	1.50	.51	1	1	5.09	2.74	2 31	1.35	4.99	1.41	5.69	1.20

MARKS.—Mean temperature of the year, °42. Average height of leter, 29.63. Fall of water, 28.71 inches; of snow, 60 inches. ge temperature of summer months, 65°.69; of winter months, ). Deaths from Pneumonia and "Lung Disease," 367; from In-Diseases, 641.



## SUMMARY OF OBSERVATIONS.

For the first time in the history of Registration in the State of Vermont, the Summary of Observations now made, is based upon returns from every town in the State. For this result we are indebted to the determination and energy of the excellent Secretary of State.

## GENERAL SUMMARY.

The tables embodied in this report show that during the year ending Dec. 31, 1868, the whole number of births in the State was (7,510) seven thousand five hundred and ten; of which three thousand eight hundred and seventy-three (3,873) were males, and three thousand six hundred and five (3,605) were females. Of (32) thirty-two the sex is not stated.

During the same period two thousand nine hundred and sixty-one (2,961) couples, or five thousand nine hundred and twenty-two (5,922) persons were married; a number greater, by 104 couples, or 208 persons than was reported in 1867.

The number of deaths for the same period was four thousand four hundred and fifty-five; (4,455) of which twenty-one hundred and ninety-three (2,193) were males, and two thousand two hundred and twenty-two (2,222) were females. Of forty (40) the sex is not given.

Compared with 1867 the number of births was 1,042 greater, and 1,106 greater than in 1866. The deaths were 367 greater than in 1867; when 4,088 were reported, and 604 greater than in 1866.

The population of the State being 315,098 by the census of 1860, there was during the year, one birth to every 42.05 of the inhabitants, against one to every 48.7 for 1867; and one to every 48.2 for 1866. One person in every 53.2 was married during the year, against one in every 55.1 for 1867; and one in every 50.8 for 1866. There was one death to every 70.7 persons living, against one to every 77 in 1867, and one to every 82 in 1866.

In Rhode Island there was one birth, in every 36.1; one person married in every 39.5, and one death in every 64 of the population. In Mascachusetts, one birth in 36.14; one marriage in 43.8, and one death in 55.6 of the inhabitants.

The average number of births daily was 20.57, against 17.72 in 1867; the number of marriages was 8.11 daily, against 7.82 in 1867, and 9.43 in 1866; and of deaths 12.2, against 11.2 in 1867, and 10,52 in 1866.

The average age of those who died was 37.42, against 38.14 in 1867, and 38.48 in 1866. The average for twelve years 1857-68 is 35.22, ranging from 29.22 in 1864 to 38.48 in 1866.

#### BIRTHS.

Passing now to a more particular investigation of the Statistics of the Twelfth Registration Report, we group together in the following table the number of births registered during the past twelve years 1857-68, together with the birth rate, population to one birth, and number of each sex for each year.

YEARS.	No.	BIRTH RATE.	Pop, to 1 Birth.	MALES.	FE- MALES.
1857	6412	2.04	49.1	3282	3071
1858	6477	2.06	48.6	3294	3142
1859	6545	2.11	47.7	3351	3155
1860	6451	2.05	48.8	3225	3186
1861	6567	2 08	48.	3354	3170
1862	5505	1.75	57.2	2831	2650
1863	5369	1.70	58.7	2719	2624
1864	4753	1.68	61.	2439	2264
1865	5353	1.69	58.8	2761	2564
1866	6532	2.07	48.2	3376	3113
1867	6468	2.05	48.7	8372	3141
1868	7510	2.06	48.6	3873	3605
Totals,	73,942			37,812	35,688
Average Annual,		1.94	51.95	3151	2974

The total number of births in twelve years, as appears from the above table, is 73,942, which exceeds the number of deaths in the same period by 22,109. The average annual number of births is 6,161, which is 1,842 more than the average annual number of deaths

in the same period. The excess of births over deaths in 1868, is 3.035; or 59.3 deaths to each one hundred births.

The birth rate for the year was 2.06 or one birth to every 48.6 of the people of the State. The average for the twelve years is 1.94.

Sex.—The returns for the year show the birth of 3873 males and 3,605 females, or in the ratio of 1,074 males to 1,000 females, which is greater than for 1867, when it was 1,040 males to 1,000 females, and less than in 1866.

The proportion of the sexes born in the State for the years 1857-68 inclusive is as follows

YEARS.	1857.	1858.	1859.	1860.	1861.	1862.	1863.	1864.	1805.	1866.	1867.	1868.
Males to each												
100 Females.	106.8	104.8	100.2	100.1	105.8	106.8	103,2	107.7	107.6	108,1	104.	107.4

The average for twelve years is 105,7 males to each 100 females, a slight variation only from 1866.

In Rhode Island the proportion for 1867 was 107,7 male to 100 females, and for 14.7-12 years covered by the Registration Reports of that State, the average was 106,3 males to 100 females, a slightly larger proportion than that of Vermont.

In Massachusetts for the sixteen years covered by the registration of that State, the average was within a fraction of our own State. In 1867 the proportion was 104,2 males to each 100 females, and from 1852 to 68, inclusive it was 105,9 males to each 100 females.

The following table shows the numbers of each sex by counties with ratio of males to females.

Counties.	Males.	Females.	Males to 100 Fernales.	Counties.	Males.	Females.	Males to 100 Females,
Addison,	264	262	100.7	Lamoille,	140	132	106.
Beunington, _	275	294	93.5	Orange,	229	249	92.
Caledonia,	268	218	123.	Orleaus,	290	255	113.7
Chittenden,	439	412	106.5	Rutland,	535	495	108.
Essex,	69	62	111.	Washington, _	315	296	106.
Franklin,	340	335	101.5	Windham,	253	228	110.9
Grand Isle,	60	56		Windsor,	396	311	114.

According to population the counties were prolific in the following order:

Chittenden,	which	had	one	birth	to	every	33.	of	population.
Bennington	65	88	6.6	11	£a.	46.	34.	64	***
Orleans and									
Rutland each	5.6	44	66	44	44	14	34.8	45	44
Grand Isle	64	4.5	4.5	8-8	44	64	87.7	44	15
Franklin	44	5.5	6.6	4.6	66	44	41.3	66	14
Essex	64	64	-65	6.6	6.6	46	41.8	65	60
Caledonia	6.6	66	4.6	66	104	- 66	44.G	4.6	10
Washington	44	64	4.6	80	E 4	44	45.2	100	KA .
Lamoille	44	4.6	44	66	44	4.6	45.3	66	G G
Addison	66	45	4.6	66	-64	44	45.6	61	4.6
Windham	86	66	6.6	46	4.6	84	46.	44	N.E.
Windsor	EL	8.6	4.5	85	6.6	100	52.3	2.0	62
Orange	46	44	44	110	-4	44	53.2	576	55

Season. The largest number of births occured in October (703); next in order are September, July, August, May, November, June, March, December, April, February. The smallest number was in January (492), last year in March. The number for the third quarter is largest (2,035); next in rank is the fourth (1,949), then the 2nd (1,867), and the first (1,602). The births in the first six months of the year, exceed those in the last six by 515.

The following table shows the number, for each quarter, for the years 1857-68 inclusive.

Years.	1st Quarter	2d Quarter	3d Quarter	4th Quarter	Years.	1st Quarter	2d Quarter	äd Quarter	41h Quarter
1857 1858 1850 1860 1861 1862	1360 1414 1447 1464 1430 1228	1565 1578 1642 1561 1577 1061	1709 1683 1703 1733 1743 1285	1716 1525 1988 1621 1735 1365	1863 1864 1865 1866 1867 1868	1258 1478 1174 1246 1432 1602	1376 1274 1380 1603 1646 1867	1391 1376 1385 1839 1676 1940	1287 1009 1340 1755 1606 9085
Totals	8,356	8,979	9,856	9,944	Totals	8,190	9,146	9,016	9,094

The aggregate for the first six mouths of the year is 34,671; for the last six months 38,510, the difference 3839; thus establishing the recognized fact, that a larger number of children are conceived in Vermont in the six months of cold weather, than in the six months of warm weather. The same is true in Massachusetts and Rhode Island. The reverse is the case in England, the aggregate for seven years, 1860-66, showing that 51.7 per cent. of the whole number of

births, occurred in the first half of the year, against 48.3 per cent. for the last half.

The explanation given for this result, so uniform through all the years of these reports, by the author of the Rhode Island summary, viz: that in that State, and Massachusetts "the births are collected only once in the year, in January," and that "some births in the earlier part of the year, are lost by the removal or forgetfulness of parents," does not afford, in our opinion, a satisfactory solution of the problem, especially with reference to Vermont. For in this State the statistics of registration are not gathered by Town, but by District Clerks;—this sub-division of labor tending to make them more accurate, by requiring them to be obtained by "actual inquiry or otherwise." The duty of the Town Clerk is to forward the aggregated returns to the Secretary of State. The explanation given in the Massachusetts report, affords a more rational solution of the problem, viz.: that it lays in the social customs of the people, whatever they may be, rather than in natural laws.

Plural Births. One hundred and twenty plural births are recorded, of which fice were triplets. Of these births 70 were males and 50 females. This is one to every 62,5 of all births.

The following table exhibits the number of these births, during the years 1857-68, inclusive; also the sex, and number of all births:

YEARS.	1857	1858	1859	1860	1801	1862	1863	1864	1865	1866	1807	1868
Number, · · ·	95 52				135		196	62 40	2600		130	
Males, Females, No. to one Birth, -	43 131	71		71	57		45	20	22	61	59	70 50 62.5

Average for twelve years 111.

Illegitimates. Fifty cases are recorded, of which 32 were males, and 18 females. Last year 40 cases were reported.

The number of these births and their proportion to all births for twelve years 1857-68, inclusive, is shown in the following table:

YEARS.	1857	1858	1859	1860	1861	1862	1863	1864	1865	1866	1867	1868
Number, Males,	Regist.	53 94 28 108	26 25	25 36	53 25 28 123.8	37 18 17 152.9	24 S2	32 12 20 148.5	39 16 28 137	19 20	40 21 19 161.7	50 32 18 150,2

An average of one to every 143.3 of all births during the twelve years, and of 43 to each year.

In Massachusetts, 281 of these births were registered in 1866, and 290 in 1867, or one to every 124.8, and 120.6 of all births, respectively. In Rhode Island there are no illegitimates noted, a remarkable evidence of pure morals, if none occurred.

In connection with this subject the question has been mooted, as to the influence of religion upon national morality. It has been supposed that the number of illegitimate births, in any country, was an indication not only of its morality, but also of its prevalent religion. This question has been subjected to statistical analysis, so far as European Countries are concerned, and the results are given to the public in a very valuable work, entitled: "L'Europe Politique et Sociale" by M. Maurice Block. The Pall Mall Gazette London, gives the following resumé of the statistics furnished by M. Block:

"Of all European countries, that in which by far the greatest relative number of natural children is born, is Bavaria, a country of which two thirds of the people are Catholic, and excessively Catholic, and in which the "confessional" is more of a real institution than almost anywhere else. In Bavaria the illegitmate births amount to 20.7 or nearly 21 per cent. of the whole.

20.7 or nearly 21 per cent. of the whole.

"Next come Saxony and Wurtemberg; the first exclusively, the second chiefly, Protestant. In these illegitimate births amount to 13

and 11.7 per cent. respectively.

"In Sweden and Norway (Protestant), they are 9.3 and 9.2; in

Austria (very Catholic), 8.9.

"Next to these comes a list of countries, comprising, in fact, the greater part of Europe, in which the illegitimate birth-rate is singularly uniform; nowhere much below seven per cent., and nowhere attaining eight. These are—taken in order of immorality, beginning with the worst—Belgium, Russia, Italy, France, Prussia, England. Of Ireland there are, we believe, no trustworthy returns, but common opinion makes it rank very favorably in this respect.

"Below the countries thus enumerated, and therefore the least exceptionable of all, come Catholic Spain with 5 1-2 per cent, and last, Protestant Holland with only 4 per cent, which thus attains the

European "prize of virtue."

"These diversities are very far from admitting of easy or, indeed, any explanation from such materials for knowledge as we possess. Something is due to legal institutions. For instance, the three German countries which rank worst on the list all possess peculiarly restrictive codes of marriage laws, which restrict honorable matrimony and render irregular but durable connections—"wild marri-

ages," as the Germans oddly but expressively called them, more common than they would otherwise be. And the same obstructive legislation prevails more or less in other continental countries. But this has no relation to religious questions. And the simple conclusion which we wish to draw is, we conceive, undeniable, that it cannot be proved, or rendered probable, that the religion prevailing in any European country, taken apart from other causes, influences at all the number of illegitimate births."

To the searcher after other causes for the prevalence of this social evil, than the real one—the innate depravity of the human heart—these inquiries and statistics will have a peculiar interest; but they only demonstrate more plainly, that this evil prevails largely in all countries, in all climes, and under all forms of religion, and religious institutions.

Stillborn. The number recorded for this year is 156, a large increase over 1867; when 82 were reported. This is one to every 48.2 births. In 1867 the proportion was one to every 78 births. In 1866 one to every 72 births. The increase in 1868 may be accounted for in part, no doubt, by the large increase of births over former years.

Parentage. Of the whole number of births 5064, or 67.41 per cent. are recorded as American, 2.216 or 29.50 per cent. as Foreign, and 230 as unknown. Last year the per cent. was 69.68 American, to 25.74 Foreign. In 1866 the porportion was 66.97 American; 26.39 Foreign.

The following table shows the parentage of all the children born in the State, whose parentage was recorded during the years of 1857-68 inclusive, with per cent. of each to population of each class. The population of Vermont, by the U. S. Census of 1860, was divided as follows: American 282,365; Foreign 32,743.

PABENTAGE.	1857	1858	1859	1860	1861	1863	1863	1861	1835	1866	1967	1868
American,												
Foreign, Births to every 1000												
Population, Amer.	14.7											
Population, For	41,	49.	50.	46.	47.	40,	36.	31,	40.	52.	50.	65.

Average American for twelve years, 14.9. Average Foreign for twelve years, 45.5. The proportion of both American and Foreign births has increased during the past year, and both have reached a much higher point than at any period within the twelve years; still the latter outstrips the former. The foreign element is increasing more rapidly than the American. The births among the Foreign population, were last year, three to one of the native element, this year they are nearly four to one; an increase which is not accounted for by emigration—for Vermont is not a State towards which the swelling tide of Foreign emigration tends—but by natural generation.

In Massachusetts, during ten years, 1849-58, there was a relative and rapid increase of children born of Foreign parents; during the five years 1859-63, this increase continued, but with diminished rapidity; during the three following years, 1864-66, the relative increase of Foreign births ceased. In 1867 it revived, and is attributed to the increase of Foreign emigration into that State. The proportions for 1867 were 42.36 American, and 48.75 Foreign. In Boston the proportion was still greater; being American 1673, Foreign 3758, or more than two to one.

In Rhode Island, in 1867, the percentage of children born of Foreign parents, was 46.46, against 44.28 American. And for the five years, 1863-67 the percentages were 45.18, of the latter, to 46.37 of the former, whilst from 1858-62, the proportion was 48.50 American, to 44.33 Foreign.

The facts thus presented indicate that the largest relative increase of population in these three States, Mass. R. I. and Vt., from natural causes, comes from the Foreign element in our midst. It should not be overlooked.

### MARRIAGES.

The number of marriages recorded is 2,961 couples or 5,922 persons. This is greater by 104 couples, or 208 persons than last year, and greater than has been reported in any year save 1866. Of these marriages, 4,419 are recorded, as of Americans, 815 as of Foreigners, and 688 as unknown. The latter class has been reduced from last year, more than one thousand.

The following table shows the number of marriages during each of the twelve years 1867-68, with the ratio to the population, and average for the whole period:

YEARS.	1857	1858	1850	1860	1861	1862	1863	1864	1865	1866	1867	1868	Total '57-'68	Aver. '57-'68
	2582	4630		4358	4376		4014	8008	5138	11002	5714	5922	27,043 55,856	
American, Foreign,	1812 250	302	394	360	876	332	430	272	464	549.	419	865	35,212 5,163 15,510	480

The counties rank as follows: Rutland, Windham and Windsor equal; Franklin, Orleans, Orange, Washington, Chittenden, Addison, Caledonia, Bennington, Lamoille, Essex, Grand Isle. The months as follows: November, December, October, September, January, March, February, August, July, June, April, May.

The number of marriages in the first quarter was 710; second quarter 565; third do. 688; fourth do. 979. The ratio of marriages to the population is one to 106, or one person married to every 53 persons living. The average for twelve years 1857-68 is one to 112.3, or one person married to every 56.1 living. Last year the proportion was somewhat larger.

Of all the marriages recorded, 2,093 were the first of both parties, and of these, 70 persons under 20, married 57 maids under 20, and 13 under 35.; 1035 under 25, married 518 under 20, 454 under 25, and 54 under 35. Three persons under 60, married maids under 45. One hundred and forty five bachelors married widows; 342 widowers married maids, and 225 widowers married widows. Nineteen of these latter were over 70 years of age, and married widows over 60 years of age.

In 910 instances, (last year, 796,) the bride was under 20 years of age; in 75 instances the groom was under 20, (last year, 76). In 58 instances, (last year, 57,) both parties were under 20. Twenty-four men and four women were over 70. Four widowers over 70 married maids over 35, 40, and 45 respectively.

The increase of marriages during 1868 in which the maids were under 20 years of age, will be specially noted. The bulk of this increase, we think, will be found among the foreign population, who proverbially marry at an earlier age than the American.

Connected with this subject is that of

## DIVORCES.

During the year 1868, the whole number of divorces granted by the courts of Vermont, was 167, or one in 17.7 of all the marriages. In 1867 it was 159, or one in 18 of all marriages. In 1866 it was 155 or one in 19. In 64 cases the libellant was the husband: in 103 cases the wife. The increase in the number of divorces granted will be noticed, and indicates a laxity of morals which is truly alarming.

Of the causes of divorce, willful desertion has 73; adultery is mixed up with 53; intolerable severity, 35, all other causes 24. Among the latter, two were "null and void," and one, States Prisun. In Essex County no divorces were granted by the Court. The counties rank as follows: Grand Isle one in six of all marriages, Bennington one in twelve. Rutland one in 13.4 Lamoillo one in 13.7, Windsor one in 14, Washington one in 15.9, Orleans one in 16.8, Chittenden one in 17, Addison one in 19.4, Orange one in 19.8, Caledonia one in 23, Franklin one in 23.6, Windham one in 36.

#### DEATHS.

The whole number of deaths during the year ending Dec. 31 1868, was 4,455, which is 367 greater than in 1867, and 615 greater than in 1866. It is 116 greater than the average for twelve years 1857-68.

The following table shows the whole number of deaths during twelve years, ending with 1868, with percentages and ratio of deaths to the living, and the average age of those who have died:

YEARS.	1857	1858	1859	1860	1861	1562	1863	1564	1865	1866	1867		Total 1857-68	
No. Deaths, .	3519	3581	3725	3597 1 29	4038	4×36	5710 1.81	5993	4958	3841	4038	4455 1 49	54,866	4,319
Liv. to I death Average Age	357	87	84	- 91	734	65	53	58	65	82	77	70		34.5

The average annual number of deaths for the past twelve years is 4,319, or one to every 70 of the population.

Instituting now a comparison between the east and west portions of the State, as divided by the Green Mountain range, we group the results in the following table:

Counties—East cids. 270 EaseX. 25 Lamoille, 132 Orange 343 Orleans. 253 Windham 425 Washington 347 Winder, 529	Chittenden
Total,2,394	Total, 2,519

The population of the east side of the Mountain, is 176,778. The deaths are one in every 73.8 of the inhabitants, and the death-rates i 1.35. The population of the west side is 139,135. The deaths are one in 68.8, of the inhabitants, and the death-rate is 1.52. The east side of the Green Mountain is in this comparison, therefore, the healthiest part of the State.

Continuing the comparison by counties, the death-rate for each is as follows:—Addison 1.34; Bennington 1.34; Caledonia 1.25; Chittenden 1.77; Essex 1.64; Franklin 1.23; Grand Isle 1.14; Lamoille 1.07; Orange 1.38; Orleans 1.32; Rutland 1.47; Washington 1.26; Windham 1.40; Windsor 1.44. From this comparison it appears that the healthiest county in the State is Chittenden on the West side of the Mountain range. The county in which the largest proportional number of deaths to the population occurs, is Lamoille, an interior county. The average death-rate for all the counties is 1.58. The average for the eastern division is 1.34, for the western division is 1.38; showing but a very small per cent, in favor of the eastern division.

Comparing again a few of the larger towns of the State, we find their healthfulness to rank as follows: Woodstock has one death in every 76 of its population; Castleton has one in 75; Springfield has one in 73; Northfield one in 69; Middlebury one in 67; Montpelier one in 65; Rockingham one in 64; Brattleboro one in 63; St. Johnsbury one in 58; Rutland one in 55; St. Albans one in 52.7; Brandon one in 52; Bennington one in 47.

Comparing finally, the cities of the State, we find that in the city of Burlington, one in every 40.8 of the inhabitants died in 1868, while in the city of Vergennes there was one death to each 1286 of its population, a condition of healthfulness as astounding as it is gratifying, if the returns are correct. Cities are proverbially unhealthy. The city of Burlington exhibits a larger proportionate mortality than any town in the State, containing an equal number of inhabitants. But Vergennes is an exception to all the cities of the known world. One death only (?) in each 1286 of its inhabitants. We cease all further comparisons.

The number of deaths during the year is equal to 1.41 per cent. of

the population. Last year it was 1.29. The average for twelve years 1857-68 is a fraction more than 1.36. Comparing this with the birth rate for the year which is 2.38, (last year 2.05.) we reach the very gratifying result that the birth-rate, has exceeded the death-rate by 0.97 per cent. (last year 0.76 per cent.) and exceeded the average death-rate, for twelve years, by 1.02 per cent.

In Massachusetts the death-rate for 1867 is 1.79, for 1866 1.86. In Rhode Island the death-rate for 1867 was 1.56.

If these figures are correct, the conclusion is fair that the duration of life in Vermont is increasing.

Ages. The ages are given of 4,415 of those who died during the year, leaving 40 whose ages are not stated. The average age of the decedents was 37.42, being greater than it was in 1867 when it was 36.76; less than in 1866 when it was 38.48; but greater than in any year previous, and greater than the average for twelve years 1857-68, which is 35.10. The decedents under one year of age were 874 showing a large increase of mortality at this period of life, over any year included in the registration reports of the State. Between one and two years the number was 214; between two and three 109; between 3 and 5, 174. Between 10 and 20, the decedents were 263; between 20 and ill, 331; 30 and 40, 292; 40 and 50, 262; 50 and 60, 283; 60 and 70. 478; 70 and 80, 556; 80 and 90, 337; 90 and 95, 53; 95 and over 23. Four deaths are recorded, of persons one hundred years old and upwards, three males and one female.

Sex. Of all the decedents, 2,193 were males, and 2,222 females, an excess of 29 females, against 108 last year.

Nativity. Three thousand eight hundred and seventy-six were of American parentage and 360 Foreign. Unknown 219. The latter class are diminishing in numbers, and will finally disappear from the reports, as the registration laws are more thoroughly enforced.

Season. The order of months in fatality is as follows: August, 490; September, 484; March, 404; April, 394; July, 374; October, 352; November, 342; December, 341; February, 336; May, 320; January, 300; June. 288. In 1867 the largest number of decedents, was in September, 471; the least in February, 265. The order of

quarters is third, first, fourth, second; last year third, fourth, second, first.

The figures show slight variations from year to year, but the general rule is established with considerable exactness, the latter part of the year generally exhibiting the greatest mortality.

### CAUSES OF DEATH.

We again have the satisfaction of recording the fact, that no desolating epidemic has swept over the State during the year, and yet, the number of deaths has largely increased. This increase pertains to all the classes of disease, save constitutional; the largest being in the class local.

The number of decedents in the Developmental class, largely exceeds that of any year included in these reports, and is deserving of notice, and comment. The following table exhibits the fatality from each class, with the percentage of the whole during twelve years, ending Dec. 31 1868.

	Zym	otic.	Constit	utional.	Lo	cal.	Develor	mental	Viol	ent.
YEARS.	Deaths.	Per cent.	Deaths.	Per cent.	Deaths.	Per cent.	Deaths.	Per cent.	Deaths.	Per cent.
1857	627	19.26	1041	31.97	928	28.5	514	15.78	146	4.48
1858	804	23.08	973	27.35	1013	29.07	570	16.86	124	8.46
1859	960	26 06	10:27	27.86	993	26.94	575	15.59	131	3.55
1860	933	23.54	1088	29.78	1054	28 85	432	11.83	146	4.
1861	1085	28.62	1025	27.03	1025	27.03	520	13 71	136	3.58
1862	1879	41.20	967	21.23	1053	23.11	478	15.49	178	3.91
1863	2584	48.44	1046	19.61	1098	20.54	434	8.13	164	3.07
1864	2176	44.48	938	18.97	1133	23.14	393	8 03	262	5.37
1865	1799	39.96	1024	22.61	1103	24.47	447	9.87	149	8.28
1856	843	24.52	951	27 66	1081	31.47	309	11.60	163	4.73
1867	887	22.90	1091	27.92	1118	2888	625	16.14	169	4.10
1868	915	23.82	1069	25.08	1385	32.26	713	16.73	180	4.08
Aver.	1291	30.24	1019	25.52	1082	27.03	500	13.27	162	3.96

In order that the variations in fatality of the principal diseases that are prevalent in the State may be presented before the reader at a single glauce, we group them together in the following table; in which Consumption will be noticed as taking the second place in the list, in only three of the twelve years, and then only in the presence of an epidemic,—Diphtheria:

The following Table gives the number of Deaths in the State from each of sixteen principal causes, and the order of fatality in each, for the twelve years, 1857 to 1868, inclusive.

1862.	Whole Number of Deaths, 4836	783 Dipktheria, 818 244 Consumption, 751 234 Fevere, 972 334 Pheumonia, 207 335 Reart Disease, 153 345 Reart Disease, 153 36 Cooper, 87 36 Cooper, 87 36 Cooper, 87 36 Cooper, 87 37 Free siteman and 62 38 Free siteman and 53 38 Fersiteman 34 39 Grant Disease, 34
1861.	Whole Number of Deaths, 4038	777 Consumption, 783 259 Diphtheria, 441 242 Pueumonia, 441 250 Diphtheria, 234 250 Perers, 234 251 Perers, 82, 135 136 Apoplexy, 82, 135 136 Apoplexy, 82, 135 137 Dropsy, 96 91 Dropsy, 96 91 Dropsy, 96 78 Dyseriery, 64 75 Convulsions and 64 Pitti, 66 75 Convulsions and 64 87 Fitti, 66 75 Convulsions and 64 87 Fitti, 66 75 Convulsions and 67 87 Dyseriery, 66 75 Convulsions and 67 87 Dyseriery, 66 75 Convulsions and 67 87 Dyseriery, 75 88 Gysteries, 75 88 Gyster
1860.	Whole Number of Deaths, 3897	734 Consumption, 777 263 Preuronia, 259 248 Old Age, 243 215 Fevers, 224 161 Diphtheria, 22 17 Heart Dasase, 156 172 Cancer, 157 173 Cancer, 85 60 Dysentery, 78 60 Dysentery, 78 60 Dysentery, 78 61 Brain Disease, 49 62 Convulsions and 44 637 Eryschelas, 442
1859.	Whole Number of Ueaths,3725	738 Consumption, 734 Consumption, 275 Searlatina, 263 Pieutronia, 232 Fevers, 248 Old Age, 248 Old Age, 248 Old Age, 248 Old Age, 248 Old Age, 248 Charletter, 248 Charletter, 248 Chopsy, 249 Couppy, 250 Couppy, 260 Dysentery, 270 Charletter, 270 Charlett
1858.	Whole Number of Deaths, 3581	785 Consumption, 738 309 Scarlalna, 275 174 Old Age, 232 163 Pneumonia, 169 184 Heart Disease, 141 123 Apoplary, &c., 139 120 Infantile, 97 102 Dropay, 97 102 Dropay, 63 73 Cancer, 63 73 Cancer, 63 74 Convulsions and 66 77 Convulsions and 66 78 Croup, 64 66 from Disease, 48 66 from Disease, 48
1857.	Whole Number of Deaths, 3512	Consumption, 785 Did Age, 300 Fevers, 174 Pneumonia, 163 Apoplexy & Par-14 Scarlatina, 122 Fronty, 100 Concer, 73 Croup, 173 Croup, 173 Croup, 164 Fits, 165 Fits, 166

1868.	Whole Number of Deaths, 4455	285 Pneumonia 728 285 Pneumonia 367 283 Infantile, 383 283 Fevers 276 281 Old Age, 241 387 Heart Disease 216 374 Dysentery 110 38 Scarlatina, 110 39 Apoplexy, &c., 88 73 Convulsions, &c., 66 50 Group 51 36 Brain Disease, 51 36 Griphtheria, 47 21 Erysipelas, 45		
1867.	Whole Number of Deaths, 4088	Consumption, 796 Pheumonia, 285 Id Age, 253 Infantile, 253 Fevers, 221 Apoplexy, &c., 187 Uysentery, 174 Heart Disease, 168 Cancer, 1008 Brain Disease, 1008 Brain Disease, 92 Convulsions, &c., 50 Croup, 256 Scarlatina, 268		
1866.	Whole Number of Deaths,3841	Consumption, 712 Pheumonia, 252 Old Age, 247 Fevers, 237 Carlstina, 227 Uphletrin, 190 Upphery, &c., 147 Heart Disease, 145 Dropsy, 139 Concer, 107 Convulsions, &c., 53 Convulsions, &c., 53 Group, 27 Erystipelas, 27 Meningitis, 21 Meningitis, 21		
1865.	Whole Number of Deaths 4858	843 Consumption, 766 690 Revers 579 415 Dysentery, 579 259 Pneumonia, 274 259 Pneumonia, 274 259 Pneumonia, 274 259 Pneumonia, 274 250 Old Age, 256 170 Heart Disease, 160 143 Brain Disease, 110 143 Brain Disease, 110 145 Cancer, 110 77 Infantile, 96 77 Infantile, 96 78 Croup, 39 78 Croup, 39 78 Croup, 39 79 Croup, 29 40 Krystpelas, 29 41 Cerebro Spinal		
1864.	Whole Number of Deaths, 5293	Diphtheria, Consumption, Fevers, Preumonia, Carlatina, Old Age, Old Age, Apoplexy, &c., Apoplexy, &c., Cropsy, Proup, Croup,  . 1863.	Whole Number of Deaths, 5710	Diphtheria,

Taking the foregoing table as our guide we will now pass in review several of the more prominent diseases mentioned therein, without regarding their particular nosological arrangement.

Diphtheria.—The deaths from this cause have been decreasing from year to year since it reached its climax in 1863. It stands at the head of the column in 1864, fifth in 1865, and fifteenth in 1868. The number of decedents for 1868 is 47, of which 20 were males and 27 were females. Twenty-three, or about one-half, were under five years of age.

Scarlatina.—This disease was second on the list in 1857-58. In 1867 it was sixteenth. For this year it is the eighth, and the decedents from this cause number 110; of which 52 were males and 57 females, and 1 unknown. Of these, 81 were under five years of age and 23 between 5 and 10. The largest number of decedents was in Rutland County, 34; the next in Chittenden Co., 15; then Washington and Addison Counties.

Dysentery.—The number of decedents from this cause is much less this year than last, but it occupies the same place in the column that it did in 1867—the seventh. The fatality from it is 124, or 2.91 per cent. of all deaths. Of the decedents 59 were males and 65 females. The total number for twelve years, 1857–68, is 1,689, or an annual average of 140. By far the largest proportion of decedents (73) were under five years of age; 3 were between 5 and 10; 9 were between 60 and 70; 12 between 70 and 80, and 13 over 80. Twenty-two died in the first seven months of the year; 54 in August, 37 in September, and 11 in the remaining months of the year. In the order of counties, according to population, the rank is as follows: Grand Isle, Addison, Chittenden, Caledonia, Orange, Orleans, Windsor, Washington, Essex, Lamoille, Bennington, Windham, Rutland, Franklin.

Fevers.—During the years in which Diphtheria led the train of mortality in the State, Fevers ranked third in the list, When in 1865 that disease subsided, Fevers ranked second, but in 1866 they were fourth, and in 1867 the fifth, and during 1868 were fourth again in the list: the number of deaths being 276, of which 129 were males and 147 were females. The total number of deaths from this cause

during twelve years, 1857-68, is 3,658, or an annual average of 305.

The order of fatality from this disease, and number of deaths in the different counties of the State for the eleven years, 1857-67, with the average, and also for 1868, are shown in the following table:

Counties,	Total 1857-67	Average.	Counties.	Total, 1868.
Windsor,	412	37.	Rutland,	34
Orange,	398	36.	Windham	30
Windham	375	34.	Washington	26
Washington	347	31.	Chittenden,	
Rutland,	337	30.	Windsor, )	24
Caledonia,	258	23.	Bennington,	24
Chittenden,	241	21.	Franklin,	22
Addison,	220	20.	Orleans,	21
Bennington,	213	19.3	Caledonia,	
Franklin,	211	19.	Orange,	
Orleans,	156	14.	Lamoille,	12
Lamoille,	154	14.	Addison,	8
Grand Isle,	39	8.5	Essex,	
Essex,	21	1.9	Grand Isle,	2
Total,	3382		Total,	265*

An inspection of the foregoing table shows that, for the eleven years, the greatest mortality from fevers was in the counties bordering upon the Connecticut River. In 1868, the order is semewhat reversed, Rutland taking the lead instead of Windsor, and the counties on the West side of the mountains exhibiting the greatest number of decedents. But this reversal is more apparent than real, for, taking the twelve years, 1857-68, together, and the order of fatality is precisely the same as for the eleven years, thus contributing to establish a rule in the State for the prevalence of fevers, viz., that the counties bordering on Connecticut River are more subject to them than the counties bordering upon Lake Champlain.

The close connection between fevers, especially of the types known as Typhus and Typhoid, and decomposition of organic substances, with their accompanying filth and putridity, is now well understood.

<sup>\*</sup>The classification here is not exact;—less decedents being reported under the "classified arrangement" of Table VIII. than under "Causes of Deaths" in the same table.

So, also, the fact that the prevalence of these diseases in any locality may be checked, if not entirely arrested, by a due regard to cleanliness and drainage. In this connection, it may be suggested whether the common practice of storing vegetables in cellars under the sleeping apartments of dwellings may not directly conduce to the induction of fevers. Upon this subject the members of the Massachusetts State Board of Health express their opinion most emphatically, and we place it on record as eminently sound and worthy of consideration. They say:

"1st. That while such vegetables are entirely free from decay, the

practice is probably harmless.

"2d. It is perfectly certain that decaying vegetable matter gives rise, in a way which science has not yet fully explained, to exhalations which are poisonous, that they taint the air with which they are in contact, that they seem to invite the attack of epidemies, that they diminish the power of the body to resist disease of every kind, and that they are especially favorable to the production of fevers.

"3d. That the air of a cellar cannot be prevented from passing

throughout the building under which it is placed.

"For these reasons we are of opinion that the practice of storing the produce of the farm in the cellars of dwelling-houses, is always attended with danger, and ought to be given up, since the utmost care is required in the course of our long winters to prevent decomposition from taking place."

Infantile.—The mortality from diseases classed under this head ranked thirteenth in the list for 1866. Thence it rose to the fourth in 1867, and to the third in 1868. Of these decedents the sexes were in the ratio of 121 to 104. The greatest fatality was in September, 34; next in August, 29.

The great increase of mortality among the children of our State ought to arrest the attention, especially of physicians, and lead to a thorough investigation into the causes, and the application of the appropriate remedy. It ought also to awaken interest among all those who have charge of children, as parents or guardians, for nearly one-fifth of all the deaths recorded in the State are among children under five years of age. Besides, those classed as "Infantile," "Cholera Infantum," "Diarrhæa," "Dysentery," etc., carry off large numbers every year. How far this mortality should be

ribed to the weather is a problem not easy to solve; yet we have a elsewhere all the facts brought to light by the Meteorological

observations in our possession. Investigation in this direction will repay all our labor. In commenting upon this subject, Dr. E. M. Snow, the able Registrar of Providence, R. I., suggests that "summer complaints" are charged with more mischief than is their exclusive due, and that lung fever, convulsions, and congestive diseases of the brain and other organs, destroy far more children than Cholera Infantum and Diarrhea. But he thinks "the chief cause " of Infantile mortality is not more the weather, or foul air, than the " ignorance and false pride of the mothers. Children are killed by "the manner in which they are dressed, and by the food that is given "them, as much as by any other causes. Infants of the most ten-" der age, in our changeable and rough climate, are left with bare " arms and legs, and with low necked dresses. The mothers in the " same dress would shiver and suffer with cold, and expect a fit of " sickness as the result of their culpable carelessness; and yet the so mothers could endure such a treatment with far less danger to "health and life than their tender infants."

The same destructive practice prevails to a considerable extent in this latitude, and, no doubt, contributes largely to mortality among children. Fashion rules in this matter as in others, and its victims are numbered by hundreds. The child of poverty lives and grows up strong and athletic, while the child of wealth, whose tender infancy is confided to a nurse and the bottle, and who is seldom permitted to nestle in a mother's bosom, and draw from her the only food that ought to be given it, wastes away in Consumption, runs its life out in Diarrhos or Cholera Infantum, or sinks into the grave in Convulsions. Fashion rules; it is imperative. The mother must not be deprived of Society by the advent of the baby. It is beneath her dignity or her position to give herself up to nursing babies. She loves her child, but not enough to give it, perhaps, the only chance it has of life. She cannot be troubled with it. And so, very soon, her heart is wrung with grief, as she lays her baby in the grave. But the lesson is as soon forgotten.

Old Age.—Passing from one extreme to the other, we notice how regularly old age appears in the list as the cause of death; never first, but sometimes second, then third and fourth, always holding a place quite near Consumption and Pneumonia. During 1868, there were 241 decedents from Old Age, 118 males and 123 females—177 of which were over 80 years of age.

Preumonia .- In four of the twelve years covered by these Registration Reports, Pneumonia has occupied the second place in the record of mortality. In only one year has it gone below the fourth. During 1868, the number of decedents was 350, or if we add to this 22 who are recorded as dying from "Lung Disease," we have 373 as the number of its victims. The average annual number of decedents for twelve years, 1857-68, is 252. The gradual increase of deaths from this cause from 1857 to 1864 will be noticed, the average of these years being £31.7; and also the still more rapid increme for the next four years, showing an average of 243. This disease attacks people of all ages, but spends its force upon the extremes of age, comparatively few dying in middle life. Of the deaths recorded, 185 were males and 165 females. Of these 103 were under five years of age; 100 were over 60; 25 were over 80, and only 23 bew cen 20 and 30. The order of fatality by mouths was May, April, February, January, November, December, May, October, September, June, August, July. The counties range as follows: Rutland, Chiltendon, Windsor, Orange, Windham, Franklin, Addison and Bennington, Caledonia, Washington, Orleans, Lamoille, Essex, Grand Isle. The greatest mortality occurred in the first quarter, 146; next in the second, 107; then the fourth and third, thus following and establishing the general rule in Pneumonia, that the greater proportion of deaths from it occur in the first and second quarters of the year.

Consumption.—How tenaciously Consumption holds its place as first among the causes of death 1 Seasons seem to have no influence over it, nor do epidemic tendencies affect it. In three of twelve years the epidemic Diphtheria outnumbered it in fatality; but the numbers of its own victims were scarcely lessened, and when that terrible disease subsided, Consumption again led the van.

During the year under review, 728 decedents, or 14.88 per cent of all deaths, are reported, of which 281 were males and 445 were females. The number is less by 64 than last year, when it was 792. Every county in the State is represented, and deaths occurred in every decade of years, from five to "over eighty." Thirty-three were under 5 years of age, and 33 were over 80; 85 were between 70 and 80; 66 between 50 and 70; 68 between 10 and 20; and 430 between 20 and 60. Of these latter 283 were between 20 and 40, thus confirming the long established rule that the larger proportion of the decedents from this disease are taken from middle life, when the dangers of childhood are passed, and life begins to open with all its fairest promises of happiness and success. The large disproportion of the sexes will be specially noticed, and the fact is pressed upon our consideration as revealed, by these annual Registration Reports, that this disproportion is increasing from year to year. Three years ago the difference was 90; this year it is 164.

A comparison of the annual mortality from this disease, with percentage of all deaths, and ratio of living to one death, together with the statistics in relation to deaths from all tubercular diseases will be found in the following

TABLE:

YEARS.	1857	1836.	1859.	1860.	1861.	1562.	1863.	1864.	1865.	1806.	1867.	1868.	Tot'le	Aver.
No. of deaths				-	-						-		-	
Consumption .	785	733	734	777	789	751	789	600	766	712	796	784	90-19	754
Percentage	91.11	21,18	19.37	21, 27	20.65	16.49	14.68	12.06	16.92	20.71	20 68	14.88		18.58
Living to one											1.20			
Death	401	427	429	405	40%	419	402	456	411	442	897	433		418
All Tuberculous														
Diseases	848	791	820	966	835	785	840	783	198	752	854	821	9762	821
Percentage	25,83	22.78	23.24	23.71	22.02	17.45	15.86	14.08	17,69	21.09	22.06	19.21		21,40
Living to one														
Death	870	807	894	384	880	401	878	420	800	418	351	335		304

An inspection of the foregoing table shows that for the twelve years, 1857-68, the average annual number of deaths from Consumption was 754, or 18.58 per cent. of all deaths; and of all tubercular diseases, 821, or 20.40 per cent. of all deaths.

The following table will show the order of the counties in fatality, from this cause, taking the population of 1860 as the criterion:

Counties.	Popula- tion 1860	Deaths 1807-67		1 Death to pers'n living.	Counties.	No. Deaths 1868	1 Death to pers a living.
Essex	57*8	93	84	02.2	Lamoitle	5143	22
Franklin, -	27271	671	51.9	47.6	Bennington.	41/8.	30
Orleans,	15084	425	38.6	47.	Rutland, -	4924	73
Grand Isle.	4276	91	8.2	48 9	Grand Isle.	475,	9
Chitteniten,	28171	608	55.2	46.3	Washington,	468.	10
Rutland, -	85946	Bus	72.9	41.8	Essex,	445.	13
Addison,	24010	583	53.	41.2	Caledonia, -	448.	40
Bennington,	19426	480	43.6	40.4	Windsor, -	442.8	51
Washington,	27013	700	61.6	38 0	Cerloans,	441.	43
Lamottle, -	12311	322	20.2	38 3	Addison, -	431.	87
Windsor, -	37193	1128	102 5	33 8	Franklin, -	413.7	(8)
Caledonia,	21708	603	60.		Orange, -	385 4	66
Orange, .	25455	830	75.4	20.6	Windham,	3717	72
Windham,	37193	1006	91.4	26.7	Chittenden.	343 5	82

It will be seen from this table that Essex County heads the list for the eleven years, 1857-67, and Lamoille County for the year 1868. No county retains the rank it held is the general average for eleven years, in the estimate for one year.

Taking, now, the geographical division of the State by its vertebral column—the Green Mountains—we find that the Western Division, comprising Bennington, Rulland, Addison, Chittenden, Franklin and Grand Isle, with a population of 139,060, reported 3,135 deaths during 11 years, or an annual average of 285, or one in every 445 persons living; and during 1868, 326 deaths, or one to every 426 persons living. During the same period the Eastern Division, comprising the counties of Windham, Windsor, Orange, Caledonia and Essex, with a population of 117,124, reported 3,719 deaths from Consumption, or an annual average of 310.8, or one in every 31.4 persons living; and during the year 1868 the same counties reported 284 deaths, or one in every 412 persons living.

Taking again the division of the State by counties bordering on Lake Champlain on the Wost, and Connecticut River on the East, we find that the four Lake counties, Addison, Chittenden, Franklin and Grand Isle, having a population of 83,688, lost by Consumption during eleven years 1853 persons, or an annual average of 451, or one in 45 persons living; and during 1868, 214, or one in every 391 of the population. The River counties, during the same period, lost one in every 310.8 of the inhabitants; and during the year 1868, one in every 412 persons living. The difference is favorable to the Lake

counties, yet not so marked as to afford any tenable ground for superior exemption from the ravages of this disease.

During the same period the interior counties, Washington, Lamoille and Orleans, having a population of 58,904, reported 1,456 decedents from this disease, or one to every 40.5 of the inhabitants, or an avererage of 132.4 per annum; and during the year 1868, 124 decedents, or one to every 462 of their population. At the same time the Southwestern counties, Rutland and Bennington, with a population of 55,482, reported 1,282 deaths from Consumption, or one in every 43.2 persons living, or an annual average of 116.5; and during the year 1868, 112 decedents, or one to every 495 persons living.

Grouping, now, these several calculations in a table, where they can be comprehended at a glance, they arrange themselves as follows:

EASTERN COUNTIES.—Population, 117,124.—Windham, Windsor, Orange, Caledonia, Essex. No. of deaths, 1857-67, 3,719. Annual average, 310.8. Deaths to one living, 31.4. No. of deaths in 1868, 284. Deaths to one living, 41.2.

WESTERN COUNTIES.—Population, 139,060.—Bennington, Rutland, Addison, Chittenden, Franklin, Grand Isle. No. of deaths, 1857-67, 3,135. Annual average, 285. Deaths to one living, 44.3. No. of deaths in 1868, 326. Deaths to one living, 426.

LAKE COUNTIES.—Population, 83,688.—No. of deaths, 1857-67, 1853. Annual average, 451. Deaths to one living, 45. No. of deaths in 1868, 214. Deaths to one living, 39.1.

RIVER COUNTIES.—Population, &c., same as Eastern Counties, above.

INTERIOR COUNTIES.—Population, 58,904.—Washington, Lamoille, Orleans. No. of deaths, 1857-67, 1,456. Annual average, 132.4. Deaths to one living, 40.4. No. of deaths in 1868, 112. Deaths to one living, 43.5.

SOUTHWESTERN COUNTIES.—Population, 55,482,—No, of deaths, 1857-67, 1,282. Annual average, 116.5. Deaths to one living, 43.2. No. of deaths in 1868, 112. Deaths to one living, 49.5.

Or, taking each county by itself, we find the result to be as follows:

Addison	has one	death from	Consumption to	o every	37.5 p	ersons	living.
Bennington	66	66	"	"	37.4	44	"
Caledonia	66	"	66	46	30.5	44	44
Chittenden	66	66	46	66	40.7	86	44
Essex	**	46	66	44	54.6	66 1	•
Franklin	46	46	44	44	42.7	66	44
Grand Isle	44	44	"	46	42.7	46	#
Lamoille	46	66	"	66	35.9	46	ď
Orange	44	46	66	44	28.4	46	44
Orleans	44	46	66	,46	40.5	66	a.
Rutland	44	66	66	44	41.	44	66
Washington	46	66	64	66	35.9	66	44
Windham	66	66	46	44	25.	66	64
Windsor	"	"	44	46	30.6	"	4

Taking these tables, therefore, as the basis for our calculations, we reach these conclusions: 1. That the Lake counties have less of Consumption than the River counties—the former reporting an average of one death to every 40.9 of their inhabitants, the latter one to every 36.2. 2. That the Southwestern counties have less of that disease than the Interior counties—the former having an average of one death to every 39.2, and the latter one to ever 37.4 of their population. 3. That throughout the State the geographical distribution of Consumption is very nearly equal in proportion to the population. No portion of the State is so far exempt from its ravages as to prefer a very strong claim for peculiar healthfulness in this respect. And, 4. That Consumption is not increasing in the State. The population of the State, by the census of 1870, may prove to be stationary, or increased but slightly, if at all, yet the decedents from Consumption are about the same in number for each of the twelve years, 1857-68, the maximum being 796, the minimum 690, and the average being 754.

The statistics of Massachusetts show that the mortality from Consumption does not increase with the population of that State, but that the number of decedents from it has been diminishing from year to year for the last fifteen years. The actual saving of life during the last five years of that period is shown to be 3,220 persons, or 644 in each year, an improvement which is a subject of congratulation, and which the writer of the "Report" for that State, for 1867, attributes to "the advance of medical science, which has given to

physicians a better knowledge of the nature of the disease, derived from pathology; a better mode of treatment, derived from the careful observation of cases, and from modern discoveries in chemistry and physiology; and a greatly improved acquaintance with the means by which Consumption may be arrested by those predisposed to it by inheritance." And yet, in Massachusetts, the number of deaths from Consumption during the fifteen years, 1853-67, averaged 4594, per annum, ranging from 4.269 to 4,750. The larger proportion of this mortality occurred in the seaboard counties.

The statistics of Rhode Island show that there are remarkable differences in the percentage of deaths from Consumption in different years and in different portions of the State. There is less of that disease in proportion to the population, in the insular towns of Bristol and Newport counties, and in the shore towns of Washington County, than in Providence city, or in the inland towns of Providence County. The climate of the towns first mentioned is damp, while that of the hilly towns of the latter is drier. The per centage of the first three counties named was 14.26, 15.33 and 16.92 respectively, and of the latter 18.68. The annual average mortality from Consumption in Rhode Island for nine years, 1860-68, was 520, the maximum being 559, the minimum 498. Thus, amid all the theories and speculations as to the cause of the prevalence of Consumption in the New England States, none of them reaches the point of materially lessening the number of its victims. may show a variation in mortality from year to year, but never so marked as to afford any just ground for confidence that Consumption will not continue to be the leader of the vast army of diseases " that flesh is heir to."

Still, much good has resulted from these investigations. More is known to-day of the pathology, therapeutical indications, and of the means of prevention of Consumption, than the most learned physicians of fifty years ago ever dreamed of. The subtle elements which enter into its true pathology, may elude research for many years yet to come; but practical experience, based upon investigations already made, confirm the opinion that "fresh pure air by day and by night; strong and nourishing food; dry soil on which to live; proper exercise in the open air; warm clothing at all seasons,

especially in the winter; with proper medication, are the means of saving many lives which would have been hopelessly lost in the preceeding generation."

Passing on to the consideration of other diseases, of less prominence in the record of mortality, we find 37 decedents reported from Diarrhaa (last year 40,) 23 males, and 14 females, 17 of which were under 5 years of age, and 4 over 80. The decedents from Cholera Infantum were 100,—last year 56—65 males, 35 females. Of these, the largest number occurred in Rutland County; 34 died in August, 32 in September, and 19 in July. Every county in the State reports deaths from this cause, save Grand Isle, Puerperal Fever caused 13 deaths. Twenty-six died of Whooping Cough, 22 of which were under five years of age. Cholera Morbus is charged with the death of 4 persons. Privation is set down as the cause of 4 deaths, 2 in Bennington county, and one each in Orleans and Washington counties. Intemperance increases the number of its victims four-fold over last year, and Delirium Tremens has the same as last year. Among constitutional diseases, we find decedents are reported from Dropsy in every month of the year, the largest being in November, the next in March, and the least in January. The number reported is 108, 41 males, and 67 females. Every county in the State is represented, save Grand Isle, the largest number being in Rutland county, (18) the smallest in Essex county, (2). Of the decedents from Cancer, (110), 40 were males and 70 females. Two were of the Bowels; 10 of the Breast; 8 of the Face; 1 of the Hand; 2 of the Liver; 19 of the Stomach; 1 of the Throat, and 2 The large majority were over 40 years of age, 20 of the Womb. were over 70, and 13 over 80. Twelve deaths are recorded from Canker, all under five years of age. Scrofula numbers 31, 15 males, Hydrocephalus 28. 16 females.

In the class of Local Diseases, the most fatal are diseases of the Nervous System, which number 458 decedents against, 406 last year. Grouping all Brain Diseases together, the decedents number 252 only three less than last year. Of Heart Disease, 220 cases recorded, an increase of 47 over last year. Eleven deaths are ed of Bronchitis, and 12 from Pleurisy.

In the class of Accidents 148 decedents are reported, viz.: 11 by Fractures and Contusions; 14 Burns and Scalds; Drowning 35; Suffocation 4 "Otherwise" 82, a term which we hope to see displaced in the enumeration.

Of novelties in disease, we find Tetanus 1: Cyanosis 2; Cardiac Dyspnoea 1: Endermic injection, 1; Grief 1; a female under 30 years of age; Intussusception 1; Leprosy 1; Leucocythemia 1; Malformation 1; Ovarian Dropsy 2; Placenta Previa 1; Spina Bifida 2; Sunstroke 21, a large increase over any year reported, and traceable to the extreme heat of the summer; Want of Care 3; one under 5 years of age, one under 30, and one under 50.



# APPENDIX.

# CLASSIFICATION OF DISEASES.

The following classification of the Causes of Death has been adopted for the Vermont Registration Reports, in order that they may conform as nearly as possible with those of other countries, thereby securing to them much greater value for the comparison of facts, both at home and abroad. It is that recommended by William Farr, Esq.. M.D., of England, with the sanction and approval of the most eminent medical men of Europe, and adopted in Massachusetts, and will probably be used by many other States, as well as upon the European continent,

[Note.—The Latinized names of classes and of orders are derived from Greek roots, which may help the memory and suggest, but will never define the classes.]

# CLASSES.

- I. ZYMOTIC DISEASES:—Zymotici. (Ζύμη, leaven.)
  Diseases that are either epidemic, endemic or contagious; induced by some specific body, or by the want of sufficient nourishment or by the bad quality of food.
- II. Constitutional Diseases: Cachectici. (Καχεξία, bad habit of body.)
  - Sporadic diseases; affecting several organs in which new morbid products are often deposited; sometimes hereditary.
- III. LOCAL DISEASES:—Monorganici. (Μόνος, alone, without others; ()ργανον, organ.)
  - Sporadic diseases, in which the functions of particular organs or systems are disturbed or obliterated, with or without inflammation; sometimes hereditary.
- IV. DEVELOPMENTAL DISEASES:-Metamorphici. (Μεταμόρφωσις, change of form.)
  - Special diseases, the incidental result of the formative, reproductive and nutritive processes.
  - V. VIOLENT DISEASES OR DEATHS:—Thanatici. (Θαντάοι, violent deaths)
    - Diseases which are the evident and direct results of physical or chemical forces, acting either by the will of the sufferer, of other persons, or accidentally.

# ORDERS.

### CLASS I.

- 1. Miasmatic diseases :- Miasmatici. (Μίασμα, stain, defilement.)
  - . Enthetic diseases :- Enthetici. ("Ενθετος, put in, implanted)
  - . Dietic diseases:—Dietici. (Δίαιτα, way of life, diet.)
  - Parasitic diseases:—Parasitici. (Παρὰσῖτος, parasite.)

#### CLASS II.

- 1. Diathetic Diseases:—Diathetici. (Διάθεσις, condition, diathe-
- 2. Tubercular diseases:—Phthisici. (Φθίσις, wasting away.)

#### CLASS III.

# Diseases of-

- 1. Nervous system:—Cephalici. (Κεφαλή, head.)
- Organs of circulation:—Cardiaci. (Καρδία, heart.)
   Respiratory organs:—Pneumonici. (Πνεύμων, lung.)
- 4. Digestive organs :- Enterici. ("Εντερον, intestine.)
- 5. Urinary organs:-Nephritici. (Νεφρός, kidney.)
- 6. Organs of generation:—Aidoici. (Αὶδοῖα, pudenda.)
- Organs of locomotion:—Myostici. (Μῦς, muscle; Οστέον, bone.)
- 8. Integumentary system :—Chrotici.  $(X\rho\omega^{\epsilon}, skin.)$

## CLASS IV.

- Developmental diseases of children:—Paidiaci. (Παιδία, youth.)
   Developmental diseases of women:—Gyniaci. (Γυνή, woman.)
- Developmental diseases of women:—Gyntaci. (Γυνη, woman.)
   Developmental diseases of old people:—Geratici. (Γηρας, old
- age.
- 4. Diseases of Nutrition:—Atrophici. ('Ατροφία, atrophy.)

# CLASS V.

- 1. Accident:—Tychici.  $(T\dot{\nu}\chi\eta, \text{ chance.})$
- 2. Battle:-Polemici. (Πόλεμος, a battle, fight.)
- 3. Homicide: Androphonici. ∫ Ανήρ, man; Αυτος, self; Φονείω,
- 4. Suicide:—Autophonici. ( I murder, kill.)
- 5. Execution: —Demiotici. (Δημιώτης, executioner.)

# STATISTICAL NOSOLOGY.

Note.—This page and those that follow contain two lists of causes of deaths. The first—that on the left side—may be called the Tabular List, and comprises all the heads which it is proposed to admit into the complete tables, and under which all deaths, from whatever cause, must eventually be distributed. It represents those diseases which, under the same terms, or terms strictly synonymous with them, are found in practice to occur most frequently.

The Supplemental List is subordinate to the first, and contains the principal special diseases which it may be considered desirable to note. But it should be observed, that every case marked here is also to be enumerated under one or other head in the tabular list. The tabular head under which it is proposed to place such special cases are shown by references in figures. The special cases are referred to those heads to which they are most nearly allied. It will be found that the special cases are few, and will not affect the larger numbers in the tables to any important extent.

#### CAUSES OF DEATH.

7	ABULAE	L	ST.				SUPPLEMENTAL LIST.
CLASS	1, ZYM	TIC	Dist	ASE	3.		Of Diseases of a Special Character, or rurely futa!
Or	DER I	Mias	matic				
L. 11. Small	DOX.	-	-	•		•	I. 1.—1. Vaccination not stated.
2. Measle		-	-	-		-	Variola.
	tina, -		-	-		-	After Vaccination,, (Vario
4. Diphtl	ieria, -	-	_	-		_	loid.)
5. Quins	7	-	-			_	Brysipelas, &c., after vacci- nation.
6. Croup		-	-	-			Chickenpox, (Varicella.)
7. Whoo	ping Cou	zh.	-	_			Miliaria.
8. Typhr	s (and In	Cantil	e) Re	VAT	_	_	2. Rubeola.
9. Erysin	elss -		, _	,	_	-	8. Angina Maligna.
10. Metris		nerel	Fave	r )	-		5. Mumps.
11. Carbu		POI MI	2010	. /3	_	-	Tonsilitie.
12. Influe			_	-	-	-	8. Typhoid fever. 9. Phiebitis.
12 Dygen	torm -	_	-	-	•	:	Pyemia.
13. Dysen 14. Diarri	iciy,	-	•	-	•	-	Hospital gangrene.
15. Chole	na la fanta		•	-	•	•	Erythema.
		ш,	-	-	-	-	10. Childbed fever.
16. Chole	ги, -	-	•	•	-	•	11. Anthrax.
17. Ague,			-	-	•	-	17. Intermittent fever.
18 Remit		, -	-	-	-	•	18. Yellow fever.
19. Kheu	natism,	•	•	•	•	•	19. Rheumatism, with pericardi- tis, or disease of heart.
O	RDER 2	-Ent	hetic.				ll
I. 2 1. Syphi	lis	•	-			-	I 2.—1. Gonorrhœa.
	are of Ure	thra.		•	-		Purulent ophthalmia.
3. Hydro	phobia.	•	· •		-		4. Necusia, (usually from dis section wounds.)
4. Gland		_	-	_	_	_	Malignant pustule.

Mi er's Asta Emphysema. \*Other diseases of the brain, or diseases of the nervous system, not otherwise distinguished, are referred to this head. Mutatis mutandis, the note applies to the corresponding heads in other orders of this class.

	1	
TABULAR LIST.		SUPPLEMENTAL LIST.
CLASS III.—(Continued.)	1	
ORDER 4.—Digestive Organs. III. 4.—1. Gastritis,	-	III. 4.—1. Glossitis. Stomatitis.
3. Peritonitis,		Pharyngitis. Œeophagitis.
5. Ulceration of Intestines,	-	5. Perforation of— 6. Congenital.
6. Hernia,		Femoral. Inguinal.
8. Intussusception, 9. Stricture of Intestines,		Scrotal. Umbilical.
10. Fistula,	-	Ventral. 7 Constipation.
11. Stomach Diseases,* fc., 12. Pancreas Disease,* fc.,		7. Constipation. 11. Dyspepsia. Pyroris.
18. Hepatitis,		Gaetralgia. Hæmatemesis,
15. Liver Disease. * &c	-	Melæna. Hæmo: rhoids.
16. Spleen Disease,* Fc.,	-	14. Gall-stones. 15. Cirrhosis.
ORDER 5 Urinary Organs.	1	20. 01110615.
III. 51. Nephritis,	-	III. 5 8. Albuminaria.
2. Ischuria, 3. Nephria, (Bright's disease,, 4. Diabetes,	-	6. Cystirrhœa. 7. Diuresis.
4. Diabetes,		Hæmaturia. Dis. of prostate. Dis. of bladder.
6. Cystitis, 7. Kidney Disease * &c.,	-	Dis. of bladder.
ORDER 6.—Generative Organs. III. 6.—1. Ovarian Dropsy,		WYY & A CONTRACT
2. Disease of Uterus,* fc.,	-	III. 6.—2. Orchitis. Hydrocele. Hyeteritis (Inflammation o
,		Womb). Ovarian tumor.
	•	Uterine tumor. Polypus uteri.
ORDER 7.—Organs of Locomotion. III. 7.—1. Arthritis,		III. 7.—1: Ostitis.
2. Joint Disease, # fc.,	-	Periostitis.
		2. Fragilitas ossium. Molit. ossium. Caries.
		Necrosis. Exostosis.
ODDAD 9 - Internantum Sustam		and the state of t
ORDER 8.— Integumentary System. HI. 8.—1. Phlegmon,	-	III. 8.—1. Abscess (part not stated.)
2. Ulcer, 8. Skin Diseases,* &c.,	•	Boil. Whitlow.
		8. Roseola, Urticaria,
		Eczema. Herpes.
		Pemphigus. Ecthyma.
		Impetigo, Psoriasis,
		Ichthyosis. Tumor (part not stated.)
	i	[]

<sup>\*</sup>See note under III. 1.—9.

				_	
TABULAR LIS	BT.				E SUPPLEMENTAL LIST.
CLASS IV. DEVELOPMENT	AL I	)ise.	LSES.	.	
ORDER 1.—Dereiopemental Di. IV. 1.—1. Stillborn, - 2. Premature birth, a bility 3. Cyanosis, - 4. Spina Bifida, - 5. Other Malformation 6. Teething, -	nd I	-	•	-	IV. 1.—2. Atelectasts. 6. Anus imperferatus. Cleft palate. Idiocy.
ORDER 2.—Developemental Di IV. 2.—1. Parmenia, 2. Childbirth. (See M	-	-	-	-	IV. 2.—1. Chlorosis. Climacteria, Menorrhagia. 2. Miscarriage. Abortion. Purperal Mania.
ORDER 3.—Developmental	Disea	ses o	f Old	.	Phlegmasia dolens. Cusarian operation. Extra uterine fectation.
IV. 8.—1. Old Age,	•	•	•	-	Flooding. Retention of Placenta. Presentation of placenta.
ORDER 4.—Diseases of IV. 4.—1. Atrophy and Debili		ition -	• _	-	Deformed Pelvis, Breast_abscess.
CLASS V.—Violent	DEA	THS.	_	_	
ORDER 1.—Acoident or V. 1.—1. Fractures and Contu-	Negli	gence		-	
2. Wounds,	•	-	-	•	
3. Burns and Scalds,	-	-	-	-	11
4. Poison,	•	•	-	-	
5. Drowning, - •	-	•	•	-	
6. Suffocation, -	-	•	-	-	
7. Otherwise,	-	-	-	-	
ORDER 2.—Bat	tie.				
ORDER 3.—Homi	cide.				
Onbut o.—Hom					11
<del></del>	:4.				<b>!!</b>
ORDER 4.—Suic	ide.				
ORDER 4.—Suice V. 4.—1. Wounds,	ide.	-	-	-	
ORDER 4.—Suice V. 4.—1. Wounds, 2. Poison,	ide.	•	:	•	
ORDER 4.—Suic V. 4.—1. Wounds, 2. Poison, 3. Drowning, -	ide.	:	:	:	
ORDER 4.—Suice V. 4.—1. Wounds, 2. Poison,	ide.	:	:	:	
ORDER 4.—Suice V. 4.—1. Wounds,	:	:	:	:	
ORDER 4.—Suic V. 4.—1. Wounds, - 2. Poison, - 3. Drowning, - 4. Hanging - 5. Otherwise, - ORDER 5.—Execu	:	:	:	:	
ORDER 4.—Suice V. 4.—1. Wounds,	tion.		:	:	
ORDER 4.—Suic V. 4.—1. Wounds, - 2. Poison, - 3. Drowning, - 4. Hanging - 5. Otherwise, - ORDER 5.—Execu	tion.				

Note.—Where a person is "found drowned," the coroners, as in some other cases, do not always succeed in discovering whether the case is a suicide, a murder, or an accident. All such cases are classed under "accident or negligence." Cases of "infantile fever "are classed with those of typhold, relapsing, and other continuel fevers, under one name, "typhus." Cases of "rheumatic fever" are classed with "rheumatiem; "of "hemorrhage" and "abscess," with the diseases of the organs affected. Cases of "peglect" and "cold," except when the result of privation. (Class I. 3.—1) are placed (with notes) under deaths by "accident or negligence," (V. 1.—7.) As "stricture of the uretha" is almost inviarably the result of gonorrhea, it is classed as I. 2.—2.

<sup>\*</sup> Including "Railroad Accidents."

# LAW OF THIS STATE

# RELATING TO THE REGISTRY AND RETURNS OF BIRTHS, MARRIAGES AND DEATHS.

# AN ACT RELATING TO THE REGISTRY AND RETURNS OF BIRTHS, MARRIAGES AND DEATHS.

SECTION 1. The clerks of the several towns of this State shall, annually, in the month of June, transmit to the Secretary of State a certified copy of their record of births, marriages and deaths. which have occurred in their respective towns during the year next preceding the first day of January. The births shall be numbered and recorded in the order in which they are received by the clerk. The record of births shall state in separate columns the date of the birth, the name of the child (if it have any,) the sex of the child, the place of birth, name and surname of one or both the parents, residence of the parents, occupation of the father, and the time when the record was made. The marriages shall be numbered and recorded in the order in which they are received by the clerk. The record of marriages shall state in separate columns the date and place of marriage, the names and surnames of the groom and bride, the residence of each at the time of marriage, the age of each, occupation of the man, and time when the record was made. The deaths shall be numbered and recorded in the order in which they are received by the clerk. The record of death shall state in separate columns the date of the death, the name and surname of the deceased, the sex, condition (whether married or single), age in years, months and days, the place of death, the disease or apparent cause of death, the occupation, if a male over fifteen years of age, the place of birth, the name of the parents, and the time when the record was made.

- SEC. 2. The clerks in the several school districts in each town shall, annually, in the month of February, ascertain, from actual inquiry or otherwise, all the births and deaths which have happened in their respective districts during the year next preceding the first day of January, together with such facts concerning the births and deaths as are required by the preceding section of this chapter, and shall make an accurate return thereof to the clerk of the town in which such school district is situated, on or before the first day of March; and the district clerk, or other person or persons authorized to perform his duties and make such returns, shall be entitled to receive from the treasury of such town five cents for each and every birth and death so returned. And if such person shall neglect or refuse to make the returns required by this section, he shall be liable to a fine of not less than five dollars for each neglect or refusal.
- SEC. 3. Every justice of the peace or minister of the gospel shall make a record of each marriage solemnized before him, and every clerk or keeper of records of the meetings wherein any marriage among the people called Friends, or Quakers, shall be solemnized, shall make a record of such marriage, together with all the facts relating to marriages required by the first section of this chapter; and such justice, minister or clerk shall, annually, in the month of February, or from time to time, return a copy of the record for the year next preceding the first day of January, to the clerk of the town in which the marriage was solemnized; and every such person who shall neglect or refuse to make the returns required by this section, shall be liable to a fine of not less than ten dollars for each neglect or refusal, to be recovered on the complaint of a grand juror of such town.
- SEC. 4. The clerk of each town shall be entitled to receive from the treasury of the town five cents for recording each birth, death and marriage; provided, said clerk shall comply with the provisions of this chapter in all respects.
- Sec. 5. It shall be the duty of the clerks of the several towns to make such distribution of the black forms of returns as shall be designated by the Secretary of State.
  - SEC. 6. The Secretary of State shall, at the expense of the State,

prepare and furnish to the clerks of the several towns in this State, blank forms of suitable quality and size, to be used as books of records, according to the provisions of this chapter, and also blank forms of returns, as hereinbefore specified, and shall accompany the same with such instructions and explanations as may be necessary and useful.

SEC. 7. Every physician who shall have been in attendance upon any deceased person, shall leave with the town clerk a certificate containing the name of the disease or cause (if known) of such death within fifteen days after the interment of the deceased. Any such medical attendant who shall neglect or refuse to give the certificate required by this section, shall, for such offense, pay a fine of three dollars, for the use of the town where such offense shall be committed,

SEC. 8. It shall be the duty of the Secretary of State to receive the returns made in pursuance with the first section of this chapter, and he shall cause the same, at the expense of the State, for each year to be bound together in one or more volumes, with indexes thereto; and with such assistance as may be voluntarily rendered by any authorized committee, appointed by the Vermont Medical Society for that purpose, prepare therefrom such tabular results as will render them of practical utility, and make a report thereof annually to the Legislature, and generally shall do whatever may be required to carry into effect the provisions of this chapter.

SEC. 9. The Secretary of State shall cause prosecutions to be commenced, in the name of the State, in an action on the case, founded on this chapter, to recover any penalty or forfeiture imposed by any provisions therein.

AN ACT IN AMENDMENT OF SECTIONS ONE, TWO AND THREE OF CHAPTER SEVENTEEN OF THE GENERAL STATUTES, RELATING TO REGISTRY AND RETURNS OF BIRTHS, MARRIAGES AND DEATHS.

SECTION 1. That chapter seventeen, section two, of the General Statutes, shall be amended by striking out of the ninth line in said section the word "March," and by inserting therein the word "February," and that the word "February," in the second line, be stricken out and the word "January" inserted.

- SEC. 2. That from the third section of the same chapter there shall be stricken out the word "February," and inserted therein the word "January."
- SEC. 3. That from the first section of the same chapter there shall be stricken out the word "June," and the word "March" inserted.

SEC. 4. This act shall take effect from its passage. Approved, November 15th 1866.

# AN ACT RELATING TO THE FEES OF SCHOOL DISTRICT CLERKS.

SECTION 1. The clerks of the several school districts in this State, for making returns of births and deaths, as now required by law, shall receive as compensation therefor, the sum of fifteen cents for each birth and death so returned; provided, that in case their returns are incomplete or incorrect, they shall forfeit all compensation therefor, and be liable to a fine of not less than five dollars.

- Sec. 2. It is hereby made the duty of the selectmen of the several towns in this State, to draw an order on the treasurer of their respective towns, to pay the compensation aforesaid, on the presentation to them of a certificate from the town clerk that the returns have been made according to law.
- SEC. 3. It is hereby made the duty of the several town clerks in this State, to carefully examine the returns of births and deaths made to them by the clerks of the several school districts in their respective towns; and in case the returns are in all respects made up and returned agreeably to law, they shall furnish to each school district clerk, so complying with the requirements of law, a certificate which shall entitle him to the compensation aforesaid; and in case such returns are incomplete or incorrect, they shall forthwith cause prosecutions to be commenced against such delinquent school district clerk, in the name of the State, to recover any penalty or forfeiture imposed by the provisions of this act.
- SEC. 4. In case any town clerk in this State shall neglect or refuse to comply with the requirements of this act, or with any existing requirements of law in relation to making returns of births, marriages and deaths to the Secretary of State, he shall be liable to a fine of not less than twenty dollars; and the Secretary of State shall cause prosecutions to be commenced in the name of the State, to recover the penalty aforesaid.
- Sec. 5. All acts and parts of acts inconsistent herewith are hereby repealed.

Approved November 19, 1868.

AN ACT TO AMEND CHAPTER SEVENTEEN OF THE GENERAL STATUTES, RELATING TO "BIRTHS, MARRIAGES AND DEATHS," AND FOR THE BETTER REGISTRATION THEREOF.


SECTION 1. Section three of chapter seventeen of the General Statutes is hereby amended so as to read as follows:

Every justice of the peace, minister of the gospel, and any and all other persons who are authorized by law to solemnize the rite of marriage, whether in the usual form, or in the manner of the Society of Friends, shall each and all of them require to be placed in their hands, previous to the solemnization of such marriage rite, a certificate, signed by a town or city clerk of a town or city of this State, where such marriage shall be solemnized, and such certificate shall be in the form following, to wit:

## STATE OF VERMONT.

Town of

T	he following first named per	son this day applied for Certificat				
of Marriage. — Cler						
	CERTIFICATE OF MARRIAGE.					
No						
.1.	GROOM'S FULL NAME,					
2.	Place of Residence,					
3.,	Age,					
4.	Occupation,					
5.	Number of Marriage,					
6.	Place of Birth,					
7.	Father's Name,	.,,				
8.	Mother's Name,					
9.	BRIDE'S FULL NAME,	* ** ***** ** ** ** ** ** ** ** ***** ** ****				
	(Maiden name, if a Widow.)					
10.	Place of Residence,					
11.	Age,	************************************				
12.	Number of Marriage,					
13.	Place of Birth,					
14.	Father's Name,					
15	Mathar's Name					



And it shall be the duty of such justice of the peace, minister or other person authorized by law to solemnize the marriage rite, to receive such certificate from the hands of the party by him to be joined in matrimouy, and complete the same by filling any blank remaining therein when so received by him, and shall add the date of marriage and his official signature thereto, and shall return said certificate to the town or city clerk's office of the town whence such certificate issued within ten days thereafter; and every such person who shall perform the ceremony of marriage in any case, without first requiring and obtaining the certificate hereinbefore described, or who shall neglect or refuse to make such return in manner and form hereinbefore provided, shall be liable to a fine of not less than ten dollars for each offense, to be recovered on the complaint of a grand juror of such town or city; and it shall be the duty of such grand juror, on a notification in writing to him directed by such town or city clerk of the town wherein such neglect or refusal shall have taken place, to prosecute all such cases to effect.

SEC. 2. Section four of chapter seventeen of the General Statutes is hereby so amended as to read as follows:

The clerk of each town or city shall upon application of any person to him made for that purpose, issue to such person a marriage certificate, which shall be in the form prescribed in section one of this act, and at the time of the issue of such certificate he shall make entry thereon of the names of the parties to the marriage in all cases; and shall also enter such other data as is required by said section one to form a part of the record of marriage if then practicable, and shall at the same time make record thereof in a book prepared for such purpose. For making such certificate and record, town and city clerks shall be entitled to receive the sum of twenty-five cents, to be paid by the party obtaining such certificate, which

said fee shall be in lieu of the fee now paid by towns for the records of marriages, to town clerks; and it shall further be the duty of town or city clerks when such certificates or any of them are returned to his office, to complete his record so that it shall conform in all respects to the certificates so returned to him.

SEC. 3. All acts and parts of acts inconsistent herewith are hereby repealed.

SEC. 4. This act shall take effect from its passage.

Approved November 15, 1869.

Note-The figures in the fifth and sixth columns on page 114 are incorrect-

1 1 1 m











